

Histology and Embryology Program of the 1st practice

general information

(organization of teaching)

histology and embryology

(what is the subject of study)

- tissue processing for the light and electron microscopy (laboratory methods)
- demonstration of histological slides

(staining by different methods)

- <u>Beginning</u> strictly on time
- <u>Change your shoes</u> you will not be allowed to enter the hall w/o indoor shoes
- <u>Lockers</u> Jackets, coats, bags etc.
- <u>Cell phone</u> switched off or in silent mode
- Microscopic hall = **laboratory**
 - eating, drinking, smoking not allowed
 - smoking strictly forbidden anywhere in LF
 - students have to follow the instructions

academic misconducts or inappropriate behavior result in excluding

from the lesson or course

- Follow safety rules
- You have dedicated working place
- You are responsible for microscope, slide set, EM atlas

Practical lesson

- introduction; images freely available through electronic resources
- your individual work = study of the slides, schematic but precise drawing of tissue architecture, careful description. You make your own "study atlas".
- students are supposed to come prepared for practices schedules and syllables – IS, pin-boards
- break 10 minutes

Attendance

- 100% attendance

 substitution only in exceptional cases, after permissions from both the teacher of your group and the lesson where you plan to substitute

- sign in to the list

- make a protocol, let it check and signed by the lecturer

– one absence can be excused by a teacher, any other absence has to be excused formally by the Faculty through the IS

late-comers cannot join the practice and have to substitute the missed practice

Registration of substitution:

Datum Date	Jméno Name	Ročník Year	Skupina Group	Č. praktika Nr. of practice	Č. místa Nr. of place	Vyučující - podpis Teacher- signature

Protocols

– paper protocols

- A4 size, blank, without lines, according to the template (can be downloaded from interactive sylabus in the IS
- (color)pencil handdrawings
- complete set of signed protocols is required for getting the credits
- the quality of the protocol is approved by your teacher's signature at the end of practical lesson
- incomplete or low-quality protocols cannot be approved and the lesson must be substituted

Protocols

		1		
Protocol No:	Name:			
Date:	Year: Group:			
ТОРІС:				
List of slides for study:	Atlas EM: pictures for study			
Number Designation (staining)	Page Designation			
Guidelines for the o	establishment protocol			
1. Student shall prepare color diagrams of histological slides (crayons) or black and white diagrams of pictures				
in EM atlas (pencils). 2. Each diagram must be provide with the following information:				
- designation of slide and staining method (see t				
- description of the diagram.				
Checking of protocol				
Practice:]		
regular substitute	date			
	Signature of teacher			

Getting the credits

- 100% attendance
- complete set of signed protocols from all lessons including substitutions
- testing
 - every student is examined four times per semester by a written, "partial", test
 - all four tests have to be passed (4/4)
 - if a student fails a partial test, it is indicated in the IS (F). The partial test can be repeated once until the end of semester (1st resit). If this fifth test is passed (4/5), conditions for getting credits are met
 - if a student fails in the 1st resit test, it is also indicated in the IS (FF). The "semestral" (2nd resit) test is scheduled at the end of the semester.

• End of practical lesson:

- the practice is closed by the lecturer
- you are allowed to leave your working place only after checking the microscope and slides
- if you leave before the check you may be responsible for any damages/losses recognized later

- During the semester, the primary contact is the teacher of student's study group. Name of the teacher can be found in the Timetable, the email contact then in the IS.
- Alternatively, a general email contact can be used:

histology@med.muni.cz


Department of Histology and Embryology Faculty of Medicine MU

2013/2014

rion of 10 slides) and the eval part

Head: prof. Dr. Aleš Hampl

http://histology.med.muni.cz/



RECOMMENDED LITERATURE

Mescher, A.L. *Junqueira's basic histology :text and atlas*. 13th ed. New York: McGraw-Hill Medical, 2013. xi, 544. ISBN 9781259072321.


Moore, K.L., T.V.N. Persaud a M.G. Torchia. *The developing human: clinically oriented embryology*. 9th ed. Philadelphia, PA: Saunders/Elsevier, 2013. xix, 540. ISBN 9781437720020.

Ovalle, W.K., P.C. Nahirney a F.H. Netter. *Netter's essential histology*. 2nd ed. Philadelphia, PA: Elsevier/Saunders, 2013. xv, 517. ISBN 9781455706310.


Young, B. *Wheater's functional histology :a text and colour atlas*. 5th ed. [Oxford]: Churchill Livingstone, 2006. x, 437. ISBN 044306850X.


Sadler, T.W. a J. Langman. *Langman's medical embryology*. Illustrated by Jill Leland. 11th ed. Baltimore, Md.: Lippincott William & Wilkins, 2010. ix, 385. ISBN 9781605476568.

Lowe, J.S. a P.G. Anderson. Stevens and Lowe's Human Histology. 4th. : Elsevier, 2015. ISBN 978-0-7234-3502-0.



RECOMMENDED LITERATURE





Department of Histology and Embryology MF MU <u>http://histology.med.muni.cz</u>


E-RESOURCES

Department of Histology and Embryology

📰 🛏 Home Page Research Education 🕶 Grants Publications People Instrumentation 🕶 Contact


Atlas of Histology

recommended study tool



Atlas of Cytology and Embryology

recommended study tool



https://histology.med.muni.cz/education/electronic-study-resources

HISTOLOGY

- structure and ultrastructure of normal cells and tissues,
- cytology and general histology
- **special histology** = microscopic anatomy of individual organs


• <u>relevance</u>: oncology, surgery, hematology, pathology, forensic,...

EMBRYOLOGY

- prenatal (intra uterine) development
- **General embryology** (until 2nd month EMBRYO)

gametogenesis and early embryonic development

- Special embryology (since 3rd month to birth FETUS) organogenesis
- **Teratology** defects in organ development, malformations, anomalies; prenatal screening ultrasonography, amniocentesis, genetic and karyotype screening
- <u>Relevance</u>: gynecology and obstetrics, pediatrics, assisted reproduction



Histology cannot be put out of the biological and functional context

Histology

- Resolution of naked eye 0.1 mm
- Resolution of light microscopy 0.1- 0.5 μm
- Resolution of electron microscopy 0.1 1 nm



Tissue processing for the light microscopy (LM)

(making of permanent preparations – slides)

- **SAMPLING** (obtaining of material cells, tissue pieces)
- FIXATION of samples (tissue blocks)
- **RINSING** (washing) of samples
- EMBEDDING of samples embedded blocks
- CUTTING of blocks sections
- **AFFIXING** of sections
- **STAINING** of sections
- MOUNTING of sections

SAMPLING

- A small piece of organ (tissue) is sampled and quickly put into the fixative medium.
- Biopsy during surgical dissection of organs in living organism
 - = excision
 - = puncture (liver or kidney parenchyma, bone marrow)
 - = curettage (uterine endometrium, adenoid vegetation)
- Necropsy from dead individual (sections); in experiments laboratory animals are used and tissue have to be sampled as soon as possible after the break of blood circulation
- The specimens shouldn't be more than 5 10 mm³ thick and fixation should follow immediately.



FIXATION

- Definition: denaturation and stabilization of cell proteins with minimum artifacts
- <u>The purpose of fixation</u>: freshly removed tissues are chemically unstable dry, shrink, undergo hypoxia, autolysis and bacteriological changes
- To stop or prevent these changes and preserve the structure tissue samples have to be fixed. During the fixation, all tissue proteins are converted into inactive denaturized (stable) form.
- <u>3 main requirements on fixatives</u>:
 - good preservation of structure
 - quick penetration into tissue block
 - no negative effects on tissue staining

• <u>Fixatives</u>: solutions of different chemicals

- **organic fixatives** – <u>ALDEHYDES</u> – formaldehyde (*most frequently used for LM*)

- glutaraldehyde (used for EM)

- ALCOHOLS - 96 - 100 % (absolute) ethylalcohol

- ORGANIC ACIDS - glacial acetic acid, picric acid,

trichloracetic acid

- inorganic fixatives – INORGANIC ACIDS – chromic acid, osmium tetraoxide (OsO4)

– SALTS OF HEAVY METALS – mercuric chloride HgC₁₂

- compound fixatives – mixtures (two or more chemical components to offset

avoid undesirable effects of individual (simple) fixatives.

FLEMMING's fluid – with OsO₄

ZENKER's and HELLY's fluid, SUSA fluid – with HgCl₂

BOUIN's fluid – with picric acid

CARNOY's fluid – with alcohol

Fixation is carried out at the room temperature, the time varies between 12 - 24 hours, specimen must be overlayed by 20 - 50 times fixative volume:

Ratio of tissue block volume to fixative volume 1 cm³ : 20 – 50 cm³

RINSING and EMBEDDING

- All samples should be washed to remove the excess of fixative; the choice of rinsing medium is determined by type of fixative: running tap-<u>water</u> or 70-80% <u>ethanol</u>
- <u>Relevance of embedding:</u> tissues and organs are brittle and unequal in density, they must be hardened before cutting

EMBEDDING MEDIA

- water soluble gelatine, celodal, water soluble waxes
- anhydrous paraffin, celloidin

EMBEDDING into **PARAFFIN**

- dehydration to remove water from fixed samples by ascending series of ethanol is used (50%, 70%, 90%, 96%. each step - 2 – 6 hours
- clearing the ethanol must be replaced with organic solvatant that dissolves paraffin – xylene
- infiltration melted paraffin wax (56°C) is used; 3 x 6 hours.
- casting (blocking out) moulds (plastic, paper or metal chambers) are used for embedding.
- The moulds are filled with melted paraffin, tissue samples are then placed inside and immediately immersed in cold water to cool paraffin quickly down.
- These paraffin blocks are ready for trimming

- FFPE



Automated device for tissue dehydration




Paper chambers

- metal











CUTTING

• <u>Microtome</u> – a machine with automatic regulation of section thickness: $5 - 10 \mu m$ is optimum.




sliding microtome – block is fixed in holder, knife or razor moves horizontally




rotary microtome – knife is fixed, block holder moves vertically

Sliding microtome






Rotary microtome








Freezing microtome (**cryostat**) = rotary microtome housed in freezing box (- 60^o C)

Cutting of frozen tissue without the embedding



CUTTING





oblique section


AFFIXING

- Mixture of glycerin and egg albumin or gelatin
- Section are transferred from microtome razor or knife on the level of warm water (45° C), where they are stretched; then they are put on slides coated with adhesive mixture; excess of water is drained and slides are put in incubator (thermostat, 37° C) over night to affixing of sections.





















Stretching of sections on warm water



Stretching on a warm plate




STAINING

- Different cell or tissue structures are not apparent without staining.
- Cellular structures exhibit different affinity to staining dyes:
- **alkaline dyes** (basic or nuclear) react with anionic groups of cell and tissue components
- **basophilia** basophilic structures in the cell


acid dyes (cytoplasmic) – react with cationic groups **acidophilia** – acidophilic structures in the cell

neutrophilia – no reaction

Hematoxyline and eosin (HE)



HEMATOXYLINE – EOSIN (HE)



ROUTINE STAINING with HEMATOXYLINE – EOSIN (HE)

Hematoxyline – basic (nuclear) dye

Eosin – acid (cytoplasmic dye



- <u>Staining procedure</u>:
- paraffin must be removed (dissolved) by xylene
- sections are rehydrated in descending series of ethanol (100% \rightarrow 96% \rightarrow 80%)
- staining with hematoxyline
- differentiation in acid ethanol and water (excess of dye is removed)
- staining with eosin
- rinsing in water (excess of dye is removed)
- dehydration in graded ethanol series ($80\% \rightarrow 96\% \rightarrow 100\%$)
- clearing in xylene

Staining results:

 <u>HE</u> = *Hematoxyline* – *Eosin* nuclei – bright clear blue or dark <u>violet</u> cytoplasm and collagen fibers – <u>pink</u> muscle tissue – red


 <u>HES</u> = *Hematoxyline* – *Eosin* – *Safron* connective tissue – <u>yellow</u>


- <u>AZAN</u> = AZocarmin ANiline blue orange G nuclei – red erythrocytes – orange muscle – red
 - collagen fibers <u>blue</u>

Staining tools:



cuvette











flask

(basket)

Automatic slide stainer




staining set of boxes with media





MOUNTING


 Finally, preparates are closed with coverslip (coverglass) to form a permanent preparate. Small amount of mounting medium must be placed between stained section and the coverslip.



• Mounting media: soluble in xylene – canada balsam soluble in water – glycerin-gelatine, arabic gum




Permanent histological slides for study in the light microscope




Early microscope

Hematoxyline and eosin (HE)



Azocarmine and aniline blue (AZAN)




collagen fibers are blue


Staining methods:

routine – HE, AZAN

(demonstrate all components of tissue)




HE – the most frequent used method



<u>special</u>


visualizes only special structures



Lipid droplets detected by oil red

impregnation

by silver salt for detection of nerve or reticular fibers



Histochemistry and Immunohistochemistry

• <u>Relevance</u>:

various chemical compounds detected "in situ" (proteins, AA, NA, saccharides, lipids, enzymes, pigments, inorganic substances – Fe, Ca, Zn)


Various epitopes detected by immunotechniques

Enzyme conjugated with secondary Ab visualization

Secondary Ab specific against primary Ab

Primary Ab specific against epitope of the particular antigen


Antigen





Actin (cytoskeleton)

DAPI (nucleus)

Microtubules (cytoskeleton)









In-vivo/live cell imaging

- US, MRI, PET...
- cells with fluorescent reporter









Tissue processing for the EM





- pH of all solutions (media) must be buffered on 7.2 7.4
 Cacodylate or phosphate buffer is frequently used.
- Absolutely dustfree environment
- Solutions (media) have to be precise (artifacts)



Tissue processing for the EM

- SAMPLING immediatelly after arresting of blood circulation, tissue block sized no more than 1mm³
- FIXATION glutaraldehyde (binds amine groups) + OsO₄ (binds lipids) are used as double fixation
- **RINSING** distilled water
- **DEHYDRATION** ethanol
- EMBEDDING gelatin capsule or plastic forms are filled with some medium (which can be polymerized from liquid to solid form) and pieces of fixed tissue are placed into this medium. Epoxyd resins (Epon, Durcupan, Araldite) are usually used as in water insoluble media.
- **CUTTING** ultrathin sections (in ultramictomes)
- **CONTRASTING** ≈ staining




Embedding tools:

gelatin (1) or plastic (2) capsules

capsule holder (3)

embedding plates (4, 5)






Embedded blocks prepared for cutting








Trimming the Specimen Block

By trimming, using ultramicrotome, an excess of hard medium is removed and pyramide with minimal cut surface (0.1 mm2) is prepared.

Minimum of tissue (black) is in the top of pyramid



Cutting


Ultrathin sections (70 – 100 nm) - ultramicrotomes.


Glass or diamond (b) knives with water reservoir are used

Sections slide flow on water in small container attached to the knive

Supporting grids














Cutting













Grid Types and Mesh Sizes









CONTRASTING (=STAINING)

 principle of differentiation of structures – different dispersion of beam of electrons depending on atomic weight of elements.

"electron dyes" are thus mixtures of heavy metals: uranylacetate or lead citrate



stain droplet with floating grid placed section-side down on the droplet



Differences between LM and EM		
	LM	EM
Sampling	< 1 cm ³ minutes	< 1 mm ³ seconds
Fixation	formaldehyde 12 – 24 hours	glutaraldehyde 1 – 3 hours
Embedding	paraffin	epoxid resins (Durcupan)
Cutting Thickness of sections	microtome 5 – 10 μm	Ultramicrotomes 50 – 100 nm
Staining (LM) contrasting (EM)	dyes (hematoxyline – eosin)	heavy metals (uranylacetate,lead citrate)
Mounting (only LM)		
Result	histological slide (preparate)	photograph of ultrathin section

Visit us at:

MUNI Department of Histology and Embryology

http://histology.med.muni.cz

MASARYK UNIVERSITY



Home Education - Research Projects Publications Instrumentation - Contacts



Interactive syllabus IS MU

MUNI

Å

 ${\rm scher}$'s Notebook > Interactive syllable > Histology and embryology I-practice ${\rm *}$ Interactive Syllabus



Thank you for attention