## **Hydrogen Pilot STorage for large Ecosystem Replication**



Project start: January 2021 Location: Etrez (Ain) France

H2 Production: Electrolyzer 1MW End of Pilot Phase: December 2023

Storage Capacity: 3 - 44 tons

Test industrial scale renewable hydrogen production and storage in salt caverns supported by technical and economic reproductibility of the process to other sites throughout Europe























## **Project Objectives**






- ✓ Demonstration of the technical feasibility of H2 storage in salt caverns (safety of operations, environmental and geological impact)
- ✓ Adaptation of the equipment to hydrogen (piping, completion): grade of steel, elastomer, welds, etc.
- √ Hydrogen tightness of the salt cavity
- ✓ The thermodynamic behavior of hydrogen in the cavity
- √ The interaction of hydrogen in a salt cavity
- √ Feedback on the quality of the H2 leaving the storage facility


Partnersky

# Adaption of EZ53 Cavern & Process for Tightness Test






Current EZ53 installations



Cavern completion for H2 storage by brine compensation method



Set the interface at 4 different depths during the tests (for HyPSTER project)

Hydrogen


**Brine** 

Aim: Validate if standard method from natural gas storage is suited for hydrogen




# **HyPSTER – Cyclic Test Operation**










### hypster 🗇

## **HyPSTER - Test Cycle Definition**

Cavern with 10 tons of working H.


4000

Modeling of exemplary hydrogen ecosystems




# Scenarios investigated for Etrez storage:

- Electrolysis using wind/solar power or grid supply
- · Usage for transport or heating
- · Backup storage inculded



#### Planned cyclic testing program at EZ53:

- ✓ Subject to technical limitations (pressure range)
- ✓ Relevant operating regime (idealized, but containing realistic features)
- ✓ Allowing calibration of software models
- ✓ Facilitating the monitoring of cavern tightness



Integrated test cycle with >100 intraday cycles, standstill periods for calibration and different pressure ramps to test various operation modes. A final hydrogen withdrawal can be added if possible.


### **HyPSTER – Adaption & Validation of Salt Cavern Models**



Thermodynamical & geomechanical models are prerequisite for storage design, approvability, safe operation -> commercial applicability!


Comparison of software models LOCAS (Brouard Consulting) & KAVPOOL/FLAC3D (ESK/Itasca):


- ✓ Comprehensive benchmarking at relevant operating conditions
- Agreement for main model characteristics confirmed (e.g. cavern pressure development)
- Minor model differences identified, subject to model calibration





- Calibration of rock mechanical model on historical data
- First simulations of EZ53 cyclic | tests





Modeled volume change during EZ53 cyclic test due to salt creep (computed using two different sets of parameters)

9

# **HyPSTER - Industrial Scale Modeling**



- ✓ Set of relevant cavern configurations for hydrogen storage in Europe defined
- ✓ Long-term schedule for industrial scale cavern operation defined

0,9 0,8								M
0,9 0,8 0,7 0,4 0,5 0,4 0,3 0,3 0,3 0,3 0,3 0,3 0,3 0,3 0,3 0,4 0,5 0,5 0,4 0,5 0,5 0,5 0,5 0,5 0,5 0,5 0,5 0,5 0,5								Ш
o,5	V V V	1000	WVV	WVV	WW	WW	IVVVI	W
0,4 0,3								
0,2								
0,0	HH							

Parameter	Case 1	Case 2	Case 3	Case 4	Case 5	Case 6	Case 7
Depth of last cemented casing shoe [m]	600	900	900	900	1400	1400	1400
Geometrical cavern volume [m³]	350.000	200.000	500.000	800.000	200.000	500.000	800.000
Cavern height (roof to sump) [m]	70	70	140	300	70	140	300
Exemplary representations	UK	DE	DK, FR, DE, NL, PT	DE, NL	DE	FR, DE	DE

Operating schedule for comparison of industrial scale caverns



Sensitivity analysis (including additional geomechanical parameters)


Partnership

# **HyPSTER - Microbiological Assessment**



### Microbial growth and consumption:

Investigate possible  $H_2$  utilizing bacteria and the risk of H2 loss and ability generating toxic compounds. How to boost or inhibit bacterial growth?



1. Sampling

2. Sampling

O (many

## **HyPSTER – Microbiological Assessment**




#### Brine analysis:

Chemical analysis: total organic carbon (TOC), volatile fatty acids, pH, sulphate DNA analysis: cell numbers of several key groups, community structure

#### Microbial growth and consumption:

Investigate possible H<sub>2</sub> utilizing bacteria and the risk of H2 loss and ability generating toxic compounds. How to boost or inhibit bacterial growth?



### 2 samplings planned:

- before H<sub>2</sub> injection
   (2-4 samples during wireline operation)
- after H<sub>2</sub> storage phase
   (~10 samples during emptying of cavern)

Chan Hydrogen Partnership

## **HyPSTER - Microbiological Assessment**



#### **Brine analysis:**

Chemical analysis: total organic carbon (TOC), volatile fatty acids, pH, sulphate DNA analysis: cell numbers of several key groups, community structure


#### Microbial growth and consumption:

Investigate possible H<sub>2</sub> utilizing bacteria and the risk of H2 loss and ability generating toxic compounds. How to boost or inhibit bacterial growth?

### Effects of pressure changes:

Growth of brine/enrichment under higher pressure (specific for HyPSTER cavern)
Simulating cyclic pressure and temperature changes over time

→ How will the community react? Changes in consumption rates?



### 1. Sampling

2. Sampling

#### 2 samplings planned:

- before H<sub>2</sub> injection
   (2-4 samples during wireline operation)
- 2. after  $H_2$  storage phase (~10 samples during emptying of cavern)

O' (min

### **Hydrogen Pilot STorage for large Ecosystem Replication**




### **Next steps (extract):**

#### Summary:

- Project is on track & within budget
- **⊘** Approvals have been granted
- **Groundwork started Groundwork started**
- EZ53 suited for demand scenario
- **⊘** Models successfully cross-checked
- Website & podcasts available online
- Workshop with stakeholders held

- 🛕 Continue on-site work (H2 production & cavern platforms)
- A Perform tightness test & cyclic test
- A Confirm applicability of tightness test method & cavern models
- Analyze delivered hydrogen purity & microbiological activity
- 🛕 Provide lessons learned on safety & environmental impact
- A Model industrial scale storage application
- 🟡 Assess techno-economic replicability & develop roadmap
- A Engage with other potential storage operators & partners
- 🛕 Develop recommendations for national & EU policy makers
- A Publish scientific project results

O many



## **Hydrogen Pilot STorage for large Ecosystem Replication**



### Thank you for your attention!



Dr. Maurice Schlichtenmayer ESK GmbH, Holzwickede, Germany www.esk-projects.com

Work Package Manager: Tools & Methods for Cyclability





Project information: https://hypster-project.eu





This project has received funding from the Fuel Cells and Hydrogen 2 Joint Undertaking (now Clean Hydrogen Partnership) under Grant Agreement No 101006751. This Joint Undertaking receives support from the European Union's Horizon 2020 Research and Innovation programme, Hydrogen Europe and Hydrogen Europe Research.