
Chemical Bonding

- Effects on Bonding
- Pauling's Rules
- Dative Bonds
- Bond Order
- Multiple Bonds
- Sigma Hole Interactions
- Bond-Stretch Isomers
- Relativistic Effects
- Aurophilicity
- H-Bonding

"Imaging an unsupported metal—metal bond in dirhenium molecules at the atomic scale" by K. Cao, S. T. Skowron, J. Biskupek, C. T. Stoppiello, C. Leist, E. Besley, A. N. Khlobystov and U. Kaiser, 2020, Science Advances. DOI: 10.1126/sciadv.aay5849

Chromatic and spherical aberration-corrected TEM



- Re—Re bond length changes in discrete steps correlating with bond order from one to four
- Direct imaging of the Re–Re bond breaking process reveals a new bonding state with the bond order less than one
- A high-amplitude vibrational stretch precedes the bond dissociation




Lennard-Jones Potential

A model for weak **van der Waals bonds** between molecules Two interacting particles repel each other at very close distance, attract each other at moderate distance, and do not interact at infinite distance


The **repulsive** term (12) - the Pauli repulsion of overlapping electron orbitals

The **attractive** term (6) - attraction at long ranged interactions (dispersion forces)




Morse Potential

A model for potential energy of **a covalent bond** in a diatomic molecule Solving the Schrödinger Equation with the Morse Potential can be done analytically



Morse Potential



Harmonic oscillator in quantum mechanics Quantized vibrational energies - levels

$$E^{n} = (v + \frac{1}{2})hf$$

 $\boldsymbol{\nu}$ - vibrational quantum number

v = 0 - the vibrational ground state

Never dissociates

Morse-Potential energy curve

 D_0 = bond dissociation energy

The ground-state energy is not 0

$$E^0 = \frac{1}{2}hf$$

Vibrational frequency *f*

k - force constant μ - reduced mass

$$f = \frac{1}{2\pi} \sqrt{\frac{k}{\mu}}$$


Bond	wavenumber cm ⁻¹
C–H	3000
C-D	2200

The C-H bond is a stronger spring (larger k)
The C-D bond has lower zero-point energy E_D^o Force constant k does not change with isotopic H/D substitution



Bond Length and Temperature

Experimental Mo≡Mo bond distance: at room temp. 2.23 Å, at LN2 t. 2.18 Å



$$E^{n} = (v + \frac{1}{2})hf$$

Potential energy curve is not parabolic (harmonic) but **unsymmetrical** (anharmonic)

99.9 % of C–H bonds are in the ground vibrational state (v = 0) at room temp

At high temperature, more high vibronic states are populated

Bond length oscillates at frequency f between r_{max} and r_{min}


Average atomic separation = middle points move towards longer r

Longer bonds at higher temperature



Bond Length and Isotopes

Is the C-H bond longer or shorter than the C-D bond?



A Morse potential curve The zero point vibrational energy (ZPE) is the lowest possible energy of a system, the ground state energy (v = 0)

 E_D° and E_H° (for v=0) the ZPE of R-H and R-D (R is much heavier than H or D) depend upon the reduced mass μ of the molecule

$$E^0 = \frac{1}{2}hf$$


$$f = \frac{1}{2\pi} \sqrt{\frac{k}{\mu}}$$

$$\mu = \frac{m_1 m_2}{m_1 + m_2}$$

- The **heavier** the atom, the **lower** the frequency of vibration and the **smaller** ZPE
- Lighter molecules or atoms have a greater frequency of vibration and a higher ZPE
- Deuterium is heavier than hydrogen and therefore has the lower zero point energy

Bond Length and Isotopes

Is the C-H bond longer or shorter than the C-D bond?



Due to the anharmonicity of the C–H/C–D vibrational potential energy function and the lower ZPE of a C–D bond

The midpoint of C–H level is at a longer distance than C–D

The average C–D bond length is typically ~0.005 Å **shorter** than an equivalent C–H

- Harmonic Potential

- Morse Potential

Heq + v_0 v_0 Deq + v_0 Morse contrib. to Hea + v_0 Morse contrib. to Deq + v_0

C-H/D Separation (Bond Length)


Secondary Isotope Effect - Steric effect of a CD₃ group **smaller** than CH₃

 $k_{\rm H}/k_{\rm D} = 0.86$

The **kinetic** isotope effect (KIE) = isotopically substituted molecules exhibit different reaction rates, the change in rate of a reaction due to isotopic substitution

An isotopic substitution **does not influence the electronic** potential energy surface

hydrogen (¹H) - deuterium (²H) - tritium (³H) carbon (¹²C, ¹³C), nitrogen (¹⁴N, ¹⁵N), oxygen (¹⁶O, ¹⁸O), chlorine (³⁵Cl, ³⁷Cl)




Different bond dissociation energies for R-D and R-H: E_D is greater than E_H

This difference in ZPE due to isotopic replacement results in differing rates of reaction k – the rate determining step

The effect is measured in KIE:

The reaction rate for the conversion of

R-D is slower than the reaction rate for
the conversion of R-H



Different bond dissociation energies for C–D and C–H: E_D is greater than E_H - differing rates of reaction k – the rate determining step

The kinetic isotope effects:

The reaction rate for the conversion of **C**–**D** is **slower** than the reaction rate for the conversion of **C**–**H**

Isotope replacement does not change the electronic structure of the molecule or the potential energy surfaces of the reactions

The greater the atom mass, the more energy is needed to break bonds

A **heavier** isotope forms a **stronger bond** - less of a tendency to dissociate

The increase in energy needed to break the bond results in a **slower reaction** rate and the observed isotope effect:

The ratio
$$k_H/k_D = 1 \text{ to } 7$$

Heavy atom isotope effects = the substitution of carbon, oxygen, nitrogen, sulfur, and bromine, with effects that are much smaller and are usually 1.02 - 1.10 The maximum isotopic rate ratio is proportional to the square root of the inverse ratio of isotopic masses

Secondary kinetic isotope effects = rate changes due to isotopic substitutions at a site other than the bond breaking site in the rate determining step of the reaction, α , β , and γ effects

Harmonic oscilator frequency Bond stretching frequency - f

$$f = \frac{1}{2\pi} \sqrt{\frac{k}{\mu}}$$

Reduced mass

$$\mu = \frac{m_1 m_2}{m_1 + m_2}$$

bond	μ
C-H	0.92
C-D	1.71
¹² C- ¹² C	6.00
¹² C- ¹³ C	6.24

Zero point energy (v = 0)
$$E^0 = \frac{1}{2}hf$$

$$E^0 = \frac{1}{2}hf$$

Reaction rate

$$k = Ae^{-\frac{E^0}{kT}}$$

Isotope effect

$$\frac{k_H}{k_D} = e^{\frac{h(f_D - f_H)}{2kT}}$$





Pauling's Rules


Five principles which could be used to determine the structures of complex ionic/covalent crystals

Pauling's Rule no. 1 Coordination Polyhedra

- A coordinated polyhedron of anions is formed about each cation
- Cation-Anion distance is determined by sums of ionic radii
- Cation coordination environment is determined by radius ratio







 $r(O^{2-}) = 140 pm (Linus Pauling)$

Bond Length

$$R(A-B) = r_A + r_B$$

Schomaker-Stevenson Rule

polar bonds are shorter than the sum of covalent radii

Original c = 9 pm, n = 1Modified c = 8.5 pm, n = 1.4

$$R(A-B) = r_A + r_B - c \left| \chi_A - \chi_B \right|^n$$

Allred-Rochow electronegativities give the best fit



Ionic Radii

- R.D. Shannon and C.T. Prewitt, Acta Cryst. B25, 925-945 (1969)
- R.D. Shannon, Acta Cryst. A32, 751-767 (1976)

As the coordination number (CN) increases, the Ionic Radius increases

Sr ²⁺				
CN	Radius, Å			
6	1.32			
8	1.40	As the	oxidation state increases, cations get small	er
9	1.45		coordination, in Å)	
10	1.50	•	,	
12	1.58	Mn ²⁺	0.810	
		Mn ³⁺	0.785	
		Mn ⁴⁺	0.670	
		Ti ²⁺	1.000	
		Ti ³⁺	0.810	
		Ti ⁴⁺	0.745	11.



Ionic Radii


The radius increases down a group in the periodic table
The exception - 4d/5d series in the transition metals - the lanthanide contraction

```
(6-fold coordination, in Å)
```

na occia	111ation, 1117t)	
Al ³⁺	0.675	
Ga ³⁺	0.760	Left to right across the periodic table the
ln³+	0.940	radius decreases
TI ³⁺	1.025	
		(6 coordinate radii, in Å)
Ti ⁴⁺	0.745	, ,
Zr^{4+}	0.86	La ³⁺ 1.172
Hf ⁴⁺	0.85	Nd ³⁺ 1.123
		Gd ³⁺ 1.078
		Lu ³⁺ 1.001




Coordination Polyhedra





Cation/Anion Radius Ratio



CN	r/R
12 – hcp/ccp	1.00 (substitution)
8 – cubic	0.732 - 1.00
6 – octahedral	0.414 - 0.732
4 – tetrahedral	0.225 - 0.414

optimal radius ratio for given CN ions are in touch



The Same or Not the Same

Three sigma criterion


$$\Delta = A \pm B$$

$$\sigma_{\!\scriptscriptstyle \Delta} = \sqrt{\sigma_{\!\scriptscriptstyle A}^2 + \sigma_{\!\scriptscriptstyle B}^2}$$

$$\Delta < 3\sigma_{\Lambda}$$
 A, B – are identical

$$\Delta > 3\sigma_{\scriptscriptstyle \Lambda}$$
 A, B – are different

 σ - standard deviation



AL NI/1\ 1 002/C\

AI-N(1) 1.983(6)	
Al-N(2) 1.805(5)	Si(2)-N(2) 1.684(5)
Al-N(3) 1.812(6)	Si(1)-N(3) 1.697(6)
Al-N(4) 1.810(6)	Si(3)-N(4) 1.690(6)
Δ = 0.007	Δ = 0.013
σ = 0.008	σ = 0.008
$3\sigma = 0.024$	$3\sigma = 0.024$



Pauling's Rules

Pauling's Rule no. 2 Bond strength and the bond order conservation principle (a rule of local electroneutrality)

The strength of an electrostatic bond: s_{ij} = valence / CN The bond valence sum of each ion equals its oxidation state $v_i = \Sigma s_{ij} = \Sigma \frac{z_i}{CN}$


The valence of an ion $(V_i$, equal to the oxidation state of the ion) is equal to a sum of the valences of its bonds (s_{ij})

In a stable ionic structure the charge on an ion is balanced by the sum of electrostatic bond strengths (s_{ii}) to the ions in its coordination polyhedron

 TiO_2 (Rutile) Ti - oxidation state of +4, coordinated to 6 oxygens $V_{Ti} = +4 = 6 (s_{ij})$ $s_{ij} = +2/3$

The bond valence of oxygen, coordinated by 3 Ti atoms $V_o = 3 (s_{ii}) = 3 (-2/3) = -2$

Each bond has a valence of s_{ij} with respect to the cation and $-s_{ij}$ with respect to the anion





Bond Strength

Brown, Shannon, Donnay, Allmann:

Correlation of the valence of a bond s_{ij} with the (experimental) bond distance d_{ij}

$$s_{ij} = \exp\frac{R_{ij} - d_{ij}}{b}$$

 R_{ij} = standard single bond length - determined empirically from (many) structures where bond distances and ideal valences are accurately known


Tables of R_{ij} values for given bonding pairs (i.e., Nb–O, Cr–N, Mg–F, etc.) have been calculated, just as tables of ionic radii are available

A constant b = 0.30 - 0.37

$$R = d$$
 $s = e^0 = 1$
 $R < d$ $s = e^{-1} < 1$ a bond longer than R is weaker than 1
 $R > d$ $s = e^1 > 1$ a bond shorter than R is stronger than 1



Bond Strength vs. Bond Length



triple 1.097 Å in N_2

double 1.247 Å in N₂H₂ and dimethyldiazene 1.226 Å of N₂²⁻ in SrN₂

or calculated 1.236 Å in dimethyldiazene

single 1.447 or 1.453 Å in hydrazine N₂H₄



Bond Valence Sum (BVS)

Correlation of the valence of a bond s_{ij} with the (experimental) bond distance d_{ij}

$$s_{ij} = \exp\frac{R_{ij} - d_{ij}}{b}$$

$$v_i = \sum S_{ij} = \sum \frac{Z_i}{CN}$$

Use of the bond valence sum concept

- A) To check experimentally determined structures for correctness, or bonding instabilities
- B) To predict new structures
- C) To locate light atoms such as hydrogen or Li ion, which are hard to find experimentally
- D) To determine ordering of ions which are hard to differentiate experimentally, such as Al³⁺ and Si⁴⁺, or O²⁻ and F⁻
- E) To check/confirm oxidation states of atoms (Co²⁺/Co³⁺, Fe²⁺/Fe³⁺)



Bond Valence Sum (BVS)

Correlation of the valence of a bond s_{ij} with the (experimental) bond distance d_{ij}

$$s_{ij} = \exp\frac{R_{ij} - d_{ij}}{b}$$

$$v_i = \sum s_{ij} = \sum \frac{z_i}{CN}$$

FeTiO₃ (mineral Ilmenite) possesses the **corundum** structure – an hcp array of oxides with cations filling 2/3 of octahedral holes

Decide which oxidation states are present: Fe(II) Ti(IV) or Fe(III) Ti(III)

Bond Distances (d _{exp} , Å)	Tabulated R _{ij} values	Constants
Fe–O = 3×2.07 and 3×2.20	$R_0(Fe-O) = 1.795 \text{ Å}$	b = 0.30
Ti–O = 3×1.88 and 3×2.09	$R_0(Ti-O) = 1.815 \text{ Å}$	b = 0.37

Oxygen valence and coordination number O?
Each oxygen is bound to Fe and Ti with both bond distances




Pauling's Rules

Pauling's Rule no. 3 Polyhedral Linking

The presence of shared edges, and particularly shared faces **decreases the stability** of a structure

This is particularly true for cations with large valences and small coordination numbers

Avoid shared polyhedral edges and/or faces






Polyhedral Linking

The Coulombic interactions: maximize the cation-anion interactions (attractive), and minimize the anion-anion and cation-cation interactions (repulsive)

- increasing the coordination number
- decreasing the cation-anion distance



The cation-cation (the Coulomb) repulsion increases as the

- distance decreases degree of sharing increases (vertex < edge < face)
- CN decreases (cubic < octahedral < tetrahedral)
- cation oxidation state increases




Pauling's Rules


Pauling's Rule no. 4 Cation Evasion


In a crystal containing different cations those with large valence and small coordination number tend not to share polyhedral elements (anions)

Perovskite, CaTiO₃



Call 12-coordinate CaO₁₂ cuboctahedra share FACES





Ti^{IV} 6-coordinate TiO₆ octahedra share only **VERTICES**

Pauling's Rules

Pauling's Rule no. 5 Environmental Homogeneity (The rule of parsimony)

The number of chemically different coordination environments for a given ion tends to be small

Once the optimal chemical environment for an ion is found, if possible all ions of that type should have **the same environment**



Covalent Radius of Fluorine

1938 Brockway – electron diffraction on $F_2(g)$ R(F–F) = 145 pm r(F) = 73 pm TOO LONG Lone pair repulsion, abnormally weak bond M–F bonds are highly polar


1960 Pauling – backbonding in A-F

1990 Reed and Schleyer – pi bonding in A–F


1992 Gillespie and Robinson - 54 pm Longer if a lone pair on EAF_n Shorter in an incomplete octet BF_3

1997 Gillespie - 60 pm, the X–F bond length decreases with a decreasing CN, the smaller the bond angle (<F-A-F) the longer the bond length

2009 Pyykkö - 64 pm in single, 59 pm in double and 53 pm in triple bond character



Ionic Radius of Fluoride



2nd Period

Fluoride radii decrease across the 2nd period with increasing electronegativity of the central atom and therefore with decreasing F ligand charge q(F)

3rd Period 3

The six-coordinated fluorides (SF_6 , AIF_6^{3-}) fall on the same smooth curve as for the Period 2 fluorides = close-packed


The 3- and 4-coordinated fluorides of the Period 3 elements (AIF_4^-) do not fall on this curve = not close packed



Additive Covalent Radii

Additive covalent radii = approximate a bond length as the sum of two atomic radii Predominantly covalent

Calculated versus experimental distance




The A–B bond is not too ionic

Pekka Pyykkö J. Phys. Chem. A, 2015, 119 (11), 2326–2337




1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
1 H 32 -			A	dd	iti	VE	e (Co	Va	le	nt	F	Rac	dii			2 He 46 -
3 Li	4 Be				Z	Radiu	ıs, r _n :	Symbol	S	ingle		5 B	6 C	7 N	8 O	9 F	10 Ne
133	102					r	1			_		85	75	71	63	64	67
124	90					r	2			oubl	e	78	67	60	57	59	96
-	85					r	' 3		_	- ا د.: د		73	60	54	53	53	-
11 Na	12 Mg						100		ı	riple		13 Al	14 Si	15 P	16 S	17 Cl	18 A
155	139					þ	m					126	116	111	103	99	96
160	132											113	107	102	94	95	107
-	127											111	102	94	95	93	96
19 K	20 Ca	21 Sc	22 Ti	23 V	24 Cr	25 Mn	26 Fe	27 Co	28 Ni	29 Cu	30 Zn	31 Ga	32 Ge	33 As	34 Se	35 Br	36 K
196	171	148	136	134	122	119	116	111	110	112	118	124	121	121	116	114	117
193	147	116	117	112	111	105	109	103	101	115	120	117	111	114	107	109	121
-	133	114	108	106	103	103	102	96	101	120	-	121	114	106	107	110	108
37 Rb	38 Sr	39 Y	40 Zr	41 Nb	42 Mo	43 Tc	44 Ru	45 Rh	46 Pd	47 Ag	48 Cd	49 In	50 Sn	51 Sb	52 Te	53 I	54 Xe
210	185	163	154	147	138	128	125	125	120	128	136	142	140	140	136	133	131
202	$\begin{array}{c} 157 \\ 139 \end{array}$	$\frac{130}{124}$	$\begin{array}{c c} 127 \\ 121 \end{array}$	125 116	121 113	$120 \\ 110$	$\begin{array}{c} 114 \\ 103 \end{array}$	110 106	$\begin{array}{c} 117 \\ 112 \end{array}$	$\frac{139}{137}$	144	136	$\frac{130}{132}$	133 127	$128 \\ 121$	$129 \\ 125$	135 122
- 55 Cs	56 Ba		72 Hf	73 Ta	74 W	75 Re	76 Os	77 Ir	78 Pt	79 Au	80 Hg	146 81 Tl	82 Pb	83 Bi	84 Po	85 At	86 Rr
232	50 Ба 196	La-Lu	152 m	146	137	131	129	122	123	19 Au 124	133	144	144	151	145	147	142
209	161		128	126	120	119	116	115	112	121	142	142	135	141	135	138	145
-	149		122	119	115	110	109	107	110	123	-	150	137	135	129	138	133
87 Fr	88 Ra	Ac-Lr	104 Rf	105 Db	106 Sg	107 Bh	108 Hs	109 Mt	110 Ds	111 Rg	112 Cn	113	114 Fl	115	116 Lv	117	118
223	201	.10 11	157	149	143	141	134	129	128	121	122	136	143	162	175	165	157
218	173		140	136	128	128	125	125	116	116	137						
_	159		131	126	121	119	118	113	112	118	130						






Ionic Character vs. Electronegativity



$$i = 1 - \exp[-0.21(\chi_A - \chi_B)^2]$$




van Arkel-Ketelaar Triangle






van Arkel-Ketelaar Triangle





Normal vs. Dative Bond

Isoelectronic molecules




	13	14	15	16	
	5 B boron 10.81 [10.806, 10.821]	6 C carbon 12.011 [12.009, 12.012]	7 N nitrogen 14.007 [14.906, 14.608]	8 Oxygen 15.999 [15.999, 16.000]	
2	13 Al aluminium 26.982	14 Si silicon _{28.085} [28.084, 28.086]	15 P phosphorus 30.974	16 S sulfur 32.06 [32.059, 32.076]	[35.
0 n 10	31 Ga gallium	32 Ge germanium	33 As arsenic	34 Se selenium	t



Normal vs. Dative Bond


Heterolytic Bond Cleavage





Neutral + Radicals

Neutral + Diamagnetic



Charged + Radical

Homolytic Bond Cleavage



Badger's Rule

Empirical relationships linking force constants, bond lengths, bond dissociation energies and bond orders – MANY EXCEPTIONS

1935 Badger's rule relates vibrational frequencies to bond distances for various

atomic pairs

$$r_e = \left(\frac{C_{ij}}{k}\right)^{\frac{1}{3}} + d_{ij}$$

r_e = equilibrium bond distance

k = force constant (can be substituted with v, the stretching frequency)


 C_{ij} and d_{ij} = empirically fitted values for a particular atomic pair i-j

Plots of bond distances vs $v^{-2/3}$ or $k^{-1/3}$ for a set of compounds comprising a particular atomic pair are fit to equation to determine C_{ij} and d_{ij} , which then allows a newly measured force constant or vibrational frequency to be used to calculate an unknown bond distance (or vice versa)


$$\nu = \frac{1}{2\pi} \sqrt{\frac{k}{\mu}} \Rightarrow k = \mu (2\pi\nu)^2$$
 $\mu = \frac{m_1 m_2}{m_1 + m_2}$




Badger's Rule



Badger's Rule






$$\mu = \frac{m_1 m_2}{m_1 + m_2}$$




Normalized Badger's Rule

Normalized frequency





Normalized Badger's Rule





Gordy Relationship

1946 Gordy

$$k = aN \left[\frac{\left(\chi_A \chi_B \right)}{r_e^2} \right]^{\frac{3}{4}} + b$$

N - fractional bond multiplicity $\chi_{A,B} \text{ - electronegativities of bonded atoms} \\ \text{k - force constant of bond stretching} \\ \text{r}_e = \text{equilibrium bond distance} \\ \text{a and b - constants, which differ for different families} \\$


- Determination of a force constant spectrum analysis, peak assignment
- Prediction of bond length
- Prediction of bond order
- Determination of electronegativity



Bond Order - an Observable Quantity?

Bond-Order Discrimination by Atomic Force Microscopy L. Gross, F. Mohn, N. Moll, B. Schuler, A. Criado, E. Guitián, D. Peña, A. Gourdon, G. Meyer, Science 2012, 337 (6100), 1326-1329 DOI: 10.1126/science.1225621

Noncontact atomic force microscopy (AFM) with a CO-functionalized Cu tip



Bond Order

G. N. Lewis 1916

Electron pair sharing between two atoms

Bond order = a measure of the number of electrons shared between two atoms Resonance structures – fractional bond order

G. Herzberg

Bond order is equal to half the difference between the number of **bonding** electrons and the number of **antibonding** electrons in the (diatomic) molecule Not a quantum chemical quantity, not calculated from the wave function, semi-integer *formal* bond order

Does not consider the magnitude of overlap and the bond polarity

Parr and Borkman

The delocalized charge density moving freely along the bond axis

k_e - force constant of a bond

r_e - bond length

a - constant

$$N = a \sqrt{\frac{k_e}{r_e}}$$



Bond Order

R. S. Mulliken

A non-integral bonding power of either sign is attributable to every outer electron - the Mulliken population analysis

The effective bond order (EBO)

Each bonding orbital *i* has a natural orbital (NO) occupation number b_i . The corresponding antibonding orbital has the occupation number ab_i . a = 0 – full bond, a = 1 – no bond

$$EBO = \sum_{i} \frac{(b_i - ab_i)}{2}$$


The delocalization index between two any atoms in a system corresponds to the (fractional) number of electron pairs shared or exchanged between these atoms



Multiple Bonds

Dominant form of oxygen is O=O, a colourless paramagnetic gas Ozone (O_3) is the only other allotrope Why does not it form O_8 ?

Lone-pair repulsion across the short O–O distance O is small, and its orbitals highly contracted, and so electrons feel a lot of e-e repulsion



Bond energies

$$O_2 \longrightarrow -O-O-$$

Bond

Energies: 350

2 × 145


$$\Delta H = 350 + (2 \times -145) = +60 \text{ kJ mol}^{-1}$$

Bond

Energies: 270

2 × 155

$$\Delta H = 270 + (2 \times -155) = -40 \text{ kJ mol}^{-1}$$



S=S is thermodynamically unstable wrt -S—S- (catenation) but stable above 700 °C (Why?)

π -Bonds

Diffuseness of orbitals

2s and 2p orbitals are only shielded from the nucleus by the 1s electrons, therefore they are highly **contracted**, and π -**overlap** is **efficient** for the second period elements 3s and 3p orbitals in the 3rd row and higher elements are more **diffuse**, and so this side-on p-p overlap is **less effective**

Repulsion between core electrons

Second-row elements have only two core electrons (He)

Third-row (Ne) and heavier elements (Ar-Kr-Xe) have a significantly larger number of core electrons that cause **repulsion** between two heavy elements bonded to each other This prevents the atoms to approach each other closer and form stronger π bonds

Atomic size


The large jump (50 %) in the covalent radii between the 2nd and 3rd rows of the periodic table (for example, C (0.77 Å), Si (1.17 Å) Higher coordination numbers observed for the 3rd row

Thermochemistry

 π -bond energies in heavy double bonds too small to prevent polymerization




Atomic Radii



B. Cordero et al. *Dalton Trans.* **2008**, 2832–2838



Bonding in Diatomic Molecules





The Strongest Bond in Chemistry

The strength of a bond depends on

Covalent effects

- The degree of overlap between the interacting atomic orbitals

The elements of the **2nd period** of the periodic table - orbital hybridization, σ bond formed by sp–sp overlap, two π -bonds of similar strengths. The elements of the **3rd and higher periods** - hybridization is largely absent and π -bonds are much weaker than the corresponding σ -bonds - with increasing atomic number and increasing covalent radius, overlap is reduced and the π -bonds become weaker

Ionic effects


- The bond polarity (electronegativity difference) reflected by the difference in the energies of the atomic orbitals involved in bonding
- The effective electronegativity increased electronegativity means that the energies of the atomic valence orbitals and the bonding orbital(s) are lowered = a strengthening of the bond




The Strongest Bond in Chemistry

the N \equiv N bond of the [H-N \equiv N-H]²⁺ ($^1\Sigma_g^+$) molecule


Stretching force constant k (N=N) = 26.1 mdyn/Å (1 dyn = 10^{-5} N) Bond length r = 1.080 Å Relative bond strength order RBSO = 3.38





Dinitrogen N_2 k = 2293.8 N m⁻¹ Bond length r = 1.1038 Å

D. Cremer et al. *J. Phys. Chem. A* **2013**, *117*, 8981



π-Bonds

Atom	C 2	Si 3	Ge 4	Sn 5	Pb 6
Orbital energy					
ns	-19.39	-14.84	-15.52	-13.88	-15.41
np	-11.07	-7.57	-7.29	-6.71	-6.48
Ionization energy					
ns	16.60	13.64	14.43	13.49	16.04
np	11.26	8.15	7.90	7.39	7.53
Electron affinity	1.26	1.39	1.23	1.11	0.36
Polarizability	1.76	5.38	6.07	7.7	6.8
Electronegativity					
Mulliken	1.92	1.46	1.40	1.30	1.21
Pauling	2.55	1.90	2.01	1.96	2.33
Allen	2.28	1.76	1.81	1.68	1.91
Atomic radius					
ns	1.58	2.20	2.19	2.48	2.39
np	1.74	2.79	2.88	3.22	3.22

Carbon - 2s and 2p electrons approximately **the same spatial extension** (the core electrons occupy only the 1s orbital)

Heavier Group 14 elements, the np valence electrons (n > 2) are **spatially separated** from ns due to Pauli repulsion with the (n-1)p electrons in the inner shell

Difficult to hybridize *n***s and** *n***p orbitals** for heavier atoms, tend to preserve the valence *n*s electrons as core-like electrons while carbon shows a preference for an effective hybridization of the s and p - the strong overlap binding ability

π -Bonds

In Group 14 all double-bonded E=E species are unstable!

	E=E		E-E-E
kJ mol ⁻¹	E=E	E-E	ΔH
С	602	–2(356)	-110
Si	310	-2(226)	-142
Ge	270	-2(188)	-106
Sn	190	-2(151)	-112

Exothermic!

1933 at ICI R. Gibson, E. Fawcett High pressure polyethylene

C=C double bonds are thermodynamically less stable than two corresponding single bonds but are kinetically stabilized

The preparation of polymers involves a catalyst to overcome the kinetic barrier and induce an exothermic reaction

The Si=Si bond are much weaker, the driving force for polymerization is large, hard to prevent polymerization



Stabilisation of Si=Si

Si=Si 216.0 pm a typical Si–Si 232 pm - 8% shortening Tetraphenylethene - C=C 12% shortening


The Z \rightarrow E isomerization energy of unsymmetrical disilene, (Mes)(tBu)Si=Si(tBu)(Mes) The barrier to inversion in the disilene is high $E_{act} = 131 \text{ kJ mol}^{-1}$ trans-stilbene only 179 kJ mol⁻¹

West, R.; Fink, M.J.; Michl, J. *Science* **1981**, *214*, 1343 Masamune, S. et al. *J. Am. Chem. Soc.* **1982**, *104*, 1150



π -Bonds


Differences in reactivity?







Triplet - Singlet

carbene	triplet	ΔE_{ST} , kJ mol ⁻¹ -58.5
silylene	singlet	69.8
germylene	singlet	91.1
stanylene	singlet	103.7
plumbylene	singlet	145.5
	silylene germylene stanylene	silylene singlet germylene singlet stanylene singlet






singlet (S)






Stabilisation of Sn=Sn

 $Sn[N(SiMe_3)_2]_2 + 2 Li[CH(SiMe_3)_2] \rightarrow Sn[CH(SiMe_3)_2]_2 + 2 Li[N(SiMe_3)_2]_2$





Distannene = the first isolable species with multiple bonding between two heavier main group elements

Sn=Sn distance = 2.768(1) \mathring{A} - not very short, the compound is dissociated in solution to stannylene R_2 Sn:

Sn elemental = 2.80 Å


 $Ph_3Sn-SnPh_3 = 2.770(4) \text{ Å}$




Double Bond in Heavy Elements

Compound	M-M/Å	δ*/°	γ*/°
$[Ge(C_6H_3Et_2-2,6)_2]_2$	2.213(2)	12	10
$[Ge(C_6HMe_3-2,3,4-Bu^t-6)_2]_2$	2.2521(8)	0	20.4
[Ge(SiMePr ⁱ ₂) ₂] ₂	2.267(1)	0	6.5
$[Ge(SiPr^{i}_{3})_{2}]_{2}$	2.298(1)	0	16.4
$[Ge(Mes)(C_6H_3Pr_2^i-2,6)]_2$	2.301(1)	36	7
$[Ge\{CH(SiMe_3)_2\}_2]_2$	2.347(2)	32	0
$[GeCl(C_6H_3Mes_2-2,6)]_2$	2.443(2)	39	0
$\{GeN(Bu^t)(CH_2)_3N(Bu^t)SiN(Bu^t)(CH_2)_2N(Bu^t)\}_2$	2.451(2)	41.3	42.3
$[\{Ge(SiBu_3^t)_2\}_2Ge(SiBu_3^t)_2]$	2.239(4)		
$[\{Ge(SiBu_3^t)\}_3][BPh_4]$	2.226(4)		
$[Ge(C_6H_3Mes_2-2,6)]_3$	2.35(7)		
$K[{Ge(C_6H_3Mes_2-2,6)}_3]$	2.422(2)		
$[Sn\{CH(SiMe_3)_2\}_2]_2$	2.768(1)	41	0
$[Sn\{Si(SiMe_3)_3\}_2]_2$	2.8247(6)	28.6	63.2
$[Sn\{C_6H_2(CF_3)_3-2,4,6\}\{Si(SiMe_3)_3\}]_2$	2.833(1)	41.5	0
$[Sn(C_6HMe_3-2,3,4-Bu^t-6)_2]_2$	2.910(1)	21.4, 64.4	
$[Sn\{C_6H_2(CF_3)_3-2,4,6\}_2]_2$	3.639(1)	46	0
$[K(THF)_6][\{SnC_6H_3Trip_2-2,6\}_2]$	2.8123(9)	95.20	0
$[Pb\{C_6H_2(CF_3)_3-2,4,6\}\{Si(SiMe_3)_3\}]_2$	3.537(1)	40.8	0

 $\label{eq:trans-pyramidalization} \begin{subarray}{c} \textit{Trans-pyramidalization} \\ \textit{out-of-plane angle, } \delta \end{subarray}$




Twist angle, γ





Double Bond in Heavy Elements



Triple Bond - Disilyne


$$(\text{Me}_3\text{Si})_2\text{HC} \\ \text{Pr} \\ \text{Si} \\ \text{CH}(\text{SiMe}_3)_2 \\ \text{CH}(\text{SiMe}_3)_3 \\ \text{CH}(\text{SiMe}_3)_3 \\ \text{CH}(\text{SiMe}_3)_3 \\ \text{CH}(\text{Si$$

Si≡Si 206.22(9) pm Half the magnitude of the bond shortening of alkynes C≡C /alkenes C=C

Si=Si 216.0 pm Si-Si 232 pm

The substituents at the Si≡Si group are trans-bent a bond angle of 137.44(4)°

Disilyne






Heavier Gr14 Alkyne Analogues

	Compound	M≡M (Å)	M≡M-C bending angle (degrees)	Shortening* (%)
	R Si ==== Si	2.0622(9) (ref. 21)	137.44(4)	11.87
Digermyne	Ar' Ge Ge Ar'	2.285(6) (ref. 22)†	128.67(8)	6.35
Distannyne	Ar' Sn===Sn Ar'	2.6675(4) (ref. 23) †	125.1(2)	5.07
Diplumbyne	Ar* Pb Pb Ar*	3.1811 (ref. 24)‡	94.26(4)	-9.69
	* Shortening with respect			



[†] $Ar' = C_6H_3-2,6(C_6H_3-2,6-i-Pr_2)_2$. ‡ $Ar^* = C_6H_3-2,6(C_6H_2-2,4,6-i-Pr_3)_2$.

Heavier Gr14 Alkyne Analogues



The 6s² valence electrons are stabilized by **relativistic effects** - they participate less in bonding


In an atom of a heavy element, the velocities of its electrons are close to the speed of light if they approach the nucleus, Einstein's theory of relativity indicates that the electrons at such high velocities have higher masses, increasing their electromagnetic attraction with the positive nucleus and leading to the contraction of the inner atomic orbitals in comparison to non-relativistic analogs

The Pb-Pb single bond formed by head-to-head overlap of 6p orbitals, which have a larger radius than 6s and hence form longer bonds



Triple E≡E Bond in Gr13

$$\begin{array}{c|c}
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 & & & \\
 &$$



Diboryne

R₂C: carbene stabilized B₂

Braunschweig et al., *Science* **2012**, *336*, 1420


Braunschweig et al., *Angew. Chem. Int. Ed.* **2014**, *53*, 9082

Braunschweig et al., *Angew. Chem. Int. Ed.* **2015**, 54, 13801
cyclic (alkyl)(amino)carbenes = CAAC

C=B=B=C an electron deficient $(4-\pi\text{-electron})$ cumulene



Triple E≡E Bond in Gr13



Molecule B₂

 $(NHC) \rightarrow B \equiv B \leftarrow (NHC)$

B₂ molecule


The ground state has two doubly occupied bonding orbitals (blue) but one doubly occupied antibonding orbital (red) - a bond order = 1 a single bond B—B

$(NHC) \rightarrow B \equiv B \leftarrow (NHC)$

the excited state has three doubly occupied bonding orbitals and hence a triple bond B≡B



Triple E≡E Bond in Gr13




Triple M≡M Bond in Gr13

Quantum chemical calculations DFT NHC = N-Heterocyclic Carbenes


N. Holzmann, A. Stasch, C. Jones, G. Frenking, Chem. Eur. J. 2011, 17, 13517



Triple M≡M Bond







Cl Cl Cl Cl Cl

Triple M≡M Bond

1	Cl Cl Bridged	Configuration	rM-M / pm	Magnetism
ı	$\operatorname{Cr_2Cl_9}^{3}$	$\sigma^2(\delta/\pi)^4$	310	Paramagnetic
	Mo ₂ Cl ₉ ³⁻	$\sigma^2(\delta/\pi)^4$	253-288	Variable
	$W_2Cl_9^{3}$	$\sigma^2(\delta/\pi)^4$	242-250	Diamagnetic


Cr₂Cl₉³⁻ two CrCl₃ fragments held together by 3 bridging Cl, no d-orbital overlap, no direct Cr-Cr bond, paramagnetic with **6 unpaired** electrons

Mo₂Cl₉³⁻ the Mo-Mo distance depends on the cation present in the crystal structure, variable bonding and magnetism

W₂Cl₉³⁻ good overlap and a **triple W-W** bond with no unpaired electrons




Triple M≡M Bond



 $Mo_2(NMe_2)_6$ a $\sigma^2\pi^4$ triple bond a short Mo–Mo bond length of 2.214(2) Å

M.H. Chisholm, F.A. Cotton, B.A. Frenz, W.W. Reichert, L.W. Shive, B.R. Stults, *J. Am. Chem. Soc.* **1976**, *98*, 4469

 $W_2(NMe_2)_6$ a W–W bond length of 2.294(1) Å




M.H. Chisholm, F.A. Cotton, M. Extine, B.R. Stults, *J. Am. Chem. Soc.* **1976**, *98*, 4477



Quadruple Bond

1964 F. A. Cotton – the first bond order higher than 3



Eclipsed

 δ – δ * transition 14700 cm⁻¹ (1.82 eV)

EBO = 3.2

the sum of the partial bond orders 0.92 (σ), 1.74 (π) and 0.54 (δ)



Formal Shortness Ratio (FSR)

Bond	Ratio	Bond	Ratio
C≡C	0.783	Cr ≡ Cr	0.771
N≡N	0.786	Mo ≡ Mo	0.807
		Re ≡ Re	0.848

F. A. Cotton - A short bond?

The FSR is a dimensionless number given by the ratio of the atom—atom **distance**, d, of a bond and **the sum of the radii** of the two atoms involved, $r_A + r_B$:

$$FSR = d/(r_A + r_B)$$


The advantage of this formalism is its interelement applicability

The FSR is a useful tool for comparing formal multiple bonding and short metal—metal distances



Quadruple Bond

The Mo–Mo distances changes as torsional strain is introduced by bridging diphosphines with concomitant diminution of the $d_{xy}-d_{xy}$ overlap, i.e., the δ bond




Internal twist x


rotation about the metal-metal bond average of 4 torsion angles

 $\chi = 0^{\circ}$ - an eclipsed configuration (b.o. = 4) $\chi = 45^{\circ}$ - a staggered configuration (b.o. = 3)

 $Mo_2X_4(PR_3)_4$ and $Mo_2X_4(diphosphine)_2$ X = Cl and Br



Quadruple Bond in PES



PES spectrum of the [Re₂Cl₈]²⁻ anion

$$1 \text{ eV} = 1.6 \times 10^{-19} \text{ J}$$

Oxidation $Mo_2(TiPB)_4$ to $[Mo_2(TiPB)_4]^+$

 $Mo_2^{4+} \rightarrow Mo_2^{5+}$ one unpaired electron (EPR)

Mo–Mo distance 0.06 Å longer electron removed from a bonding δ orbital

$$b.o. = 3.5$$





Strategies for stabilization of multiple bonds

- Maximum of valence electrons at metal
- Minimum number of attached ligands

Bulky ligands to prevent intermolecular reactions

Monovalent m-terfenyl ligands





Cr-Cr = 1.8351 Å

Cr(1)-C(1A) = 2.131 Å

Cr(1)-C(7A) = 2.2943 Å


Bond angle: $Cr(1A)-Cr(1)-C(1) = 102.78^{\circ}$

T. Nguyen, A. D. Sutton, M. Brynda, J.C. Fettinger, G. J. Long, P. P. Power, *Synthesis of* stable compound with fivefold bonding between two chromium(I) centers, Science **2005**, *310*, 844. Doi 10.1126/science.1116789

$$CrCl_2(THF)_2 + LiAr' \rightarrow \frac{1}{2} [Cr(\mu-Cl)Ar']_2 + LiCl$$


in THF, $Ar' = C_6H_3-2,6(C_6H_3-2,6-iPr_2)_2$


$$[Cr(\mu-Cl)Ar']_2 + 2 KC_8 \rightarrow [Cr_2(C_6H_3-2,6-(C_6H_3-2,6-iPr_2)_2)_2] + KCl$$






Cr-Cr bonding = σ + 2π + 2δ





Quintuple bond = five electron pairs play a role in holding the metal atoms together It does not imply that the bond order is five or that the bonding is very strong since the ground state of the molecule mixes with higher energy configurations with less bonding character, this gives lower, usually non-integer, bond orders



Amidinate ligand

Cr-Cr


R = Mes **1.7404(8)** Å


R = Xylyl 1.7397(9) Å

Cottons "formal shortness ratio" (FSR)


FSR = 0.733

the FSR of dinitrogen is 0.786






The Hein–Cotton concept three-atom bridging ligands to establish short metal–metal distances



Importance of the ligand in establishing short metal–metal bonds: The N–N distances correlate with the Cr–Cr bond lengths



The Shortest M-M Bond



Quintuple Mo-Mo Bond

$$2 = \frac{1}{N} \sum_{\text{Li}}^{\text{R}} + K_4 \text{Mo}_2 \text{Cl}_8 \frac{(1)60 \text{ C/THF}, 72 \text{ h}}{(2) \text{Recrystallized from Et}_2 \text{O}} + K_4 \text{Mo}_2 \text{Cl}_8 \frac{(1)60 \text{ C/THF}, 72 \text{ h}}{(2) \text{Recrystallized from Et}_2 \text{O}} + K_4 \text{Mo}_2 \text{Cl}_8 \frac{(1)60 \text{ C/THF}, 72 \text{ h}}{(2) \text{Recrystallized from Et}_2 \text{O}} + K_4 \text{Mo}_2 \text{Cl}_8 \frac{(1)60 \text{ C/THF}, 72 \text{ h}}{(2) \text{Recrystallized from Et}_2 \text{O}} + K_4 \text{Mo}_2 \text{Cl}_8 \frac{(1)60 \text{ C/THF}, 72 \text{ h}}{(2) \text{Recrystallized from Et}_2 \text{O}} + K_4 \text{Mo}_2 \text{Cl}_8 \frac{(1)60 \text{ C/THF}, 72 \text{ h}}{(2) \text{Recrystallized from Et}_2 \text{O}} + K_4 \text{Mo}_2 \text{Cl}_8 \frac{(1)60 \text{ C/THF}, 72 \text{ h}}{(2) \text{Recrystallized from Et}_2 \text{O}} + K_4 \text{Mo}_2 \text{Cl}_8 \frac{(1)60 \text{ C/THF}, 72 \text{ h}}{(2) \text{Recrystallized from Et}_2 \text{O}} + K_4 \text{Mo}_2 \text{Cl}_8 \frac{(1)60 \text{ C/THF}, 72 \text{ h}}{(2) \text{Recrystallized from Et}_2 \text{O}} + K_4 \text{Mo}_2 \text{Cl}_8 \frac{(1)60 \text{ C/THF}, 72 \text{ h}}{(2) \text{Recrystallized from Et}_2 \text{O}} + K_4 \text{Mo}_2 \text{Cl}_8 \frac{(1)60 \text{ C/THF}, 72 \text{ h}}{(2) \text{Recrystallized from Et}_2 \text{O}} + K_4 \text{Mo}_2 \text{Cl}_8 \frac{(1)60 \text{ C/THF}, 72 \text{ h}}{(2) \text{Recrystallized from Et}_2 \text{O}} + K_4 \text{Mo}_2 \text{Cl}_8 \frac{(1)60 \text{ C/THF}, 72 \text{ h}}{(2) \text{Recrystallized from Et}_2 \text{O}} + K_4 \text{Mo}_2 \text{Cl}_8 \frac{(1)60 \text{ C/THF}, 72 \text{ h}}{(2) \text{Recrystallized from Et}_2 \text{O}} + K_4 \text{Mo}_2 \text{Cl}_8 \frac{(1)60 \text{ C/THF}, 72 \text{ h}}{(2) \text{Recrystallized from Et}_2 \text{O}} + K_4 \text{Mo}_2 \text{Cl}_8 \frac{(1)60 \text{ C/THF}, 72 \text{ h}}{(2) \text{Recrystallized from Et}_2 \text{O}} + K_4 \text{Mo}_2 \text{Cl}_8 \frac{(1)60 \text{ C/THF}, 72 \text{ h}}{(2) \text{Recrystallized from Et}_2 \text{O}} + K_4 \text{Mo}_2 \text{Cl}_8 \frac{(1)60 \text{ C/THF}, 72 \text{ h}}{(2) \text{Recrystallized from Et}_2 \text{O}} + K_4 \text{Mo}_2 \text{Cl}_8 \frac{(1)60 \text{ C/THF}, 72 \text{ h}}{(2) \text{Recrystallized from Et}_2 \text{O}} + K_4 \text{Mo}_2 \text{Cl}_8 \frac{(1)60 \text{ C/THF}, 72 \text{ h}}{(2) \text{ Recrystallized from Et}_2 \text{O}} + K_4 \text{Mo}_2 \text{Cl}_8 \frac{(1)60 \text{ C/THF}, 72 \text{ h}}{(2) \text{ Recrystallized from Et}_2 \text{O}} + K_4 \text{Mo}_2 \text{Cl}_8 \frac{(1)60 \text{ C/THF}, 72 \text{ h}}{(2) \text{ Recrystallized from Et}_2 \text{O}} + K_4 \text{Mo}_2 \text{Cl}_8 \frac{(1)60 \text{ C/THF}, 72 \text{ h}}{(2)$$

2009 Tsai the first Mo–Mo quintuple bond

$$\begin{array}{c|c}
R & 1, R \\
N & N & N \\
Mo \equiv Mo & Mo \\
CI & Li & CI \\
Et_2O & R
\end{array}$$

$$3, R = H; 4, R = Ph$$


diamagnetic

Mo-Mo quintuple bond lengths


3 - 2.0187(9) Å

4 - 2.0157(4) Å

The shortest Mo-Mo quadruple bond 2.037(3) Å



Bonding in R-MM-R



R. Hoffmann - the potential energy surfaces of RMMR R = H, F, CI, Br, CN, and CH_3 ; M = Cr, Mo, and W

The potential energy surface is complex with several local minima

The linear geometry is always a minimum, but almost never the global minimum

A preference for either a **trans-bent** conformation or one of **the R groups bridging**The potential energy surface is relatively flat

The lowest energy conformation - the best compromise between maximization of the MM bonding and minimization of orbital interactions that are MR antibonding The MM quintuple bond persists

Sextuple Bonding in Gr6 M₂ Dimers

-6.0

-8.0

-10.0

-12.0


 M_2 (M = Cr, Mo, W)

Matrix isolation
IR and UV spectroscopy
Short M-M distances
Singlet ground state

Laser-evaporated Cr_2 in the gas phase d(Cr-Cr) = 1.68 Å

Spectroscopic studies of Cr_2 generated from pulsed photolysis of $Cr(CO)_6$ d(Cr-Cr) = 1.71 Å


Mo-Mo molecule in the gas phase at low temperatures d(Mo-Mo) = 1.93 Å -4.0 M-M bonding





Sextuple Bonding in Gr6 M₂ Dimers

p-orbitals too high in energy




overlap **increases down** a group and can reach the bonding manifold

 δ -bonds are weaker than π -bonds due to poor overlap between orbitals

M-M bonding energy increases down a group which is in contrast to the *p*-block


Sextuple Bonding in Gr6 M₂ Dimers



Cr₂ – poor delta bonding, 4 AF coupled electrons, larger 4s orbitals generate a considerably longer bond than the 3d-3d This unbalance weakens the 3d bonds and makes the 4s bond repulsive at equilibrium geometry, the repulsive interaction between the closed 3p, which have about the same radial extension as 3d

Effective bond order (EBO) Dissociation energy (DE)

М	EBO	d(M-M), Å	DE, eV
Cr	3.5	1.66	1.65
Мо	5.2	1.95	4.4
W	5.2	2.01	5.4



Multiple Bonding

The bond energy only 1.65 eV for Cr₂ sextuple bond but 3.17 eV for quintuple bond in [PhCrCrPh]

= no direct relation between bond order and bond energy, a complex quantity depends on many factors, such as atomic promotion energy, the interplay between attractive nuclear forces and electron repulsion, spin—orbit coupling-decreases the bond energy

Bond orders higher than 6? Lanthanides – 4f orbitals? Actinides – 5f orbitals participate in bonding

The EBO is always smaller than the maximum formal bond order (MBO = the number of electrons forming the bond divided by two)

Molecule	МВО	EBO	D ₀ [eV]
Cr ₂	6	3.5	1.6
[PhCrCrPh]	5	3.5	3.2
Ac ₂	3	1.7	1.2
Th ₂	4	3.7	3.3
Pa ₂	5	4.5	4.0
U_2	6	4.2	1.2

Multiple Bonding Trends In Groups

Main-Group Elements

Tendency to multiple bonding **decreases down the group** s + 3×p orbitals available s/p size difference increases and propensity to hybridization decreases down the group

Transition Metals

Multiple bonding increases down the group

 $s + 5 \times d$ orbitals available

Difference in size between the smaller nd and larger (n+1)s orbitals decreases down the group

Relativistic effects contract s and p orbitals while d and f are expanded The s and d orbitals in second- and especially third-row transition metals are more equal in size, this greater equivalency in size considerably enhances the bond strength



Dictionary of Used Terms

Potential well – potenciálová jáma

Stretching vibrations – valenční vibrace

Zero point energy – energie nulového bodu

Rate determining step – krok určující rychlost reakce

Polyhedral vertex/edge/face – vrchol/hrana/stěna polyedru

Parsimony – střídmost, šetrnost

Standard deviation – směrodatná odchylka

Close packed – nejtěsněji uspořádané