

# PV178: Programming for the CLI Environment

## Seminar: Week 5

Tomáš Pochop

**Institute of Computer Science and Faculty of Informatics**  
Masaryk University

April 2, 2007

# Example 1

Write a class *BinaryHeap* that represents a binary heap. Nodes in heap are of the same generic type  $T$ , where  $T$  implements the *Comparable*  $\langle T \rangle$  interface. The *BinaryHeap* class is serializable. The binary heap is represented by an array, allow to set the length of the array via constructor. Implement all heap operations. Create one instance of *BinaryHeap* class of some type (e.g. *int*), fill it with some values. Demonstrate serialization and deserialization.

# Binary heap

Binary heap is a binary tree with two additional constraints:

- 1** The shape property: the tree is either a perfectly balanced binary tree (all leaves are at the same level), or, if the last level of the tree is not complete, the nodes are filled from left to right.
- 2** The heap property: each node is higher than or equal to each of its children according to some comparison predicate which is fixed for the entire data structure.

# Binary heap operations

- 1 Add an item to the heap
- 2 Remove the root from the heap

# Binary heap - adding

- 1 Add the element on the bottom level of the heap.
- 2 Compare the added element with its parent; if they are in the correct order, stop.
- 3 If not, swap the element with its parent and return to the previous step.

# Binary heap - removing

- 1 Remove the root.
- 2 Replace it with the last element on the last level.
- 3 Compare the replacing element with its children; if they are in the correct order, stop.
- 4 If not, swap the element with the bigger child and return to the previous step.

# IComparable<T> interface

Defines a generalized comparison method that a value type or class implements to create a type-specific comparison method for ordering instances. One method – `public int CompareTo(T otherObject)`

- 1 Compares the current object with another object of the same type.
- 2 Returns 0 if this object is equal to other.
- 3 Less than zero if this object is less than the other parameter.
- 4 Greater than zero if this object is greater than other.

# Type parameters

- the generic types are defined with type parameters

```
class List <T> { T method() {}}
```

- when used, type parameters are substituted with type arguments

```
List<int> lint = new List<int>
```

- by instantiation a type is constructed substituting type arguments in all occurrences of the type parameter

```
class List<int> {int method() {}}
```



# Constraints on Type parameters

- can apply restrictions on types that can be used as type parameters
- where keyword
- five types of constraints:
  - where T : struct value type (except Nullable)
  - where T : class reference type
  - where T : new() must have a public parameterless constructor (must be specified last)
  - where T : <base class name> must be or derive from the specified class.
  - where T : <interface name> must be or implement the specified interface (multiple can be specified, can also be generic)
  - where T : U must be or derive from the argument supplied for U (naked type constraint)

# Serialization

- 1 default serialization – objects marked with `[Serializable]` attribute
- 2 explicit serialization – objects implementing `ISerializable` interface
- 3 Class `BinaryFormatter` serializes and deserializes an object, or an entire graph of connected objects, in binary format
- 4 `void BinaryFormatter.Serialize(Stream stream, Object object)` - serializes an object, or graph of connected objects, to the given stream.
- 5 `Object BinaryFormatter.Deserialize(Stream stream)` - deserializes a stream into an object graph

## Explicit serialization - ISerializable interface

Only one method:

```
void ISerializable.GetObjectData(SerializationInfo si,  
StreamingContext sc)
```

- 1 this method is called by serialization
- 2 `SerializationInfo` carries data to be serialized
- 3 `StreamingContext` describes the source and destination of a given serialized stream, and provides an additional caller-defined context.
- 4 `si.AddValue(string name, Object value)` adds the specified object into the `SerializationInfo` store, where it is associated with a specified name. (Overloaded for more types.)

# Explicit deserialization

The class must implement a special constructor which is used by deserialization.

- 1 `MySerializableClass(SerializationInfo si, StreamingContext sc){ ... }`
- 2 `int si.GetInt32(string name)` returns the int value associated to the name
- 3 `Object si.GetValue(string name, Type type)` returns the Object associated to the name, `type` is the type of the value to retrieve (the `System.Type` `typeof(sometype)` operator can be used to obtain the type)

# Namespaces

- 1 System.Collections.Generic
- 2 System.Runtime.Serialization
- 3 System.Runtime.Serialization.Formatters.Binary
- 4 System.IO

