



PA199 Advanced Game Design

Lecture 6 Collision Detection

Dr. Fotis Liarokapis


24th March 2015

Motivation

- Techniques for collision detection depend on the type of game
- For many games rough approximations are fine
 - i.e. Arcade-style games
- For more complex games need to be familiar with a variety of techniques ranging from simple to complex
 - i.e. 3D games



Rough Approximations Example



Collision Detection



- Do objects collide/intersect?
 - Static
 - Dynamic
- Picking is simple special case of general collision detection problem
 - Check if ray cast from cursor position collides with any object in scene
 - Simple shooting
 - Projectile arrives instantly, zero travel time



Collision Detection .



- A better solution
 - Projectile and target move over time
 - See if collides with object during trajectory



Collision Detection Applications



- Determining if player hit wall/floor/obstacle and stop them walking through it
 - Terrain following (floor)
 - Maze games (walls)
- Determining if projectile has hit target
- Determining if player has hit target
 - Punch/kick (desired)
 - Car crash (not desired)




Collision Detection Applications .



- Detecting points at which behavior should change
 - Car in the air returning to the ground
- Cleaning up animation
 - Making sure a motion-captured character's feet do not pass through the floor
- Simulating motion
 - Physics, or cloth, or something else



Simulating Motion




Why it is Hard?



- Complicated for two reasons
 - Geometry is typically very complex
 - Potentially requiring expensive testing
 - Naïve solution is $O(n^2)$ time complexity
 - Since every object can potentially collide with every other object



Why it is Hard - Example



Basic Concepts



From Simple to Complex



- Boundary check
 - Perimeter of world vs. viewpoint or objects
 - 2D/3D absolute coordinates for bounds
 - Simple point in space for viewpoint/objects
- Set of fixed barriers
 - Walls in maze game
 - 2D/3D absolute coordinate system



From Simple to Complex .



- Set of moveable objects
 - One object against set of items
 - Missile vs. several tanks
 - Multiple objects against each other
 - Punching game: arms and legs of players
 - Room of bouncing balls



Naive General Collision Detection



- For each object i containing polygons p
 - Test for intersection with object j containing polygons q
- For polyhedral objects, test if object i penetrates surface of j
 - Test if vertices of i straddle polygon q of j
 - If straddle, then test intersection of polygon q with polygon p of object i
- Very expensive! $O(n^2)$



Fundamental Design Principles



- Fast simple tests first, eliminate many potential collisions
 - Test bounding volumes before testing individual triangles
- Exploit locality, eliminate many potential collisions
 - Use cell structures to avoid considering distant objects



Fundamental Design Principles .



- Use as much information as possible about geometry
 - Spheres have special properties that speed collision testing
- Exploit coherence between successive tests
 - Things don't typically change much between two frames



Example: Player-Wall Collisions



- 'First person' games must prevent the player from walking through walls and other obstacles
- Most general case
 - Player and walls are polygonal meshes
- Each frame, player moves along path not known in advance
 - Assume piecewise linear
 - Straight steps on each frame
 - Assume player's motion could be fast



Simple Approach



- On each step, do a general mesh-to-mesh intersection test to find out if the player intersects the wall
- If they do, refuse to allow the player to move
- Problems with this approach? how can we improve:
 - In response?
 - In speed?



Collision Response



- Frustrating to just stop
 - For player motions, often best thing to do is move player tangentially to obstacle
- Do recursively to ensure all collisions caught
 - Find time and place of collision
 - Adjust velocity of player
 - Repeat with new velocity, start time, start position (reduced time interval)
- Handling multiple contacts at same time
 - Find a direction that is tangential to all contacts



Typical Approaches



Collision Detection Approaches



- Two basic techniques:
 - Overlap testing
 - Detects whether a collision has already occurred
 - Intersection testing
 - Predicts whether a collision will occur in the future



Overlap Testing



- Facts
 - Most common technique used in games
 - Exhibits more error than intersection testing
- Concept
 - For every simulation step, test every pair of objects to see if they overlap
 - Easy for simple volumes like spheres, harder for polygonal models



Overlap Testing: Useful Results




- Useful results of detected collision
 - Time collision took place
 - Collision normal vector



Overlap Testing: Collision Time




- Collision time calculated by moving object back in time until right before collision
 - Bisection is an effective technique





Overlap Testing: Limitations

- Fails with objects that move too fast
 - Unlikely to catch time slice during overlap
- Possible solutions
 - Design constraint on speed of objects
 - Reduce simulation step size




Intersection Testing

- Predict future collisions
- When predicted:
 - Move simulation to time of collision
 - Resolve collision
 - Simulate remaining time step




Intersection Testing: Swept Geometry

- Extrude geometry in direction of movement
- Swept sphere turns into a 'capsule' shape



Intersection Testing: Sphere-Sphere Collision

$$t = \frac{-(\mathbf{A} \cdot \hat{\mathbf{A}}) - \sqrt{(\mathbf{A} \cdot \mathbf{B})^2 - B^2(i^2 - (r_p + r_q)^2)}}{B^2}, \quad \begin{array}{l} \mathbf{A} = \mathbf{P}_1 - \mathbf{Q}_1 \\ \mathbf{B} = (\mathbf{P}_2 - \mathbf{P}_1) - (\mathbf{Q}_2 - \mathbf{Q}_1) \end{array}$$



Intersection Testing: Limitations

- Issue with networked games
 - Future predictions rely on exact state of world at present time
 - Due to packet latency, current state not always coherent
- Assumes constant velocity and zero acceleration over simulation step
 - Has implications for physics model and choice of integrator



Complexity Issues





Dealing with Complexity




- Two common issues when dealing with complexity:
 - Complex geometry must be simplified
 - Not so easy!
 - Reduce number of object pair tests
 - Varies depending on the types of objects



Simplified Geometry



- Approximate complex objects with simpler geometry
 - i.e. Ellipsoid shown below




Minkowski Sum




- By taking the Minkowski Sum of two complex volumes and creating a new volume then overlap can be found
 - By testing if a single point is within the new volume

$$X \oplus Y = \{A + B : A \in X \text{ and } B \in Y\}$$



Minkowski Sum Example




Bounding Volumes



- Bounding volume is a simple geometric shape
 - Completely encapsulates object
 - If no collision with bounding volume, no more testing is required
- Most common bounding volumes is box
 - More later on...



Box Bounding Volumes






Achieving O(n) Time Complexity




- Possible solutions for O(n) time complexity
 - Partition space
 - Plane sweep algorithm




Partition Space Solution




Plane Sweep Algorithm Solution



Terrain Collision Detection



Locate Triangle on Height Field



Collision Resolution: Examples



- Two billiard balls strike
 - Calculate ball positions at time of impact
 - Impart new velocities on balls
 - Play “clinking” sound effect
- Rocket slams into wall
 - Rocket disappears
 - Explosion spawned and explosion sound effect
 - Wall charred and area damage inflicted on nearby characters
- Character walks through wall
 - Magical sound effect triggered
 - No trajectories or velocities affected



Collision Resolution Components



- Resolution has three parts:
 - Prologue
 - Collision
 - Epilogue



Prologue Stage



- Collision known to have occurred
- Check if collision should be ignored
- Other events might be triggered
 - Sound effects
 - Send collision notification messages



Collision Stage



- Place objects at point of impact
- Assign new velocities using either
 - Physics
 - Some other decision logic



Epilogue Stage



- Propagate post-collision effects
- Possible effects
 - Destroy one or both objects
 - Play sound effect
 - Inflict damage
- Many effects can be done either in the prologue or epilogue



Resolving Overlap Testing




- Four common stages:
 - Extract collision normal
 - Extract penetration depth
 - Move the two objects apart
 - Compute new velocities



Extract Collision Normal



- Find position of objects before impact
- Use two closest points to construct the collision normal vector






Extract Collision Normal .



- Sphere collision normal vector
 - Difference between centers at point of collision



Resolving Intersection Testing



- Simpler than resolving overlap testing
 - No need to find penetration depth or move objects apart
- Simply just
 - Extract collision normal
 - Compute new velocities



Acceleration Techniques



Accelerating Collision Detection



- Two kinds of approaches (many others also)
 - Collision proxies / bounding volumes hierarchies
 - Spatial data structures to localize
- Used for both 2D and 3D
- Accelerates many things, not just collision detection
 - Raytracing
 - Culling geometry before using standard rendering pipeline



Collision Proxies vs Spatial data Structures






- | | |
|---------------------------|---------------------------------|
| <i>Collision Proxies:</i> | <i>Spatial data Structures:</i> |
| - Object centric | - Space centric |
| - Spatial redundancy | - Object redundancy |



Collision Proxies vs Spatial data Structures .





- | | |
|---------------------------|---------------------------------|
| <i>Collision Proxies:</i> | <i>Spatial data Structures:</i> |
| - Object centric | - Space centric |
| - Spatial redundancy | - Object redundancy |





Collision Proxies vs Spatial data Structures ..

- | | |
|---------------------------|---------------------------------|
| <i>Collision Proxies:</i> | <i>Spatial data Structures:</i> |
| - Object centric | - Space centric |
| - Spatial redundancy | - Object redundancy |



Collision Proxies vs Spatial data Structures ...

- | | |
|---------------------------|---------------------------------|
| <i>Collision Proxies:</i> | <i>Spatial data Structures:</i> |
| - Object centric | - Space centric |
| - Spatial redundancy | - Object redundancy |




Collision Proxies

- Proxy
 - Something that takes place of real object
 - Cheaper than general mesh-mesh intersections
- Collision proxy (bounding volume) is piece of geometry used to represent complex object for purposes of finding collision
 - If proxy collides, object is said to collide
 - Collision points mapped back onto original object


Collision Proxies .

- Good proxy
 - Cheap to compute collisions for, tight fit to the real geometry
- Common proxies
 - Sphere, cylinder, box, ellipsoid
- Consider
 - Fat player, thin player, rocket, car ...

Collision Proxies Example 1




Collision Proxies Example 2






Collision Proxies Example 3



Trade-off in Choosing Proxies



Trade-off in Choosing Proxies .



- AABB
 - Axis aligned bounding box
- OBB
 - Oriented bounding box, arbitrary alignment
- k-dops
 - Shapes bounded by planes at fixed orientations
 - Discrete orientation



Pair Reduction



- Want proxy for any moving object requiring collision detection
- Before pair of objects tested in any detail, quickly test if proxies intersect
- When lots of moving objects, even this quick bounding sphere test can take too long:
 - N^2 times if there are N objects
- Reducing this N^2 problem is called pair reduction
 - Pair testing isn't a big issue until $N > 50$ or so...



Spatial Data Structures




- Can only hit something that is close
- Spatial data structures tell you what is close to object
 - Uniform grid, octrees, kd-trees, BSP trees
 - Bounding volume hierarchies
 - OBB trees
 - For player-wall problem, typically use same spatial data structure as for rendering
 - BSP trees most common



Uniform Grids



- Axis-aligned
- Divide space uniformly






Quadtrees/Octrees




- Axis-aligned
- Subdivide until no points in cell



KD Trees




- Axis-aligned
- Sub-divide in alternating dimensions




BSP Trees



- Binary Space Partitioning (BSP)
- Planes at arbitrary orientation




Bounding Volume Hierarchies



OBB Trees



- Oriented bounding box (OBB)
- Applicable to a wide range of problems



BSP Trees Main Idea



- Binary Space Partition (BSP) Tree:
 - Partition space with binary tree of planes
 - Fuchs, Kedem and Naylor '80
- Main idea:
 - Divide space recursively into half-spaces by choosing splitting planes that separate objects in scene



BSP Trees Methods



- More general, can deal with inseparable objects
- Automatic, uses as partitions planes defined by the scene polygons
- Method has two steps:
 - Building of the tree independently of viewpoint
 - Traversing the tree from a given viewpoint to get visibility ordering



BSP Trees Methods .




- First step
 - Preprocessing
 - Create binary tree of planes
- Second step
 - Runtime
 - Correctly traversing this tree enumerates objects from back to front




Creating BSP Trees: Objects




Creating BSP Trees: Objects .



Creating BSP Trees: Objects ..




Creating BSP Trees: Objects ...






Creating BSP Trees: Objects



Splitting Objects



- No bunnies were harmed in previous example
- But what if a splitting plane passes through an object?
 - Split the object; give half to each node



Traversing BSP Trees



- Tree creation independent of viewpoint
 - Preprocessing step
- Tree traversal uses viewpoint
 - Runtime, happens for many different viewpoints
- Each plane divides world into near and far
 - For given viewpoint, decide which side is near and which is far
 - Check which side of plane viewpoint is on independently for each tree vertex
 - Tree traversal differs depending on viewpoint!
 - Recursive algorithm
 - Recurse on far side
 - Draw object
 - Recurse on near side



Traversing BSP Trees Pseudo Code




- Query: given a viewpoint, produce an ordered list of (possibly split) objects from back to front


```
renderBSP(BSPtree *T)
    BSPtree *near, *far;
    if (eye on left side of T->plane)
        near = T->left; far = T->right;
    else
        near = T->right; far = T->left;
    renderBSP(far);
    if (T is a leaf node)
        renderObject(T)
    renderBSP(near);
```



BSP Trees: Viewpoint A




BSP Trees: Viewpoint A .







BSP Trees: Viewpoint A ..




BSP Trees: Viewpoint A ...




BSP Trees: Viewpoint A




BSP Trees: Viewpoint A



BSP Trees: Viewpoint A




BSP Trees: Viewpoint A







BSP Trees: Viewpoint A




BSP Trees: Viewpoint A




BSP Trees: Viewpoint A




BSP Trees: Viewpoint A



BSP Trees: Viewpoint A




BSP Trees: Viewpoint B






BSP Trees: Viewpoint B .



BSP as a Hierarchy of Spaces



- Each node corresponds to a region of space
 - The root is the whole of R^n
 - The leaves are homogeneous regions





BSP Tree Traversal: Polygons




- Split along the plane defined by any polygon from scene
- Classify all polygons into positive or negative half-space of the plane
 - If a polygon intersects plane, split polygon into two and classify them both
- Recurse down the negative half-space
- Recurse down the positive half-space



Representation of Polygons



Representation of Polyhedra



BSP Trees for Dynamic Scenes



- When an object moves the planes that represent it must be removed and re-inserted
- Some systems only insert static geometry into the BSP tree
- Otherwise must deal with merging and fixing the BSP cells



BSP Trees Pos



- Simple, elegant scheme
- Correct version of painter's algorithm back-to-front rendering approach
- Popular for video games



BSP Trees Cons



- Slow to construct tree
 - $O(n \log n)$ to split, sort
- Splitting increases polygon count
 - $O(n^2)$ worst-case
- Computationally intense preprocessing stage restricts algorithm to static scenes



BSP Demo



- <http://www.symbolcraft.com/graphics/bsp/>



BSP Videos



- <https://www.youtube.com/watch?v=WAd7vzwknF0>
- <https://www.youtube.com/watch?v=jF2a4imSuvI>
- <http://www.youtube.com/watch?v=JJyXRvokE4>




Collision Detection Approach



Introduction to 3D Breakout



- Most important thing is ball-wall collision detection
- Can be used in:
 - Ball-wall collisions
 - Ball-bat collisions
 - Apart from some cases
 - Ball-Well collisions
 - Apart from some cases (similarly to ball-bat)



Calculate Collision With Wall



- We are interested in finding the
 - Distance travelled ($P\Sigma$)
 - Collision time ($t_{\text{collision}}$)
 - Final velocity (u_{final})

From the previous diagram:

$$P\Sigma = \Lambda\Sigma - \Lambda P \quad \text{eq. 1}$$



Pythagoras Theorem



Calculate Distance Travelled



- From Pythagoras:

$$\begin{aligned} O\Sigma^2 &= O\Lambda^2 + \Lambda\Sigma^2 \rightarrow \\ \Lambda\Sigma^2 &= O\Sigma^2 - O\Lambda^2 \rightarrow \\ \Lambda\Sigma &= \sqrt{O\Sigma^2 - O\Lambda^2} \quad \text{eq. 2} \end{aligned}$$

- Also:

$$\Lambda P = OP \cos \phi \quad \text{eq. 3}$$

- So from eq. 1, eq. 2 and eq. 3:

$$P\Sigma = \sqrt{O\Sigma^2 - O\Lambda^2} - OP \cos \phi \quad \text{eq. 4}$$



Calculate Distance Travelled .



Calculate Distance Travelled ..



- But:

$$\begin{aligned} \sin \phi &= O\Lambda / OP \rightarrow \\ O\Lambda &= OP \sin \phi \end{aligned}$$

- And:

$$O\Lambda^2 = OP^2 \sin^2 \phi \quad \text{eq. 5}$$

- From eq. 4 and eq. 5

$$P\Sigma = \sqrt{O\Sigma^2 - OP^2 \sin^2 \phi} - OP \cos \phi \quad \text{eq. 6}$$

- Also from:

$$\sin^2 \phi + \cos^2 \phi = 1 \rightarrow \sin^2 \phi = 1 - \cos^2 \phi \quad \text{eq. 7}$$



Calculate Distance Travelled ...

- From eq. 6 and eq. 7

$$P\Sigma = \sqrt{O\Sigma^2 - OP^2 + OP^2 \cos^2 \phi} - OP \cos \phi$$

- Since $OP \cdot u = (OP)u/|u| \cos \phi$, so the above equation will become:

$$P\Sigma = \sqrt{O\Sigma^2 - OP^2 + (OPu/|u| \cos \phi)^2} - (OP)u/|u| \cos \phi$$



Calculate Distance Travelled

- From the dot product the previous equation will become

$$P\Sigma = \sqrt{O\Sigma^2 - OP^2 + (OP \cdot u / |u|)^2} - OP \cdot u / |u|$$

eq. 8

- Must take absolute value in case $\phi > 90$

$$P\Sigma = |(\sqrt{O\Sigma^2 - OP^2 + (OP \cdot u / |u|)^2} - OP \cdot u / |u|)|$$

eq. 9



Calculate Collision Time


- From motion equation:

$$S = u_{\text{collision}} t_{\text{collision}}$$


- But $S = P\Sigma$, so:

$$P\Sigma = u_{\text{collision}} t_{\text{collision}} \rightarrow$$

$$t_{\text{collision}} = P\Sigma / u_{\text{collision}} \quad \text{eq. 10}$$



Calculate Final Velocity



Calculate Final Velocity .

- The change in ball velocity from the collision:

$$|\Delta u_{\text{collision}}| = |u_{\text{final}} - u_{\text{initial}}| \quad \text{eq. 11}$$

- From the above figure:

$$|\Delta u_{\text{collision}}| = 2|u_{\text{initial}} \cos \theta| \quad \text{or} \quad \text{eq. 12}$$

$$|\Delta u_{\text{collision}}| = 2u_{\text{initial}} \cdot (O\Sigma / |O\Sigma|) \quad \text{eq. 13}$$





Calculate Final Velocity ..



- But Δu is anti-parallel to $O\Sigma$ and we want to make $\Delta u_{\text{collision}}$ a vector
- From eq. 12 we do:

$$\Delta u_{\text{collision}} = -2 |u_{\text{initial}} \cos \theta| (O\Sigma) / |O\Sigma| \rightarrow$$

- From eq. 13 we do:

$$\Delta u_{\text{collision}} = -2(O\Sigma) (u_{\text{initial}} \bullet O\Sigma) / |O\Sigma|^2$$



2nd Assignment Tips



Some Tips



- Important 3D objects for collision detection in 3D Breakout Assignment
 - Invisible ground (optional)
 - Ball
 - Bat
 - Well



Class TBall.h



```
class TBall
{
public:
    double _radius;           // defines the radius of the ball
    TVector _position;       // defines the position of the ball
    TVector _velocity;       // defines the velocity v0 of the ball

    // Constructors
    TBall();
    TBall(const double& Radius, const TVector& Position, const
           TVector& Velocity)
    { _radius=Radius; _position=Position; _velocity=Velocity;};
};
```



Class TBall.h .



```
// Selectors
double GetBallRadius() const {return _radius;};
TVector GetBallPosition() const {return _position;};
TVector GetBallVelocity() const {return _velocity;};

void DrawBall();           // Draws the ball

void CalculateVelocity(const TVector& velocity, const double&
                      seconds); // Assigns the ball a velocity

TVector CalcDistanceTravelled(const double& seconds) const;
// Calculates the distance traveled

void MoveBall(const double& seconds); // Moves the ball

};
```



Default Constructor for the Ball



```
TBall::TBall()
{
    // Assign default values for the attributes
    // of the ball
    _radius = 4.0;
    _position = TVector(0.0, 0.0, 0.0);
    _velocity = TVector(1.0, 0.0, 0.0);
}
```



Function to Draw the Ball



```
void TBall::DrawBall()
{
    glPushMatrix();
        glTranslatef(_position.X(),
            _position.Y(), _position.Z());
        glutSolidSphere(_radius, 20, 20);
    glPopMatrix();
}
```



More Functions



- Functions for the TBall Class:
 - CalculateVelocity
 - CalcDistanceTravelled
 - MoveBall
- Function for TDisplayImp
 - Idle
- TBall Class



CalculateVelocity Function



```
void TBall::CalculateVelocity(const TVector&
    velocity, const double& seconds)
{
    _velocity = velocity;
}
```



CalcDistanceTravelled Function



```
TVector TBall::CalcDistanceTravelled(const double&
    seconds) const
{
    TVector new_velocity, new_position;

    new_velocity = _velocity;
    new_position = _position +
        new_velocity*seconds;

    return new_position;
}
```



MoveBall Function



```
void TBall::MoveBall(const double& seconds)
{
    _position = CalcDistanceTravelled(seconds);
}
```



Idle Function



```
void TDisplayImp::idle(void)
{
    // Set the time for the simulation
    _scene->CalculateSimulations();

    glutPostRedisplay();
}
```



Class TBat



```
class TBat
{
public:
    TVector _points[16];           // points for the
    first bat
    TVector _normal[15];         // normal of the ground

public:
    // Default constructor
    TBat();
    TBat(double rotation_angle);
```



Class TBat .



```
void DrawBat();                // Draws the bats
void MoveBatRight();          // Moves bat on the right
void MoveBatLeft();           // Moves the bat on the right
int BatCollisions(const TBall &ball, const double&
seconds);
int BatCollisionsSides(const TBall &ball, const double&
seconds);
int BatCollisionsEdges(const TBall &ball, const double&
seconds);
```



Class TBat ..



```
TVector Bat_Faces_Reflection(TBall
&ball, const double& seconds,
const double& distance);
TVector Bat_Left_Side_Reflections(TBall
&ball, const double& seconds,
const double& parameter);
TVector
Bat_Right_Side_Reflections(TBall &ball,
const double& seconds, const double&
parameter);
```



Class TBat ...



```
TVector Bat_Edge12_Reflections(TBall &ball,
const double& seconds);
TVector Bat_Edge15_Reflections(TBall &ball,
const double& seconds);
TVector Bat_Edge13_Reflections(TBall &ball,
const double& seconds);
TVector Bat_Edge11_Reflections(TBall &ball,
const double& seconds);
};
```



TBat Constructor



```
TBat::TBat(double rotation_angle)
{
    TVector initial_vector, upper_vector,
    construction_vector;

    // Define a vector for the construction of the
    ground points of the bats
    initial_vector = TVector(1.0, 0.0, 0.0);

    // Define a vector for the construction of the
    upper points of the bats
    upper_vector = TVector(0.0, 10.0, 0.0);
```



TBat Constructor .



```
// Define the rotation axis
TVector rotation_axis(0.0,1.0,0.0);

// Define the three rotation matrices for the bats
TMatrix33 bat_construction = TMatrix33(rotation_axis,
rotation_angle);

// Define the vector used for the construction of the bats
construction_vector = bat_construction*initial_vector;

// Define the rotation matrix for the constuction of the bats
TMatrix33 bat_rotation = TMatrix33(rotation_axis, angle);
```



TBat Constructor ..



```
// Construct the 16 points of the bats
_points[0] = construction_vector*bat_radius1;
_points[1] = bat_rotation*_points[0];
_points[2] = bat_rotation*_points[1];
_points[3] = bat_rotation*_points[2];
_points[7] = construction_vector*bat_radius2;
_points[6] = bat_rotation*_points[7];
_points[5] = bat_rotation*_points[6];
_points[4] = bat_rotation*_points[5];
_points[8] = _points[0] + upper_vector;
_points[9] = _points[1] + upper_vector;
_points[10] = _points[2] + upper_vector;
_points[11] = _points[3] + upper_vector;
_points[15] = _points[7] + upper_vector;
_points[14] = _points[6] + upper_vector;
_points[13] = _points[5] + upper_vector;
_points[12] = _points[4] + upper_vector;
}
```



Drawing Front Side of Bats



```
glBegin(GL_QUAD_STRIP);

// Front face, normal of first surface
_normal[0] = ((_points[8] - _points[0])*(_points[1] - _points[0])).unit();
glNormal3f(_normal[0].X(), _normal[0].Y(), _normal[0].Z());

// Construct first quad
glVertex3f(_points[0].X(), _points[0].Y(), _points[0].Z());
glVertex3f(_points[8].X(), _points[8].Y(), _points[8].Z());

// Front face, second surface
_normal[1] = ((_points[9] - _points[1])*(_points[2] - _points[1])).unit();
glNormal3f(_normal[1].X(), _normal[1].Y(), _normal[1].Z());
```



Drawing Front Side of Bats .



```
// Construct second quad
glVertex3f(_points[1].X(), _points[1].Y(), _points[1].Z());
glVertex3f(_points[9].X(), _points[9].Y(), _points[9].Z());

// Front face, third surface
_normal[2] = ((_points[10] - _points[2])*(_points[3] - _points[2])).unit();
glNormal3f(_normal[2].X(), _normal[2].Y(), _normal[2].Z());

// Construct third quad
glVertex3f(_points[2].X(), _points[2].Y(), _points[2].Z());
glVertex3f(_points[10].X(), _points[10].Y(), _points[10].Z());
glNormal3f(_normal[2].X(), _normal[2].Y(), _normal[2].Z());

// Construct fourth quad
glVertex3f(_points[3].X(), _points[3].Y(), _points[3].Z());
glVertex3f(_points[11].X(), _points[11].Y(), _points[11].Z());

glEnd();
```



Drawing the Rest of the Bats



- In the same way you will have to draw the:
 - Left side of the bat
 - Back side of the bat
 - Right side of the bat
 - Up side of the bat



Bat Collisions



- At least three checks:
 - Check for collisions between the ball and the three bats like ball-wall
 - Check for collisions between the ball and the side of the bats
 - Check for collisions between the ball and the edges of the bats
- Repeat the same procedure for reflections of the ball after collisions





Calculate the reflection of the ball after collision



```
double TBounds::Ball_Reflection(TBall &ball, const
double& seconds)
{
    TVector ball_velocity_after_collision,
    previous_ball_position, collision_vector, final_velocity;

    // Perform calculations for the previous time step
    previous_ball_position = ball.GetBallPosition() -
    ball.GetBallVelocity()*seconds;



    double absBallVelocity =
    sqrt(ball.GetBallVelocity().dot(ball.GetBallVelocity()));
```


 Calculate the reflection of the ball after collision . 

```
// Calculate the R_i*V to calculate the collision time
double RV =
previous_ball_position.dot(ball.GetBallVelocity())
/absBallVelocity;

// Absolute RV
double abs_RV = abs(RV);

// Define the initial distance = 100 - 4 = 96
double initial_distance = 100.0 -
ball.GetBallRadius();
```



 Calculate the reflection of the ball after collision .. 

```
// Calculate the determinant
double Determinant = ((RV*RV) -
previous_ball_position.dot(previous_ball_position) +
initial_distance*initial_distance);

// Calculate the collision time
double collision_time = abs(-abs_RV +
sqrt(Determinant))/absBallVelocity;

// Calculate the collision vector (normal vector) from: R = r +
v*t
collision_vector = previous_ball_position +
ball.GetBallVelocity()*collision_time;

// Make the collision vector (normal vector) unit vector
TVector unit_collision_vector = TVector::unit(collision_vector);
```



 Calculate the reflection of the ball after collision ... 

```
// Define velocity by: Vreflected =
(Vinitial*Normal.unit)*Normal.unit
ball_velocity_after_collision =
unit_collision_vector*(ball.GetBallVelocity().dot(unit_col-
lision_vector));



// Calculate the velocity of the ball after collision with
the invisible wall
final_velocity = ball.GetBallVelocity() -
ball_velocity_after_collision*2.0;

ball.CalculateVelocity(final_velocity, collision_time);

return collision_time;
}
```

 References 

- <http://www.cs.wisc.edu/~schenney/courses/cs679-f2003/lectures/cs679-22.ppt>
- http://graphics.ucsd.edu/courses/cse169_w05/CSE169_17.ppt

 Links 

- http://en.wikipedia.org/wiki/Bounding_volume
- <http://nehe.gamedev.net/data/lessons/lesson.asp?lesson=30>
- <http://web.cs.wpi.edu/~matt/courses/cs563/talks/bsp/bsp.html>
- <http://www.devmaster.net/articles/bsp-trees/>
- <http://maven.smith.edu/~mcharley/bsp/createbsptree.html>
- <http://www.cs.unc.edu/~geom/>
- <http://www.cs.ox.ac.uk/stephen.cameron/distances/>

 Questions 

