

# Process Modeling

**Jiří Kolář & Lubomír Hruban**

# Last Lecture Recap

- Service Oriented Architecture and BPM

# Last Lecture Recap

- Service Oriented Architecture and BPM
- 3 meanings of the word “service”

# Last Lecture Recap

- Service Oriented Architecture and BPM
- 3 meanings of the word “service”
- Enterprise Service Bus

# Last Lecture Recap

- Service Oriented Architecture and BPM
- 3 meanings of the word “service”
- Enterprise Service Bus
- Web services
  - WSDL
  - SOAP

# Last Lecture Recap

- Why we need specific methodologies and methods for BPM-based development?

# Last Lecture Recap

- Why we need specific methodologies and methods for BPM-based development?
- Top-down vs bottom-up approach

# Last Lecture Recap

- Why we need specific methodologies and methods for BPM-based development?
- Top-down vs bottom-up approach
- Business analysis
  - Vision and mission



# Last Lecture Recap

- Why we need specific methodologies and methods for BPM-based development?
- Top-down vs bottom-up approach
- Business analysis
  - Vision and mission
  - Goals and objectives

# Last Lecture Recap

- Why we need specific methodologies and methods for BPM-based development?
- Top-down vs bottom-up approach
- Business analysis
  - Vision and mission
  - Goals and objectives
  - Metrics, KPIs, KRIs

# Lecture Overview

## Overview

- Why Modeling?
- Process Development Roles
- Modeling Notations
- Workflow Modeling
- BPMN 1.1
- BPEL
- Resources

## BPMN 2.0 Level I

- Object Classes
  - Activities
  - Events
  - Gateways
  - Connecting Objects
  - Artifacts
- Process Types
- Examples

# Why Process Modeling?

1. Elegant way to express structure of a process
2. Visual models are **easily understandable by all participants** of the development cycle
3. Minimize the misunderstandings during the transformation **from analytical description** to the **executable implementation** of the process
4. Covers **nested structure** (sub-processes)
5. Covers inter-process/inter-system **interactions**
6. Pictures are fun

# (Non Scientific) Experiment

Is model more elegant and expressive than free text?

1. Two teams of volunteers (two students in each team)
2. Team 1 gets text description and they have 3.5 minutes to read
3. Team 1 starts discussion and Team 2 goes away with the process in BPMN 2.0
  - 3.1. Audience can see the diagram
  - 3.2. Audience are observing the quality of discussion
4. Team 2 starts discussion
5. Conclusion :)

# Modeling Notations

- **BPEL**
  - technical modeling, very detailed
  - service orchestration, executable
  - human task extended by BPEL4People
- **BPMN 1.0 – 1.1**
  - analytical modeling, not tight with semantics, not executable
  - XPDL semantics
- **BPMN 2.0**
  - analytical modeling (Level 1,2)
  - defined semantic – executable (Level 3)

# BPMN 2.0 Levels

- **Level 1 (Structure)**
  - Captures basic structure of the process
  - Business experts <=> analysts/developers
- **Level 2 (Analytical)**
  - More details of process behaviour (interactions, events, timing)
  - Process analysts <=> Process developers
- **Level 3 (Executable)**
  - Specifies all used services and activity tasks
  - "(Process developers <=> Process engine)"

# Model Quality Aspects


- **Validity against BPMN specification**
  - Wrong connections of the flow
  - Missing start/end
  - Wrongly used gateways
- **Model understandability**
  - Reasonable naming of activities
  - Reasonable amount of connections/gateways/activities
- **Expressiveness**
  - How it reflects the situation in real world
  - Granularity of activities
- **Compliance to the modeling best practices**
  - Modeling style (seminars & third modeling lecture)



# Roles in Development Cycle

- **Business Analyst**
  - Sum business strategy
  - Describe goals & objectives, KPIs
  - Describe processes
  - Design BPMN diagrams (Level 1)
- **Process specialist**
  - Design BPMN diagrams (Level 1,2,3)
  - Design monitoring models
- **Process developer**
  - Detail BPMN Level 3
  - Implement services and deploy processes

# Roles in Development Cycle




# Homework Assignments

- This week seminar
  - L1 Homework assignment [deadline this Friday at 5PM](#)
- Next week seminar
  - You receive corrected homework
  - L2 Homework assignment
- Homework submission
  - Submit **printed version** to the box called "PV207" next to entrance to room D1, **before deadline**
  - **PNG image** exported from Signavio will be submitted to IS MUNI folder "Homework 1" named <surename>\_bpmn.png , **before deadline**

# BPMN 2.0 Information Sources

- BPMN method and style Bruce Silver
  - ISBN 978-0982368114
  - Paperback \$30 / Online \$12 / Library \$0
- Signavio Modeler – Academic Licence
  - <http://academic.signavio.com/>
- BPMN Official OMG Website
  - <http://www.bpmn.org/>
- Business Process Modeling and Analysis
  - <https://open.hpi.de/courses/bpm2013>
- BPMN 2.0 Poster
  - [http://www.bpmb.de/images/BPMN2\\_0\\_Poster\\_EN.pdf](http://www.bpmb.de/images/BPMN2_0_Poster_EN.pdf)




**Questions?**  
**Break 10mins**  
**Feedback**

# BPMN 2.0 Object Classes

- **Flow Objects**
  - Event
  - Activity
  - Gateway
- **Connecting Objects**
  - Sequence Flow
  - Message Flow
  - Association
- **Artifacts**
  - Group
  - Annotation
- **Swimlanes**
  - Pool
  - Lane
- **Data**
  - Data Inputs/Outputs
  - Data Stores

# Process example

1. Customer **creates an Order**
2. **Order is reviewed** by Sales
  - 2.1. If price of the Order is **lower** than \$40 000, it is accepted
  - 2.2. If price is **over** \$40 000 it have to be confirmed by Financial department
  - 2.3. Order can be rejected by the department
3. Otherwise the order is processed




# Activities

- Represent certain activity in the process
- Types of activity



Task = Atomic activity



Subprocess = Complex activity

- Types of task

L1



L2





# Events

- Represents event that occur in a process
- Have impact on process flow
- We have these L1 events:

- Start



None



Message



Timer

- End



None




Message






Terminate

L2




# Connecting Objects

- Process sequence flow 
  - Define order of activities
- Message flow 
  - **Does not influence the process flow!**
  - Message flow between two objects
- Association 
  - **Does not influence the process flow!**
  - Connect objects with artifacts (labels, data objects..)

# Basic Elements Examples



These processes are just examples



# Gateway





- Represents a control point in the sequence flow
- Used for flow branching or join of branches
- We have these types:
  - ◆ **X** Exclusive data-based (XOR)
  - ◆ **+** Parallel
  - **Default branch**
  - ◆ **★** Exclusive event-based (L2)
  - ◆ **○** Inclusive (L2)
  - ◆ **\*** Complex (L2)

# Gateway Examples I



# Gateway Examples II

## (OK or NOK?)




# Artifacts


- Additional information
- Do not affect flow
- Data Objects
  - Data used in activities
  - Inputs and outputs of activities
- Annotation
  - Label, additional information
- Groups
  - Grouping of objects (analytical/documentation reasons)



Name  
[State]



# Artifacts Examples






# Pools & Lanes


- Pool
  - Represent a participant in a process
  - Show message flows between participants
- Lane
  - Subdivision of pool
  - Express roles, departments or actors in a process



# Pool Examples I




# Pool Examples II




# Private (Internal) Process

- From point of view of one organisation
- Activities are not visible to outside world
- One pool (the pool can be omitted)
- Also known as orchestration of services




# Abstract (Public) Process

- Represents the interactions between a private Process and another Process/Participant
- Only activities that send/receive messages
- Communication visible to outside world



# Collaboration (Global) Process

- Collaboration between business entities
- Activities represent message exchange
- Public process are shown, corresponding private processes have much more activities and detail



# Level 1 Palette

- Pool and Lane
- Task (User, Service)
- Subprocess (Collapsed, Expanded)
- Start Event (None, Message, Timer)
- End Event (None, Message, Terminate)
- Gateway (Parallel, Exclusive)
- Sequence Flow
- Message Flow
- Data Object (Data store, Message)
- Text Annotation
- Link Event Pair

# FIN

## Questions?

**Jiří Kolář & Lubomír Hruban**