

PV204 Security technologies

Trusted element, side channels attacks

Petr Švenda





https://crocs.fi.muni.cz/people/svenda

Faculty of Informatics, Masaryk University, Czech Republic





COURSE TRIVIA

Introduction

See PV204_CourseOverview_2018.ppt



TRUSTED ELEMENT

What is "Trusted" system (plain language)

Many different notions

PV204 Trusted element 19.2.2018

- 1. System trusted by someone
- 2. System that you can't verify and therefore must trust not to betray you
 - If a trusted component fails, security can be violated
- 3. System build according to rigorous criteria so you are willing to trust it We need more precise
- 4. ...
- Why Trust is Bad for Security, D. Gollman, 2006
 - http://www.sciencedirect.com/science/journal/15710661/157/3

specification of Trust

UNTRUSTED VS. TRUSTED VS. TRUSTWORTHY

Untrusted system

- System explicitly unable to fulfill specified security policy
- Additional layer of protection must be employed
 - E.g., Encryption of data before storage
 - E.g., Digital signature of email before send over network

Trusted system

- "...system that is relied upon to a specified extent to enforce a specified security policy. As such, a trusted system is one whose failure may break a specified security policy." (TCSEC, Orange Book)
- Trusted subjects are those excepted from mandatory security policies (Bell LaPadula model)
- User must trust (if wants to use the system)
 - E.g., you and your bank

Trustworthy system (computer)

- "Computer system where software, hardware, and procedures are secure, available and functional and adhere to security practices" (Black's Law Dict.)
- User have reasons to trust reasonably
- Trustworthiness is subjective
 - Limited interface and hardware protections can increase trustworthiness (e.g., append-only log server)
- Example: Payment card Trusted? Trustworthy?




Trusted does not mean automatically Trustworthy

Trusted computing base (TCB)


- The set of all hardware, firmware, and/or software components that are critical to its security
- The vulnerabilities inside TCB might breach the security properties of the entire system
 - E.g., server hardware + virtualization (VM) software
- The boundary of TCB is relevant to usage scenario
 - TCB for datacentre admin is around hw + VM (to protect against compromise of underlying hardware and services)
 - TCB for web server client also contains Apache web server
- Very important factor is size and attack surface of TCB
 - Bigger size implies more space for bugs and vulnerabilities

https://en.wikipedia.org/wiki/Trusted_computing_base

Cryptography on client



On client, but with secure hardware





TRUSTED ELEMENT

What exactly can be trusted element (TE)?

- Recall: Anything user entity of TE is willing to trust ©
 - Depends on definition of "trust" and definition of "element"
 - We will use narrower definition
- Trusted element is element (hardware, software or both)
 in the system intended to increase security level w.r.t.
 situation without the presence of such element
 - 1. By storage of sensitive information (keys, measured values)
 - 2. By enforcing integrity of execution of operation (firmware update)
 - 3. By performing computation with confidential data (DRM)
 - 4. By providing unforged reporting from untrusted environment
 - 5. ...

Typical examples

- Payment smart card
 - TE for issuing bank
- SIM card
 - TE for phone carriers
- Trusted Platform Module (TPM)
 - TE for user as storage of Bitlocker keys, TE for remote entity during attestation
- Trusted Execution Environment in mobile/set-top box
 - TE for issuer for confidentiality and integrity of code
- Hardware Security Module for TLS keys
 - TE for web admin
- Energy meter
 - TE for utility company
- Server under control of service provider
 - TE for user private data, TE for provider business operation



For whom is TE trusted?



Risk management

- No system is completely secure (→ risk is present)
- Risk management allows to evaluate and eventually take additional protection measures
- Example: payment transaction limit
 - "My account/card will never be compromised" vs. "Even if compromised, then loss is bounded"
- Example: medical database
 - central governmental DB vs. doctor's local DB



Good design practice is to allow for risk management



TRUSTED ELEMENT MODES OF USAGE

Trusted element - modes of usage

1. Element carries fixed information

2. Element as a secure carrier

- 3. Element as encryption/signing device
- 4. Element as computational device
- 5. Element as root of trust (TPM)





```
switch ((key == 0) ? 0 : 1) {
  case -1 : throw new Exception(); break;
  case 0 : m_raml[0] = 5; break;
  case 1 : m_raml[0] = 7; break;
}
```





ATTACKS AGAINST TRUSTED ELEMENT



Trusted hardware (TE) is not panacea!

- 1. Can be physically attacked
 - Christopher Tarnovsky, BlackHat 2010
 - Infineon SLE 66 CL PE TPM chip, bus read by tiny probes
 - 9 months to carry attack, \$200k
 - <u>https://youtu.be/w7PT0nrK2BE</u> (great video with details)
- 2. Attacked via vulnerable API implementation
 - IBM 4758 HSM (Export long key under short DES one)
- 3. Provides trusted anchor != trustworthy system
 - weakness can be introduced later
 - E.g., bug in securely updated firmware

How to reason about attack and countermeasures?

- 1. Where does an attack come from (principle)?
 - Understand the principles
- 2. Different hypothesis for the attack to be practical
 - More ways how to exploit the same weakness
- 3. Attack's countermeasures by cancel of hypothesis
 - For every way you are aware of
- 4. Costs and benefits of the countermeasures
 - Cost of the assets protected
 - Cost for an attacker to perform attack
 - Cost of a countermeasure



Important: Consider Break Once, Run Everywhere (BORE)

Motivation: Bell's Model 131-B2 /

- Encryption device intended for US army, 1943
 - Oscilloscope patterns detected during usage
 - 75 % of plaintexts intercepted from 80 feets
 - Protection devised (security perimeter), but later forgot
- CIA in 1951 recovery over ¼ mile of power lines
- Other countries also discovered the issue
 - Russia, Japan...
- More research in use of (eavesdropping) and defense against (shielding) → TEMPEST

Common and realizable attacks on TE

1. Non-invasive attacks

- API-level attacks
 - Incorrectly designed and implemented application
 - Malfunctioning application (code bug, faulty generator)
- Communication-level attacks
 - Observation and manipulation of communication channel
- Side-channel attacks
 - Timing/power/EM/acoustic/cache-usage/error... analysis attacks

2. Semi-invasive attacks

Fault induction attacks (power/light/clock glitches...)

3. Invasive attacks

Dismantle chip, microprobes...

Where are frequent problems with crypto nowadays?

- Security mathematical algorithms
 - OK, we have very strong ones (AES, SHA-3, RSA...)
- Implementation of algorithm
 - Problems → implementation attacks
- Randomness for keys
 - Problems → achievable brute-force attacks
- Key distribution
 - Problems → old keys, untrusted keys, key leakage
- Operation security
 - Problems → where we are using crypto, key leakage




Non-invasive side-channel attacks

NON-INVASIVE ATTACKS

TRNG → **Key**: What if faulty **TRNGs**?

- Good source of randomness is critical
 - TRNG can be weak or malfunctioning
- How to inspect TRNG correctness?
 - 1. Analysis of TRNG implementation (but usually blackbox)
 - 2. Output data can be statistically tested (100MB-1GB stream, NIST STS, Dieharder, TestU01 batteries) http://www.phy.duke.edu/~rgb/General/dieharder.php
 - 3. Behaviour in extreme condition (+70/-50° C, radiation...)
 - Analyse data stream gathered during extreme conditions
 - 4. Simple power analysis of TRNG generation
 - Is hidden/unknown operation present?

Serial test: Histogram of 16bits patterns




Algorithmic flaw in Infineon's RSALib (CVE-2017-15361)

M. Nemec, M. Sys, P. Svenda, D. Klinec, V. Matyas: The Return of Coppersmith's Attack..., ACM CCS 2017

The usage domains affected by the vulnerable library

Austria, Estonia, Slovakia, Spain...

Identity documents (eID, eHealth cards)



Trusted Platform Modules (Data encryption, Platform integ



25-30% TPMs worldwide, Bitlocker, ChromeOS... Firmware update available

Commit signing,
Application signing
GitHub, Maven...

RSA Library


Affected chip

Secure browsing (TLS/HTTPS*)



Very few keys, but all tied to SCADA management

Programmable smartcards



* only a small number of vulnerable keys found

Gemalto .NET Yubikey 4... (s-MIME/PGP)
Yubikey 4...

Message protection

Software signing

Authentication tokens

Flawed use of random data to make primes

$$N = p * q$$

 $p_{ideal} = random prime$

Special structure of primes to facilitate its faster generation

$$p_{Infineon} = (k * M + 65537^a \mod M); \ a, k \in \mathbb{Z}$$

$$M = 2 * 3 * 5 * 7 * \cdots * P_n$$

~310 bits of entropy for 1024-bit prime

Consequences of the structure:

- 1. Fingerprint
- 2. Entropy loss
- 3. Factorization is possible

Infineon:

Random:

Entropy in a prime

a k determined by the structure


random bits

- Factorization difficulty
 - Random 2048b key: 6442450944000000 vCPU years
 - Infineon 2048b key:140 vCPU years




Non-invasive side-channel attacks

POWER ANALYSIS



More advanced setup for power analysis






Simple vs. differential power analysis


1. Simple power analysis

- Direct observation of single / few power traces
- Visible operation => reverse engineering
- Visible patterns => data dependency



2. Differential power analysis

- Statistical processing of many power traces
- More subtle data dependencies found



Reverse engineering of Java Card bytecode

- Goal: obtain code back from smart card
 - JavaCard defines around 140 bytecode_instructions
 - JVM fetch instruction and execute it

```
(source code)
m_ram1[0] = (byte) (m_ram1[0] % 1);
```

compiler

(bytecode)
getfield_a_this 0;
sconst_0;
baload;
sconst_1;
srem;
bastore;


oscilloscope



Simple power analysis – data leakage

- Data revealed directly when processed
 - e.g., Hamming weight of instruction argument
 - hamming weight of separate bytes of key $(2^{56} \rightarrow 2^{38})$


Hamming Weight or Hamming Distance Leakage




Differential power analysis (DPA)

- DPA attack recovers secret key (e.g., AES)
- Requires large number of power traces (10²-10⁶)
 - Every trace measured on AES key invocation with different input data
- Key recovered iteratively
 - One recovered byte at the time (KEY_i ⊕ INPUT_DATA_i)

Guess possible key byte value (0-255), group measurements,
 compute average, determine match street





Define: DPA Bias Signal = $T(n) = A_1(n) - A_0(n)$

Tool: DPA simulator


- Generate simulated DPA traces
- Perform DPA
- Can be used to inspect influence of noise, number of traces...
- https://github.com/crocs-muni/PowerTraceSimulator



Non-invasive side-channel attacks

TIMING ATTACKS

Timing attack: principle




Timing attacks



uni.cz/crocs

- Execution of crypto algorithm takes different time to process input data with some dependence on secret value (secret/private key)
 - 1. Due to performance optimizations (developer, compiler)
 - 2. Due to conditional statements (branching)
 - 3. Due to cache misses
 - 4. Due to operations taking different number of cycles
- Measurement techniques
 - 1. Start/stop time (aggregated time, local/remote measurement)

Power/EM trace (very precise if operation can be located)



Naïve modular exponentiation (RSA/DH)

M = C^d mod N



Is there dependency of time on secret value?

```
• M = C * C * C * ... * C mod N
```

d-times

- Easy, but extremely slow for large d (1000s bits)
 - Faster algorithms exist

Square and multiply algorithm

- How to measure?
 - Exact detection from simple power trace
 - Extraction from overall time of multiple measurements

Executed only

when d

Gilbert Goodwill, http://www.embedded.com/print/4408435

Example: Remote extraction OpenSSL RSA

- Brumley, Boneh, Remote timing attacks are practical
 - https://crypto.stanford.edu/~dabo/papers/ssl-timing.pdf
- Scenario: OpenSSL-based TLS with RSA on remote server
 - Local network, but multiple routers
 - Attacker submits multiple ciphertexts and observe processing time (client)
- OpenSSL's RSA CRT implementation
 - Square and multiply with sliding windows exponentiation
 - Modular multiplication in every step: x*y mod q (Montgomery alg.)
 - From timing can be said if normal or Karatsuba was used
 - If x and y has unequal size, normal multiplication is used (slower)
 - If x and y has equal size, Karatsuba multiplication is used (faster)
- Attacker learns bits of prime by adaptively chosen ciphertexts
 - About 300k queries needed

Defense introduced by OpenSSL

- RSA blinding: RSA_blinding_on()
 - https://www.openssl.org/news/secadv 20030317.txt
- Decryption without protection: M = c^d mod N
- Blinding of ciphertext c before decryption
 - 1. Generate random value r and compute re mod N
 - 2. Compute blinded ciphertext $b = c * r^e \mod N$
 - 3. Decrypt *b* and then divide result by *r*
 - r is removed and only decrypted plaintext remains

$$(r^e \cdot c)^d \cdot r^{-1} \mod n = r^{ed} \cdot r^{-1} \cdot c^d \mod n = r \cdot r^{-1} \cdot c^d \mod n = m.$$

Example: Practical TEMPEST for \$3000

- ECDH Key-Extraction via Low-Bandwidth Electromagnetic Attacks on PCs
 - https://eprint.iacr.org/2016/129.pdf
- E-M trace captured (across a wall)




(a) Attacker's setup for capturing EM emanations. Left to right: (b) Target (Lenovo 3000 N200), performing power supply, antenna on a stand, amplifiers, software defined radio white box), analysis computer.



ECDH decryption operations, on the other side of the wall.

Example: Practical TEMPEST for \$3000

- ECDH implemented in latest GnuPG's Libgcrypt
- Single chosen ciphertext used operands directly visible




Example: How to evaluate attack severity?

- What was the cost?
 - Not high: \$3000
- What was the targeted implementation?
 - Widely used implementation: latest GnuPG's Libgcrypt
- What were preconditions?
 - Physical presence, but behind the wall
- Is it possible to mitigate the attack?
 - Yes: fix in library, physical shielding of device, perimeter...
 - What is the cost of mitigation?

Example: Acoustic side channel in GnuPG

- RSA Key Extraction via Low-Bandwidth Acoustic Cryptanalysis
 - Insecure RSA computation in GnuPG
 - https://www.tau.ac.il/~tromer/papers/acoustic-20131218.pdf
- Acoustic emanation used as side-channel
 - 4096-bit key extracted in one hour
 - Mobile phone 4 meters away



Example: Cache-timing attack on AES

- Attacks not limited to asymmetric cryptography
 - Daniel J. Bernstein, http://cr.yp.to/antiforgery/cachetiming-20050414.pdf
- Scenario: Operation with secret AES key on remote server
 - Key retrieved based on response time variations of table lookups cache hits/misses
 - 2²⁵ x 600B random packets + 2²⁷ x 400B + one minute brute-force search
- Very difficult to write high-speed but constant-time AES
 - Problem: table lookups are not constant-time
 - Not recognized by NIST during AES competition

Other types of side-channel attacks

- Acoustic emanation
 - keyboard clicks
 - capacitor noise
 - Speech eavesdropping based on high-speed camera
- Cache-occupation side-channel
 - Cache miss has impact on duration of operation
 - Other process can measure own cache hits/misses if cache is shared
- Branch prediction side-channel (Meltdown, Spectre)...



MITIGATIONS

Generic protection techniques

- 1. Shielding preventing leakage outside
 - Acoustic shielding, noisy environment
- 2. Creating additional "noise"
 - Parallel software load, noisy power consumption circuits
- 3. Compensating for leakage
 - Perform inverse computation/storage
- 4. Harden algorithm
 - Ciphertext blinding...

How to test real implementation?

- 1. Be aware of various side-channels
- 2. Obtain measurement for given side-channel
 - Many times (10³ 10⁷), compute statistics
 - Same input data and key
 - Same key and different data
 - Different keys and same data…
- 3. Compare groups of measured data
 - Is difference visible? => potential leakage
 - Is distribution uniform? Is distribution normal?
- 4. Try to measure again with better precision ©

Example: NaCl ("salt") library



- Relatively new cryptographic library (2012)
 - Designed for usable security and side-channel resistance
 - D. Bernstein, T. Lange, P. Schwabe
 - https://cr.yp.to/highspeed/coolnacl-20120725.pdf
 - Active fork is libsodium https://github.com/jedisct1/libsodium
- Designed for usable security (hard to misuse)
 - Fixed good algs (AE: Poly1305, Sign: EC Curve25519)
 - c=crypto_box(m,n,pk,sk), m=crypto_box_open(c,n,pk,sk)
- Implemented to have constant-time execution
 - No data flow from secrets to load addresses
 - No data flow from secrets to branch conditions
 - No padding oracles (recall CBC padding oracle in PA193)
 - Centralizing randomness and avoiding unnecessary randomness



CONCLUSIONS

Morale

- 1. Preventing implementation attacks is extra difficult
 - Naïve code is often vulnerable
 - Not aware of existing problems/attacks
 - Optimized code is often vulnerable
 - Time/power/acoustic... dependency on secret data
 - Dangerous optimizations (Infineon primes)
- 2. Use well-known libraries instead of own code
 - And follow security advisories and patch quickly
- 3. Security / mitigations are complex issues
 - Underlying hardware can leak information as well
 - Don't allow for large number of queries

Mandatory reading

- G. Goodwill, Defending against side-channel attacks
 - http://www.embedded.com/print/4408435
 - http://www.embedded.com/print/4409695
- Focus on:
 - What side channels are inspected?
 - What step in executed operation is misused for attack?
 - What are proposed defenses?

Conclusions

- Trusted element is secure anchor in a system
 - Understand why it is trusted and for whom
- Trusted element can be attacked
 - Non-invasive, semi-invasive, invasive methods
- Side-channel attacks are very powerful techniques
 - Attacks against particular implementation of algorithm
 - Attack possible even when algorithm is secure (e.g., AES)
- Use well-know libraries instead own implementation

