

Blockchain-based Access Control for IoT in Smart Home Systems

Bacem Mbarek, PhD



**FACULTY OF
INFORMATICS**
Masaryk University

Introduction


Blockchain Integration in Smart Home



Smart home systems are featured by a variety of connected smart household devices, where Internet of Things (IoT) is one of the critical enablers in the smart home environment.




An effective access control in smart home systems is essential to prevent from unauthorized use of the available resources.



Most of the access control schemes in smart home systems are still lack of decentralized peer trust and hard to control the security and credibility of the smart home IoT network.


Smart Home

- Smart home allows home appliances (such as television, air conditioner and refrigerator) to be connected to the internet and providing innovative and smart service to humans.
-
- We can remotely control our home devices over the internet and information about our home can be directly reach to our smartphone.



Parental Controls


- Blockchain mechanism can be used to control children at home.
- Parent can encourage good behaviors and discourage bad behaviors of children via tokens transferred via blockchain network.



Blockchain Use in Home Automation


- Blockchain mechanism can be used to control children by their parent.
- Parent can encourage good behaviors and discourage bad behaviors of children via tokens transferred via blockchain network.
- Blockchain is capable of controlling the secure access and efficient data sharing in smart home systems.

Children Incentives in Parental Control



Contribution


- We propose a Blockchain-based Access Control solution, named as BAC, which controls the access to smart home devices and ensures secure communications between the IoT devices and the householders [Ref 1].
- [Ref 1]. MBAREK Bacem, GE Mouzhi, PITNER Tomáš, 'Blockchain-based Access Control for IoT in Smart Home Systems', DEXA 2020.
- In order to increase Blockchain efficiency for smart home IoT network, the Blockchain platform will create two kinds of agents: (1) a static agent, and (2) a mobile agent



Architecture of Blockchain Agents-based Model

- **Static Agent** is a static agent that will be implemented in each peer device of the Blockchain. Once the peer device receives a transaction such as a activity request, The peer device will use the static agent to verify and check the received transaction.
- **Mobile Agent** is the agent that is created by the householder managers to control access to their household devices, as well as monitoring and detecting inappropriate using of household devices.

Agent-based Policy for the Blockchain Management



Conclusion

Future Directions

- We first plan to conduct more experiments with various real-world IoT applications.
- A user study will be conducted in a real-world smart home environment, and we will also intend to investigate the interoperability and the cost of implementing our solution compared to other solutions.

