

PB138 — XML Schema

Basic sources of information

- [XML Schema Specification](#)
- Using W3C XML Schema [Tutorial](#) brief
- [XML Schema Tutorial](#) at W3Schools
- More [comprehensive complete tutorial](#) at xfront.com
- How to add XML Schema support to Netbeans IDE available at [Geertjan's Blog](#)
- Try this [XML Schema online validator](#) or
- Similar but more general [Validome](#) validator (not only XML schema) alternatively available in [web archive](#).

Motivation

Stronger tool for XML data model specification **than DTD**, it allows:

- Separate **type** (e.g. *element type*) from its **occurrence** (i.e. element with particular name)
- More **primitive data types**.
- Allows to use **namespaces**.
- Allows to specify content model (elements) more **accurate way**.
- Allows new **type inheritance**.
- Allows modular schema design and schema **reuse**.
- XML Schema has an **XML syntax**.

XML Schema Definition Header

```
<xs:schema xmlns:xs="http://www.w3.org/2001/XMLSchema">  
    .../...  
</xs:schema>
```

Assignment of type to element with the given name

```
<xs:element name="element_name">
  <!-- here comes the type definition --
  placed either right here (so called "local")
  or as a referenced one (so called "global") -->
</xs:element>
```

short type reference:

```
<xs:element name="element_name" type="element_type"/>
```

Simple Type Definition

- Does not contain any child elements. Can be used like either element or attribute type.
- Possible to define using an existing type restriction

```
<xs:simpleType name="TypeName">
  <xs:restriction base="BaseTypeName"> ... </xs:restriction>
</xs:simpleType>
```

Simple type definition (Example 1)

Content length restriction

```
<xs:simpleType name="nameType">
  <xs:restriction base="xs:string"> <xs:maxLength value="32"/>
</xs:restriction> </xs:simpleType>
```

Simple type definition (Example 2)

Content restriction using a regular expression

```
<xs:simpleType name="isbnType">
  <xs:restriction base="xs:string"> <xs:pattern value="[0-9]{10}"/> </xs:restriction>
</xs:simpleType>
```

Simple types — union

- Approximately correspond to C "union" concept.
- Result is a simple type.
- Base type and values enumeration can be merged.

Simple types — union

```
<xs:simpleType name="isbnType">
  <xs:union>
    <xs:simpleType>
      <xs:restriction base="xs:string">
        <xs:pattern value="[0-9]{10}" />
      </xs:restriction>
    </xs:simpleType>
    <xs:simpleType>
      <xs:restriction base="xs:NMTOKEN">
        <xs:enumeration value="TBD" />
        <xs:enumeration value="NA" />
      </xs:restriction>
    </xs:simpleType>
  </xs:union>
</xs:simpleType>
```

Simple types - values enumeration

- Type can be defined as a values list separated by white-spaces.
- The number of elements list limitation can be used as a next derivation type.

Simple types - values enumeration

```
<xs:simpleType name="isbnTypes">
  <xs:list itemType="isbnType" />
</xs:simpleType>
<xs:simpleType name="isbnTypes10">
  <xs:restriction base="isbnTypes">
    <xs:minLength value="1" />
    <xs:maxLength value="10" />
  </xs:restriction>
</xs:simpleType>
```

Complex type definition

```
<xs:complexType name="TypeName">
  <xs:sequence>
    <xs:element ...> ...
      <xs:attribute ...>
    </xs:element>
  </xs:sequence>
</xs:complexType>
```

- `<xs:choice>` and `<xs:all>` can be used instead of sequence.

Complex type definition — element groups

- The group element can be used to define complex type.
- Group of elements:

```
<xs:group name="GroupName">
  <xs:sequence>
    <xs:element ... /> ...
  </xs:sequence>
</xs:group>
```

- `<xs:choice>` and `<xs:all>` can be used instead of sequence.

Complex type definition — attribute groups

- Attribute group:

```
<xs:attributeGroup name="AttributesGroupName">
  <xs:attribute ... use="required"/>
  ...
</xs:attributeGroup>
```

- The mandatory occurrence may be specified (`use="required"`).

Groups usage

- Example of elements/attributes groups use:

```

<xs:complexType name="bookType">
  <xs:sequence>
    <xs:group ref="mainBookElements"/>
    <xs:element name="character" type="characterType" minOccurs="0" maxOccurs=
"unbounded"/>
  </xs:sequence>
  <xs:attributeGroup ref="bookAttributes"/>
</xs:complexType>

```

Compositor sequence

- Defines occurrence of elements in the predefined order.

```

<xs:element name="element_name">
  <xs:complexType>
    <xs:sequence>
      .../...
    </xs:sequence>
    .../...
  </xs:complexType>
</xs:element>

```

Compositor sequence

- sequence is a content model that allows occurrence of the defined sequence of child elements.
- **xs** prefix is (as usually) bound to the NS with URL <http://www.w3.org/2001/XMLSchema>
- Either **<xs:choice>** or **<xs:all>** can be used instead of **<xs:sequence>**.

Compositor choice

- Defines the occurrence of only one of the specified child elements or groups of elements.

```

<xs:element name="element_name">
  <xs:complexType>
    <xs:choice>
      .../...
    </xs:choice>
    .../...
  </xs:complexType>
</xs:element>

```

Compositor **all**

- Defines occurrence of child elements without definition of their order.
- May appear on the definition top level only.
- The cardinality of child elements can be one at most.

Compositor **all**

```
<xs:complexType name="bookType">
  <xs:all>
    <xs:element name="title" type="xs:string"/>
    <xs:element name="author" type="xs:string"/>
    <xs:element name="character" type="characterType" minOccurs="0" maxOccurs="1"/>
  </xs:all>
  <xs:attribute name="isbn" type="isbnType" use="required"/>
</xs:complexType>
```

Element simple content

```
<xs:element name="book">
  <xs:complexType>
    <xs:simpleContent>
      <xs:extension base="xs:string">
        <xs:attribute name="isbn" type="isbnType"/>
      </xs:extension>
    </xs:simpleContent>
  </xs:complexType>
</xs:element>
```

Mixed element content

- The text content (textual child nodes) can not be validated.
- The child elements can be validated.

```

<xs:element name="book">
  <xs:complexType mixed="true">
    <xs:all>
      <xs:element name="title" type="xs:string"/>
      <xs:element name="author" type="xs:string"/>
    </xs:all>
    <xs:attribute name="isbn" type="xs:string"/>
  </xs:complexType>
</xs:element>

```

Further options

- Possibility to specify integrity limitations:
 - value is unique — `xs:unique`
 - value is a key — `xs:key`
 - value is a key reference — `xs:keyref`

Schema annotation

- Annotation is a human-readable note (comment) of a schema or its part.
- It may contain the processing information, see example `xs:appinfo` as well.
- Next content is not specified (limited), see example (`bind`, `class`, ...)

Schema annotation

```

<xs:annotation>
  <xs:documentation xml:lang="en">Top level element.</xs:documentation>
  <xs:documentation xml:lang="fr">Element racine.</xs:documentation>
  <xs:appinfo source="http://example.com/foo/">
    <bind xmlns="http://example.com/bar/">
      <class name="Book"/>
    </bind>
  </xs:appinfo>
</xs:annotation>

```

Schema definition reuse

- Direct:

```

<xs:include schemaLocation="character.xsd"/>

```

- With redefinition:

```
<xs:redefine schemaLocation="character12.xsd">
  <xs:simpleType name="nameType">
    <xs:restriction base="xs:string">
      <xs:maxLength value="40"/>
    </xs:restriction>
  </xs:simpleType>
</xs:redefine>
```

Abstract and final types

abstract

Type can not be instantiated.

- Can be used for inheritance derivation only.

final

Type can not be extended/derived by inheritance.

Namespaces in XML Schema

```
<xs:schema targetNamespace="http://example.org/ns/books/"
  xmlns:xs="http://www.w3.org/2001/XMLSchema"
  xmlns:bk="http://example.org/ns/books/" elementFormDefault="qualified"
  attributeFormDefault="unqualified">
  .../...
</xs:schema>
```

Unspecified elements and attributes

- XML Schema allows to use some elements that are not known prior to its use.

```
<xs:complexType name="descType" mixed="true">
  <xs:sequence>
    <xs:any namespace="http://www.w3.org/1999/xhtml"
      processContents="skip" minOccurs="0" maxOccurs="unbounded"/>
  </xs:sequence>
</xs:complexType>
```

Use `xs:anyAttribute` for attributes.

Schema definition reference

```
<book isbn="0836217462"  
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"  
  xsi:noNamespaceSchemaLocation="file:library.xsd">  
<book isbn="0836217462" xmlns="http://example.org/ns/books/"  
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"  
  xsi:schemaLocation="file:library.xsd">
```