

# Week 06: Containerisation and YAML

# Agenda

- YAML
- Engine commands & Compose orchestrator (Demo)
- Iteration 05

**Let's start**

# YAML

```
users:
```

```
-
```

```
  name: Pavol  
  surname: Habera  
  pseudonym: Porodca  
  songs:  
    - Je to vo hviezdach
```

```
-
```

```
  name: Jan  
  surname: Pokorný  
  pseudonym: Pokáč  
  songs:  
    - Matfyzák na disku
```

```
-
```

```
  name: Braňo  
  surname: Mojsej  
  pseudonym: Braňo  
  songs:  
    - Daľ by Som Si Teba
```

# Best practices for Containerfiles

- Image should be as small as possible
- Use official base image
- Use image with lowest amount of vulnerabilities
- Do not use root user
- Do `COPY` as a last step
- Make context as small as possible with `.dockerignore`
- Use healthcheck when possible
- Do not include development tools, packages inside of the image
- Handle exit codes in your application
- Use array syntax for `CMD` and `ENTRYPOINT`
- Use fixed tags with versions/ hashes
- 1 process per Container

## Hands on: Demo

- Download demo from Interactive syllabus
- Read `index.md`

## Hands on: Iteration 05

You can find the assignment in [GitLab issues](#) as well as in the [interactive syllabus](#).

Let's take a look together.

Before you start:

- Please check whether your tutor has already accepted your MR
- If they have, make sure you have merged your solution from the previous week

*Note: if your tutor has **not** seen your MR, it's completely ok. You do **not** need to have the previous iteration merged to be able to work on a new one - **iterations are independent**. However, if you **do** have an accepted MR that still has not been merged, make sure to merge it first.*