Design Class Diagrams

PB007 Software Engineering I

Bruno Rossi

15.11.2017



Design Class Diagrams

A **Class Diagram** gives a static view of the classes, their attributes, operations and relationships.

Analysis Class Diagram

- business model of the domain object types and relationships
- the effort is to maintain clarity and simplicity without clogging with implementation details.

Design Class Diagram

 the analysis model classes and the implementation details of the classes.



Design Classes

A **design class** provides a level of abstraction such that it can be easily implemented.

can come from:

- Business domain including details at the analysis level (decomposition into more classes, complement implementation details).
- domain technical classes classes required by the technology used (classes for working with GUI, DB, ...)

Implementation details include:

- Attributes and their types/visibility.
- Visibility, arguments, return types from methods.
- Methods added to the analysis operations, such as constructors (destructors), getter/setter methods, implementation methods.



Design Classes - Example

analysis

BankAccount

name number

balance

deposit()
withdraw()

calculateInterest()

design

BankAccount

-name : String

-number : String

-balance : double = 0

+BankAccount(name:String, number:String)

+deposit(m:double) : void

+withdraw(m:double) : boolean

+calculateInterest(): double

+getName(): String

+setName(n:String) : void

+getAddress(): String

+setAddress (a:String): void

+getBalance(): double



Advanced Analysis Associations

- More advanced association types for implementation details: aggregation or composition.
- Are generally defined with a name, navigability and multiplicity.
- Decomposition of bidirectional associations.
- Type of associations 1:1, 1:M, M:1.
- Decomposition of associations M:N.
- Decomposition of association classes.



Aggregation

Aggregation is a type whole-part relationship.

- The whole may or may not exist without its parts
- Parts can exist independently from the whole
- The whole is in a sense incomplete if some parts are missing.
- Part may theoretically be shared by several units.
- Aggregation is transitive and asymmetric (without cycles).





Composition

Composition is a stronger form of aggregation

- At a specific time parts can only belong to one group (they cannot stand alone).
- The whole is responsible for the creation and deletion of the parts.
- If the whole is deleted, it must either delete all its parts, or shift responsibility for them to another object.
- The composition is asymmetric and transitive (without cycles).





Revision of 1:1 associations

Analysis:







Revision of M:1 associations

Analysis:








Revision of 1:M associations

Analysis:








Decomposition of M:N associations

Analysis:









Decomposition of association classes

Analysis:







Decomposition of bi-directional associations

Analysis:








Interfaces

Interfaces are special classes that define a set of public services, attributes and relationships, but do not implement them. They are used to define the contract that classes provide.





Tasks

- Extend the analysis model into the design model by using class diagrams.
- Specify visibility and type of all attributes.
- Add methods that originated from the decomposition of analysis operations, implementation and support methods (constructors, getter / setter methods, ...), determine their visibility, arguments and return types.
- Please specify further the analysis associations (with naming, multiplicity, navigability, aggregation / composition, decomposition of association classes and M: N associations)
- Fill relations of dependencies among classes.
- If necessary, add other implementation classes or interfaces
- Upload the PDF report into folder (Week 09).
 Deadline: Monday, 20.11 23:59



Customization of PDF Reports

