

Lecture 10 OPERATION, MAINTENANCE AND EVOLUTION

PB007 Software Engineering I Faculty of Informatics, Masaryk University Fall 2018



Topics covered



- \diamond Evolution processes
 - Change processes for software systems
- ♦ Software maintenance
 - Making changes to operational software systems
- ♦ Legacy system management
 - Making decisions about software change





Evolution Processes

Lecture 10/Part 1



Chapter 9 Software evolution




♦ Software change is inevitable

- New requirements emerge when the software is used;
- The business environment changes;
- Errors must be repaired;
- New computers and equipment is added to the system;
- The performance or reliability of the system may have to be improved.
- For custom systems, the costs of software maintenance usually exceed the software development costs.
- A key problem for all organizations is implementing and managing change to their existing software systems.










Evolution and servicing



\diamond Evolution

- New functionality added, faults repaired.
- \diamond Servicing
 - Faults repaired, no new functionality added.
- ♦ Phase-out
 - The software still in use but no further changes are made to it.






Evolution processes



♦ Proposals for change are the driver for SW evolution.

- Should be linked with components that are affected by the change, thus allowing the cost and impact of the change to be estimated.
- Change identification and evolution continues throughout the system lifetime.





- Iteration of the development process where the revisions to the system are designed, implemented and tested.
 - May be done by a **different team**, not the original developers.
 - Involves program understanding, especially if no original developers are involved.
 - During the program understanding phase, one has to understand how the proposed change might affect the program.
- Our set of the set
- Technical debt may be created and must be managed.





Technical Debt Management

- Introduced by Ward Cunningham
- Analogy of quality degradation with financial debt
 if not paid off, interests increase. One can get into trouble.

Sometimes it is wise to "borrow money"

- When one expects to have more money in the future (start-up company)
- When one needs to act fast not to miss a market opportunity
- When one expects money devaluation (e.g. developers will become more experienced, it will be easier to understand user needs)

♦ Sometimes not





- Agile methods are based on incremental development so the transition from development to evolution is seamless.
 - Evolution is simply a continuation of the development process based on frequent system releases.
- Automated regression testing is particularly valuable when changes are made to a system.

♦ Handover problems

- What if the development team is agile and the evolution team is not?
- What if the evolution team is agile and the development team is not?





Software Maintenance

Lecture 10/Part 2



Chapter 9 Software evolution




- \diamond Modifying a program after it has been put into use.
- The term is mostly used for changing custom software. Generic software products are said to evolve to create new versions.
- Advintemance does not normally involve major changes to the system's architecture.
- Changes are implemented by modifying existing components and adding new components to the system.







- Corrective: Maintenance to repair software faults
 - Changing a system to correct deficiencies in the way meets its requirements.
- Adaptive: Maintenance to adapt software to a different operating environment
 - Changing a system so that it operates in a different environment (computer, OS, etc.) from its initial implementation.
- Evolutionary: Maintenance to add to or modify the system's functionality
 - Modifying the system to satisfy new requirements.

















♦ Usually greater than development costs (1* to 20* depending on the application).

- Experience with custom information systems shows that around 20% of development costs needs to be allocated to maintenance every year (within the first five years).
- \diamond Affected by both technical and non-technical factors.
- Increases as software is maintained. Maintenance corrupts the software structure so makes further maintenance more difficult.
- Ageing software can have high support costs (e.g. old languages, compilers etc.).









Maintenance cost factors



♦ Team stability

- Maintenance costs are reduced if the same staff are involved with them for some time.
- ♦ Contractual responsibility
 - The developers of a system may have no contractual responsibility for maintenance so there is no incentive to design for future change.
- ♦ Staff skills
 - Maintenance staff are often inexperienced and have limited domain knowledge.
- \diamond Program age and structure
 - As programs age, their structure is degraded and they become harder to understand and change.





- Predicting the number of changes requires an understanding of the relationships between the system and its environment.
- Tightly coupled systems require changes whenever the environment is changed.
- \diamond Factors influencing this relationship are
 - Number and complexity of system **interfaces**;
 - Number of inherently volatile system requirements;
 - The **business processes** where the system is used.





- Predictions of maintainability can be made by assessing the complexity of system components.
- Studies have shown that most maintenance effort is spent on a relatively small number of system components.
- \diamond Complexity depends on
 - Complexity of control structures;
 - Complexity of data structures;
 - Object, method (procedure) and module size.





♦ Planning

• What parts of the system will be the most expensive to maintain?

Process metrics may be used to assess maintainability

- Number of requests for corrective maintenance;
- Average time required for impact analysis;
- Average time taken to implement a change request;
- Number of outstanding change requests.
- If any or all of these is increasing, this may indicate a decline in maintainability.





 Re-structuring or re-writing part or all of a legacy system without changing its functionality.

- Applicable where some but not all sub-systems of a larger system require frequent maintenance.
- Reengineering involves adding effort to make them easier to maintain. The system may be re-structured and re-documented.
- How does reengineering relate to refactoring?
 How does reengineering relate to technical debt?





♦ Reduced risk

 There is a high risk in new software development. There may be development problems, staffing problems and specification problems.

♦ Reduced cost

 The cost of reengineering is often significantly less than the costs of developing new software.



Reengineering activities




- ♦ Source code translation
 - Convert code to a new language.
- \diamond Reverse engineering
 - Analyse the program to understand it;
- ♦ Program structure improvement
 - Restructure automatically for understandability;
- \diamond Program modularisation
 - Reorganise the program structure;
- ♦ Data reengineering
 - Clean-up and restructure system data.



The reengineering process example










- \diamond The quality of the software to be reengineered.
- \diamond The tool support available for reengineering.
- \diamond The extent of the data conversion which is required.
- \diamond The availability of expert staff for reengineering.







- Refactoring is the process of making improvements to a program to slow down degradation through change.
- You can think of refactoring as 'preventative maintenance' that reduces the problems of future change.
- Refactoring involves modifying a program to improve its structure, reduce its complexity or make it easier to understand.
- When you refactor a program, you should not add functionality but rather concentrate on program improvement.





- Reengineering takes place after a system has been maintained for some time and maintenance costs are increasing. You use automated tools to process and reengineer a legacy system to create a new system that is more maintainable.
- Refactoring is a continuous process of improvement throughout the development and evolution process. It is intended to avoid the structure and code degradation that increases the costs and difficulties of maintaining a system.





- ♦ Duplicate code
 - Can be implemented as a single method or function that is called as required.
- ♦ S.O.L.I.D. violated
 - God classes, long methods, which should be split.
- ♦ Different abstraction levels
 - Not top down mixed, skipping levels, mixing levels in one method.
- \diamond Circular dependencies
- ♦ Long parameter list





- There are 3 types of software maintenance, namely bug fixing, modifying software to work in a new environment, and implementing new or changed requirements.
- Software reengineering is concerned with restructuring and re-documenting software to make it easier to understand and change.
- Refactoring, making program changes that preserve functionality, is a form of preventative maintenance.





Legacy System Management

Lecture 10/Part 3



Chapter 9 Software evolution




Organisations that rely on legacy systems must choose a strategy for evolving these systems

- Scrap: Scrap the system completely and modify business processes so that it is no longer required;
- **Maintain:** Continue maintaining the system;
- Reengineer: Transform the system by reengineering to improve its maintainability;
- **Replace:** Replace the system with a new system.
- The strategy chosen should depend on the system quality and its business value.









Scrap or increase the business value – see on later slides.

♦ High quality, high business value


 \diamond High quality, low business value

Continue in operation using normal system maintenance.



Legacy system categories

- \diamond Low quality, low business value
 - These systems should be scrapped.
- \diamond Low quality, high business value
 - These make an important business
 contribution but are expensive to maintain. Should be reengineered or replaced if a suitable system is available.
- ss value business nsive to gineered System quality









Assessment should take different viewpoints into account

- System end-users;
- Business customers;
- Line managers;
- IT managers;
- Senior managers.

 \diamond Interview different stakeholders and collate results.





Application assessment

What is the quality of the application software system? How expensive it is to maintain?

Environment assessment

- How effective is the system's environment? How expensive it is to maintain?
- You may collect quantitative data to make an assessment of the quality of the application system
 - The number of system change requests;
 - The number of different user interfaces used by the system;
 - The volume of data used by the system.



Factors used in application assessment



Factor	Questions
Understandability	How difficult is it to understand the source code of the current system? How complex are the control structures that are used? Do variables have meaningful names that reflect their function?
Documentation	What system documentation is available? Is the documentation complete, consistent, and current?
Data	Is there an explicit data model for the system? To what extent is data duplicated across files? Is the data used by the system up to date and consistent?
Performance	Is the performance of the application adequate? Do performance problems have a significant effect on system users?



Factors used in application assessment



Factor	Questions
Programming language	Are modern compilers available for the programming language used to develop the system? Is the programming language still used for new system development?
Configuration management	Are all versions of all parts of the system managed by a configuration management system? Is there an explicit description of the versions of components that are used in the current system?
Test data	Does test data for the system exist? Is there a record of regression tests carried out when new features have been added to the system?
Personnel skills	Are there people available who have the skills to maintain the application? Are there people available who have experience with the system?



Factors used in environment assessment



Factor	Questions
Supplier stability	Is the supplier still in existence? Is the supplier financially stable and likely to continue in existence? Is the supplier replaceable?
Failure rate	Does the hardware have a high rate of reported failures? Does the support software crash and force system restarts?
Age	How old is the hardware and software? The older the hardware and support software, the more obsolete it will be.
Performance	Is the performance of the system adequate? Do performance problems have a significant effect on system users?
Support requirements	What local support is required by the hardware and software? If high, it may be worth considering system replacement.
Maintenance costs	What are the costs of hardware maintenance and support software licenses (annual licensing costs)?
Interoperability	Are there problems interfacing the system to other systems? Can compilers, for example, be used with current versions of the operating system? Is hardware emulation required?





- The business value of a legacy system and the quality of the application should be assessed to help decide if a system should be replaced, transformed or maintained.
- The business-value assessment should take different stakeholder viewpoints into account.

