



PV182
Human Computer Interaction

Lecture 10
Cognitive Models

Fotis Liarokapis
liarokap@fi.muni.cz

19th November 2018

Cognitive Models



Cognitive Models (Low Level)



- Sources:
 - Marti Hearst (SIMS, UC Berkeley)
 - Robert Stevens (www.cs.man.ac.uk)
 - Susan E. Brennan (www.psychology.stonybrook.edu)
 - Rebecca W. Boren (Arizona State University)




Cognitive Modeling Based Evaluation



- Fitts' Law
 - Used to predict time needed to select a target
- Keystroke-Level Model
 - Low-level description of what users must do to perform a task
- GOMS
 - Structured, multi-level description of what users must do to perform a task




Model of Human Processing



The Model Human Processor



- Perceptual system
 - Sensors
- Cognitive system
 - Processors
- Motor system
 - Effectors




(Card, Moran, & Newell, 1983)

Important Parameters



- Memory capacity
- Decay
- Representation
- Processing cycle time



Sample Times



- Eye-movement = 230 [70~700] ms
 - Typical time = 230 ms
 - “Fastman” = 70 ms
 - “Slowman” = 700 ms
- Perceptual processor: 100 [50~200]
- Cognitive processor: 70 [25~170]
- Motor processor: 70 [30~100]



Model of Simple RT Problem



- Task: Press button
 - When symbol appears



Model of Simple RT Problem .



- Task: Press button
 - When symbol appears
- 1. Perceptual processor captures it in the visual image store & represents it in working memory
 - 100 [50~200]



Model of Simple RT Problem ..



- Task: Press button
 - When symbol appears
- 2. Cognitive processor recognizes the presence of a symbol
 - 70 [25~170]



Model of Simple RT Problem ...



- Task: Press button
 - When symbol appears
- 3. Motor processor pushes the button
 - 70 [30~100]



Model of Simple RT Problem



- Task: Press button when symbol appears
- 1. The perceptual processor captures it in the visual image store and represents it in working memory
– 100 [50~200]
- 2. The cognitive processor recognizes the presence of a symbol
– 70 [25~170]
- 3. The motor processor pushes the button
– 70 [30~100]
- Total time?



Model of Simple RT Problem



- Each of these action primitives takes some small amount of time (in msec.)
- The Model Human Processor provides a range of parameters you can use to predict precisely how long something will take, or to compare the time needed for alternative actions



Hick's Principle of Uncertainty



- Predicts how long a response will take in a given situation, based on how likely (or uncertain) the different possibilities are



Decision Complexity



- The speed with which an action can be selected is strongly influenced by the number of possible alternative actions that could be selected
- Hick-Hyman Law of reaction time shows a logarithmic increase in reaction time (RT) as the number of possible stimulus-response alternatives (N) increases
– Humans process information at a constant rate

$$RT = a + b \log_2 N$$



Hick-Hyman Law




FIGURE 9.1
The Hick-Hyman Law of reaction time. The figure shows the logarithmic increase in RT as the number of possible stimulus-response alternatives (N) increases. This can sometimes be expressed by the formula: $RT = a + b \log_2 N$.



Hick's Principle of Uncertainty



- $RT = a + b \log_2 N$
– RT = reaction time
– a, b = constants
– N = number of possible responses,
– assuming all are equally probable
- +1 is due to uncertainty whether to respond



Decision Making Process



- The most efficient way to deliver a given amount of information is by a smaller number of complex decisions rather than a large number of simple decisions
- An example is this decision making process:
 - Would you like to have a big long-hair dog or a small nervous dog or a black cat or a small no-hair cat ?
 - vs.
 - Dog or a cat ? ... dog
 - Big or small ? ... small
 - Quiet or nervous ? ... quiet




Power Law of Practice



- When something is done again and again, performance follows a power law:
 - You keep improving with practice, but as you become an expert, you improve less and less



Power Law of Practice



Note:



- The power law of practice describes *quantitative* changes in skilled behavior (both cognitive and motor), but not *qualitative* changes (changes in strategies)



Fitt's Law



- *Moving a mouse to a target:*
- *What can vary?*
- how long it takes
- how far you have to move
- how big the target is



Fitt's Law

Models movement time for selection tasks

The movement time for a well-rehearsed selection task

- increases as the distance to the target increases
- decreases as the size of the target increases

Fitt's Law

$$\text{Time (in msec)} = a + b \log_2(D/S+1)$$

where

a, b = constants (empirically derived)

D = distance

S = size


ID is Index of Difficulty = $\log_2(D/S+1)$



Fitt's Law



$$\text{Time} = a + b \log_2(D/S+1)$$




Same ID → Same Difficulty



Fitt's Law



$$\text{Time} = a + b \log_2(D/S+1)$$




Smaller ID → Easier



Fitt's Law



$$\text{Time} = a + b \log_2(D/S+1)$$



Larger ID → Harder



Keystroke-Level Model



- Another “discount” usability method
- Main idea:
 - Walk through the interface, counting how many operations it would take an expert user to perform
 - Look for ways to optimize
 - Look for potential sources of error
- KLM is very low-level (tiny operations)



Keystroke-Level Model



- How to make a KLM
 - List specific actions user does to perform task
 - Keystrokes and Button presses
 - Mouse movements / Pointing
 - Hand movements between keyboard & mouse / Homing
 - Drawing
 - System Response time (if it makes user wait)
 - Add **Mental** operators
 - Assign execution times to steps
 - Sum execution times
- Only provides execution time and operator sequence



KLM times



operator	remarks	time(s)
K	Press key	
	good typist (90wpm)	0.12
	poor typist (40wpm)	0.28
	non-typist	1.20
B	Mouse button press	
	down or up	0.10
	click	0.20
P	Point with mouse	
	Fitt's law	$0.1 \log_2(D/S+0.5)$
	average movement	1.10
H	home hands to/from kbd	0.40
D	drawing / domain dependent	-
M	mentally prepare	1.35
R	response from system – measure	-



KLM Example



- Replace all instances of a 4-letter word.

(example from Hochstein)

Description	Operation	Time (sec)
Reach for mouse	H[mouse]	0.40
Move pointer to "Replace" button F[menu item]	F[mouse]	1.10
Click on "Replace" command	K[mouse]	0.20
Home on keyboard	H[keyboard]	0.40
Specify word to be replaced	M&K[word]	2.15
Reach for mouse	H[mouse]	0.40
Point to correct field	P[field]	1.10
Click on field	K[mouse]	0.20
Home on keyboard	H[keyboard]	0.40
Type new word	M&K[word]	2.15
Reach for mouse	H[mouse]	0.40
Move pointer on Replace-all	P[replace-all]	1.10
Click on field	K[mouse]	0.20
Total		10.2

According to this KLM model, it takes 10.2 seconds to accomplish this task.



GOMS model of a system usage



- A family of user interface modeling techniques
- Goals, Operators, Methods, and Selection rules
 - Higher-level than KLM
 - Input: detailed description of UI and task(s)
 - Output: various qualitative and quantitative measures



GOMS (Card, Moran, & Newell)



- Goal** - what the user wants to achieve
- Operator** - elementary perceptual, motor, or cognitive act
- Method** - a series of operators that forms a procedure for doing something
- Selection rule** - how the user decides between methods (*if...then...*).



GOMS (continued)



- Examples:
- Goal** - editing a paper (*high level*)
- cutting and pasting text (*low level*)
- Operator** - typing a keystroke
- Method** - set of operators for cutting
- Selection rule** - how the user chooses a method



Applications of GOMS analysis



- Compare UI designs
- Profiling
- Building a help system
 - GOMS modeling makes user tasks and goals explicit
 - Can suggest questions users will ask and the answers





What GOMS can model

- Task must be goal-directed
 - Some activities are more goal-directed than others
 - Even creative activities contain goal-directed tasks
- Task must be a routine cognitive skill
- Task can include serial and parallel tasks



GOMS Output

- Functionality coverage and consistency
 - Does UI contain needed functions?
 - Are similar tasks performed similarly?
- Operator sequence
 - In what order are individual operations done?
 - Abstraction of operations may vary among models



How to do GOMS Analysis

- Generate task description
 - Pick high-level user Goal
 - Write Method for accomplishing Goal (may invoke subgoals)
 - Write Methods for subgoals
 - This is recursive
 - Stops when Operators are reached
- Evaluate description of task
- Apply results to UI
- Iterate



Operators vs. Methods

- Operator: the most primitive action
- Method: requires several Operators or subgoal invocations to accomplish
- Level of detail determined by
 - KLM level – key press, mouse press
 - Higher level - select-Close-from-File-menu
 - Different parts of model can be at different levels of detail



GOMS Example

- Move text in a word processor
 - (example from Hochstein)

```
*Expansion of MOVE-TEXT goal
GOAL: MOVE-TEXT
-
-   GOAL: CUT-TEXT
-   -
-   -   GOAL: HIGHLIGHT-TEXT
-   -   - [select**]
-   -   -   GOAL: HIGHLIGHT-WORD
-   -   -   - MOVE-CURSOR-TO-WORD
-   -   -   - DOUBLE-CLICK-MOUSE-BUTTON
-   -   -   - VERIFY-HIGHLIGHT
-   -   -   GOAL: HIGHLIGHT-ARBITRARY-TEXT
-   -   -   - MOVE-CURSOR-TO-BEGINNING 1.10
-   -   -   - CLICK-MOUSE-BUTTON      0.20
-   -   -   - MOVE-CURSOR-TO-END      1.10
-   -   -   - SHIFT-CLICK-MOUSE-BUTTON 0.48
-   -   -   - VERIFY-HIGHLIGHT        1.35
-   -   -   GOAL: ISSUE-CUT-COMMAND
-   -   -   - MOVE-CURSOR-TO-EDIT-MENU 1.10
-   -   -   - PRESS-MOUSE-BUTTON       0.10
-   -   -   - MOVE-CURSOR-TO-CUT-ITEM  1.10
-   -   -   - VERIFY-HIGHLIGHT        1.35
-   -   -   - RELEASE-MOUSE-BUTTON    0.10
```



GOMS Example

- Move text in a word processor
 - (example from Hochstein)

```
-   GOAL: PASTE-TEXT
-   -   GOAL: POSITION-CURSOR-AT-INSERTION-POINT
-   -   - MOVE-CURSOR-TO-INSERTION-POINT 1.10
-   -   - CLICK-MOUSE-BUTTON            0.20
-   -   - VERIFY-POSITION                1.35
-   -   -   GOAL: ISSUE-PASTE-COMMAND
-   -   -   - MOVE-CURSOR-TO-EDIT-MENU  1.10
-   -   -   - PRESS-MOUSE-BUTTON       0.10
-   -   -   - MOVE-MOUSE-TO-PASTE-ITEM  1.10
-   -   -   - VERIFY-HIGHLIGHT        1.35
-   -   -   - RELEASE-MOUSE-BUTTON    0.10
-   -   -   TOTAL TIME PREDICTED (SEC) 14.38
```

Based on the above GOMS analysis, it should take 14.38 seconds to move text.





Advantages of GOMS



- Very general purpose
- Allows for individual differences
- Much predictive power about timing
- Good at predicting "ideal" performance
- Gives several qualitative and quantitative measures
- Model explains **why** the results are what they are
- Less work than user study
- Easy to modify when interface is revised
- Research ongoing for tools to aid modeling process



Disadvantages of GOMS



- Not so good at predicting errors
- Takes a long time to conduct analysis
- Whole may not be the sum of the parts
- Ignores the nature of internal symbolic representations - focus is very low-level
- **Not as easy** as heuristic analysis, guidelines, or cognitive walkthrough



Disadvantages of GOMS



- Only works for goal-directed tasks
- Assumes tasks are performed by expert users
- Evaluator must pick users' tasks/goals
- Does not address several important UI issues, such as
 - readability of text
 - memorability of icons, commands
- Does not address social or organizational impact



Summary



- We can use Cognitive Modeling to make predictions about interface usability
- Complementary to Usability Studies
- In practice:
 - GOMS not used often
 - Fitt's law often used for determining best case for new kinds of input methods



Questions



Acknowledgements



- Prof. Ing. Jiří Sochor

