

PA198 Augmented Reality Interfaces

Lecture 9

Evaluating Augmented Reality Interfaces

Fotis Liarokapis
liarokap@fi.muni.cz

15th October 2019

Introduction

Evaluating User Interfaces

- Assess effect of interface on user performance and satisfaction
- Identify specific usability problems
- Evaluate users' access to functionality of system
- Compare alternative systems/designs



Major Parameters

- The major parameters in the user interface evaluation activities are:
 - Stage of the design
 - Inspection methods vs. usability testing
 - Formative vs. summative



<http://www.toopdesignmag.com/navigation-usability-evaluation/>

Influence of the Parameters

- These parameters influence:
 - How the design is represented to evaluators
 - Documents/deliverables required
 - Need for resources (personnel, equipment, lab)
 - Methodology
 - For data gathering
 - For analysis of results

Methodologies for Data Gathering


- Structured inspection
- Interviews
- Focus groups
- Questionnaires
- Field studies
- Controlled Experiments
 - Quantitative metrics
 - Thinking aloud, cooperative evaluation



Evaluating User Interface Designs

- Stage of the design process
 - Early design (prototype)
 - Intermediate
 - Full design
 - After deployment
- Evaluation should be done throughout the usability life cycle – not just at the end
 - Called iterative design
- Different evaluation methods appropriate at different stages of the cycle

Evaluating User Interface Designs .



Formative vs. Summative Evaluation

- Formative evaluation
 - Identify usability problems
 - Qualitative measures
 - Ethnographic methods
- Summative evaluation
 - Measure/compare user performance
 - Quantitative measures
 - Statistical methods

Participatory or User-centered Design

- Users are active members of the design team
- Characteristics
 - Context and task oriented rather than system oriented
 - Collaborative
 - Iterative
- Methods
 - Brain-storming (“focus groups”)
 - Storyboarding
 - Workshops
 - Pencil and paper exercises

Cognitive Walkthrough

- Evaluates design on how well it supports user in learning task
- Usually performed by expert in cognitive psychology
- Expert ‘walks though’ design to identify potential problems using psychological principles
- Scenarios may be used to guide analysis

Cognitive Walkthrough .

- For each task, walkthrough considers:
 - What impact will interaction have on user?
 - What cognitive processes are required?
 - What learning problems may occur?
- Analysis focuses on users goals and knowledge
 - Does the design lead the user to generate the correct goals?

HCI LAB

Cognitive Walkthrough Video



<https://www.youtube.com/watch?v=boQW68m8c>


HCI LAB

Heuristic Evaluation

- Usability criteria (heuristics) are identified
- Design examined by experts to see if these are violated
- Example heuristics
 - System behavior is consistent
 - Feedback is provided
- Heuristic evaluation debugs design

HCI LAB

Heuristic Evaluation Video



<https://www.youtube.com/watch?v=3kb8r4eF5FA>

HCI LAB

Guidelines Inspection

- A usability group should have a designated inspector!
- Written guidelines recommended for larger projects:
 - Screen layout
 - Appearance of objects
 - Terminology
 - Wording of prompts and error messages
 - Menu's
 - Direct manipulation actions and feedback
 - On-line help and other documentation

HCI LAB

Usability Experiment

HCI LAB

What is a Usability Experiment?

- Usability testing in a controlled environment
 - There is a test set of users
 - They perform pre-specified tasks
 - Data is collected (quantitative and qualitative)
 - Take mean and/or median value of measured attributes
 - Compare to goal or another system
- Contrasted with expert review and field study evaluation methodologies
- Note the growth of usability groups and usability laboratories

Experimental Factors

- Subjects
 - Representative
 - Sufficient sample
- Variables
 - Independent variable (IV)
 - Characteristic changed to produce different conditions
 - i.e. Interface style, number of menu items
 - Dependent variable (DV)
 - Characteristics measured in the experiment
 - i.e. Time to perform task, number of errors

Experimental Factors .

- Hypothesis
 - Prediction of outcome framed in terms of IV and DV
 - Null hypothesis: states no difference between conditions and the aim is to disprove this
- Experimental design
 - Within groups design
 - Between groups design

Independent Variables

- Hypothesis includes the independent variables that are to be altered
 - The things you manipulate independent of a subject's behaviour
 - Determines a modification to the conditions the subjects undergo
 - May arise from subjects being classified into different groups

Dependent Variables

- Hypothesis includes the dependent variables that will be measured
 - Variables dependent on the subject's behaviour / reaction to the independent variable
 - The specific things you set out to quantitatively measure / observe

Independent and Dependent Variables

Within Groups Design

- Each subject performs experiment under each condition
- Advantages
 - Fewer subjects needed
 - Less likely to suffer from user variation
- Disadvantages
 - Transfer of learning possible



Between Groups Design

- Each subject performs under only one condition
- Advantages
 - No transfer of learning
- Disadvantages
 - More subjects required (therefore more costly)
 - User variation can bias results



How Many Test Users?

- Problems-found (i) = $N(1 - (1 - l)^i)$
 - i = number of test users
 - N = number of existing problems
 - l = probability of finding a single problem with a single user

Data Collection Techniques

- Paper and pencil
 - Cheap, limited to writing speed
- Audio
 - Good for think aloud, difficult to match with other protocols
- Video
 - Accurate and realistic, needs special equipment, obtrusive
- Computer logging
 - Automatic and unobtrusive
 - Large amounts of data difficult to analyze

Data Collection Techniques .

- User notebooks
 - Coarse and subjective, useful insights
 - Good for longitudinal studies
- Brain logging
 - More difficult technique

Summative Evaluation

- What to measure?
 - Total task time
 - User "think time" (dead time??)
 - Time spent not moving toward goal
 - Ratio of successful actions/errors
 - Commands used/not used
 - Frequency of user expression of:
 - Confusion, frustration, satisfaction
 - Frequency of reference to manuals/help system
 - Percent of time such reference provided the needed answer

Measuring User Performance

- Measuring learnability
 - Time to complete a set of tasks by novice
 - Learnability/efficiency trade-off
- Measuring efficiency
 - Time to complete a set of tasks by expert
 - How to define and locate 'experienced' users
- Measuring memorability
 - The most difficult, since 'casual' users are hard to find for experiments
 - Memory quizzes may be misleading

HCI LAB

Measuring User Performance .

- Measuring user satisfaction
 - Likert scale (agree or disagree)
 - Semantic differential scale
 - Physiological measure of stress
 - EEG measures
- Measuring errors
 - Classification of minor vs. serious
 - Removing noise



HCI LAB

Reliability and Validity

- Reliability means repeatability
 - Statistical significance is a measure of reliability
 - Difficult to achieve because of high variability in individual user performance
- Validity means will the results transfer into a real-life situation
 - Depends on matching the users, task, environment
 - Difficult to achieve because real-world users, environment and tasks difficult to duplicate in laboratory

HCI LAB

Formative Evaluation

- What is a Usability Problem?
 - Unclear
 - The planned method for using the system is not readily understood or remembered (task, mechanism, visual)
 - Error-prone
 - The design leads users to stray from the correct operation of the system (task, mechanism, visual)


HCI LAB

Formative Evaluation .

- What is a Usability Problem?
 - Mechanism overhead
 - The mechanism design creates awkward work flow patterns that slow down or distract users
 - Environment clash
 - The design of the system does not fit well with the users' overall work processes (task, mechanism, visual)
 - i.e. Incomplete transaction cannot be saved

HCI LAB

Formative vs Summative



<https://www.youtube.com/watch?v=bTGnijuVNI8>

HCI LAB

Methods

HCI LAB

Qualitative Methods for Collecting Usability Problems

- Thinking aloud method and related alternatives:
 - Constructive interaction, coaching method, retrospective walkthrough
- Output: Notes on what users did and expressed:
 - Goals, confusions or misunderstandings, errors, reactions expressed
- Questionnaires
 - Focus groups, interviews

HCI LAB

Observational Methods - Think Aloud

- User observed performing task
 - User asked to describe what he is doing and why, what he thinks is happening etc.
- Advantages
 - Simplicity - requires little expertise
 - Can provide useful insight
 - Can show how system is actually use
- Disadvantages
 - Subjective
 - Difficult to conduct
 - Act of describing may alter task performance

HCI LAB

Observational Methods - Cooperative evaluation

- Variation on think aloud
- User collaborates in evaluation
- Both user and evaluator can ask each other questions throughout
- Additional advantages
 - Less constrained and easier to use
 - User is encouraged to criticize system
 - Clarification possible



HCI LAB

Observational Methods

- Post task walkthrough
 - User reacts on action after the event
 - Used to fill in intention
- Advantages
 - Analyst has time to focus on relevant incidents
 - Avoid excessive interruption of task
- Disadvantages
 - Lack of freshness
 - May be post-hoc interpretation of events

HCI LAB

Query Techniques - Interviews

- Analyst questions user on one to one basis
- Usually based on prepared questions
- Informal, subjective and relatively cheap
- Advantages
 - Can be varied to suit context
 - Issues can be explored more fully
 - Can elicit user views and identify unanticipated problems
- Disadvantages
 - Very subjective
 - Time consuming



HCI LAB

Query Techniques - Questionnaires

- Set of fixed questions given to users
- Advantages
 - Quick and reaches large user group
 - Can be analyzed quantitatively
- Disadvantages
 - Less flexible
 - Less probing



HCI LAB

Query Techniques - Questionnaires .

- Need careful design
 - What information is required?
 - How are answers to be analyzed?
- Should be pilot tested for usability!
- Styles of question
 - General
 - Open-ended
 - Scalar
 - Multi-choice
 - Ranked



HCI LAB

Laboratory studies: Pros and Cons

- Advantages:
 - Specialist equipment available
 - Uninterrupted environment
- Disadvantages:
 - Lack of context
 - Difficult to observe several users cooperating
- Appropriate
 - If actual system location is dangerous or impractical for to allow controlled manipulation of use

HCI LAB

Conducting A Usability Experiment

HCI LAB

Main Steps

- The planning phase
- The execution phase
- Data collection techniques
- Data analysis

HCI LAB

The Planning Phase

- Who, what, where, when and how much?
 - Who are test users, and how will they be recruited?
 - Who are the experimenters?
 - When, where, and how long will the test take?
 - What equipment/software is needed?
 - How much will the experiment cost?
 - Outline of test protocol



HCI LAB

Outline of Test Protocol

- What tasks?
- Criteria for completion?
- User aids
- What will users be asked to do
 - i.e. Thinking aloud studies
- Interaction with experimenter
- What data will be collected?



Designing Test Tasks

- Tasks:
 - Are representative
 - Cover most important parts of UI
 - Don't take too long to complete
 - Goal or result oriented (possibly with scenario)
- Tips:
 - First task should build confidence
 - Last task should create a sense of accomplishment



Detailed Test Protocol

- All materials to be given to users as part of the test, including detailed description of the tasks
- Deliverables from detailed test protocol
 - What test tasks? (written task sheets)
 - What user aids? (written manual)
 - What data collected? (include questionnaire)
 - How will results be analyzed/evaluated? (sample tables/charts)
- Then do a pilot with a few users

Pilot Studies

- A small trial run of the main study
 - Can identify majority of issues with interface design
- Pilot studies check:
 - That the evaluation plan is viable
 - You can conduct the procedure
 - That interview scripts, questionnaires, experiments, etc. work appropriately
- Iron out problems before doing the main study

Billingshurst, M. Evaluating AR Applications, HIT Lab NZ, University of Canterbury

The Execution Phase

- Prepare environment, materials, software
- Introduction should include:
 - Purpose (evaluating software)
 - Voluntary and confidential
 - Explain all procedures
 - i.e. Recording, question-handling
 - Invite questions
- During experiment
 - Give user written task description(s), one at a time only
 - one experimenter should talk
- De-briefing



Ethics of Human Experimentation

- Users feel exposed using unfamiliar tools and making errors
- Guidelines:
 - Re-assure that individual results not revealed
 - Re-assure that user can stop any time
 - Provide comfortable environment
 - Don't laugh or refer to users as subjects or guinea pigs
 - Don't volunteer help, but don't allow user to struggle too long
 - In de-briefing
 - Answer all questions
 - Reveal any deception
 - Thanks for helping

Data Collection

- Pad and paper the only absolutely necessary data collection tool!
- Observation areas (for other experimenters, developers, customer reps, etc.) - should be shown to users
- Videotape (may be overrated) - users must sign a release
- Video display capture
- Portable usability labs
- Usability kiosks

Data Analysis

- Before you start to do any statistics:
 - Look at data
 - Save original data
- Choice of statistical technique depends on
 - Type of data
 - Information required
- Type of data
 - Discrete - finite number of values
 - Continuous - any value

Statistics

- The mean time to perform a task (or mean no. of errors or other event type)
- Measures of variance – standard deviation
- For a normal distribution:
 - 1 standard deviation covers ~ 2/3 of the cases
 - In usability studies:
 - Expert time SD ~ 33% of mean
 - Novice time SD ~ 46% of mean
 - Error rate SD ~ 59% of mean



Statistics .

- Confidence intervals (the smaller the better)
 - The “true mean” is within N of the observed
 - Mean, with confidence level (probability) .95
- Since confidence interval gets smaller as the number of users grow:
 - How many test users required to get a given
 - Confidence interval and confidence level

Testing Usability in the Field

- Direct observation in actual use
 - Discover new uses
 - Take notes, don't help, chat later
- Logging actual use
 - Objective, not intrusive
 - Great for identifying errors
 - Which features are/are not used
 - Privacy concerns
- Bulletin boards and user groups

Testing Usability in the Field .

- Questionnaires and interviews with real users
 - Ask users to recall critical incidents
 - Questionnaires must be short and easy to return
- Focus groups
 - 6-9 users
 - Skilled moderator with pre-planned script
 - Computer conferencing
 - Virtual environments
- On-line direct feedback mechanisms
 - Initiated by users
 - May signal change in user needs
 - Trust but verify

Field Studies: Pros and Cons

- Advantages:
 - Natural environment
 - Context retained (though observation may alter it)
 - Longitudinal studies possible
- Disadvantages:
 - Distractions
 - Noise
- Appropriate:
 - For beta testing
 - Where context is crucial for longitudinal studies



Choosing an Evaluation Method

- When in process
 - Design vs. implementation
- Style of evaluation
 - Laboratory vs. field
- How objective
 - Subjective vs. objective
- Type of measures
 - Qualitative vs. quantitative

Choosing an Evaluation Method .

- Level of information
 - High level vs. low level
- Level of interference
 - Obtrusive vs. unobtrusive
- Resources available
 - Time
 - Subjects
 - Equipment
 - Expertise



Subjects

- The choice of subjects is critical to the validity of the results of an experiment
 - Subjects group should be representative of the expected user population
- In selecting the subjects it is important to consider things such as their
 - Age group, education, skills, culture
 - How does the sample influence the results?
- Report the selection criteria and give relevant demographic information in your publication

Billingshurst, M. Evaluating AR Applications, HIT Lab NZ, University of Canterbury

Subjects .

- How many participants depends on how big is the effect you want to measure?
 - Large effects can be detected with smaller samples
 - i.e. Small n needed to discriminate speed between turtles and rabbits
 - The more participants the “smoother” the data
 - Central Limit Theorem - as n increases (n>30) the sample mean approaches a normal distribution
 - Extreme data has less influence (e.g. one sleepy participants does not mess up the results that much)
- For quantitative analysis:
 - Min 15-20 or more per group/cell


Billingshurst, M. Evaluating AR Applications, HIT Lab NZ, University of Canterbury

Experimental Measures

Measure	What does it tell us?	How is it measured?
Timings	Performance	Via a stopwatch, or automatically by the device.
Errors	Performance, Particular sticking points in a task	By success in completing the task correctly. Through experimenter observation, examining the route walked.
Perceived Workload	Effort invested. User satisfaction	Through NASA TLX scales and other questionnaires.
Distance traveled and route taken	Depending on the application, these can be used to pinpoint errors and to indicate performance	Using a pedometer, GPS or other location-sensing system. By experimenter observation.
Percentage preferred walking speed	Performance	By finding average walking speed, which is compared with normal walking speed.
Comfort	User satisfaction. Device acceptability	Comfort Rating Scale and other questionnaires.
User comments and preferences	User satisfaction and preferences. Particular sticking points in a task.	Through questionnaires, interviews and think-alouds.
Experimenter observations	Different aspects, depending on the experimenter and on the observations	Through observation and note-taking

Billingshurst, M. Evaluating AR Applications, HIT Lab NZ, University of Canterbury

Evaluators & Problems



Billingshurst, M. Evaluating AR Applications, HIT Lab NZ, University of Canterbury

Evaluate AR Apps

Why Evaluate AR Applications


- To test and compare interfaces, new technologies, interaction techniques
- Test Usability
 - Learnability, efficiency, satisfaction,...
- Get user feedback
- Refine interface design
- Better understand your end users

Billingshurst, M. Evaluating AR Applications, HIT Lab NZ, University of Canterbury

Types of User Studies in AR


- Perception
- User Performance
- Collaboration
- Usability of Complete Systems
- Brain Analysis

Types of AR User Studies



Billingshurst, M. Evaluating AR Applications, HIT Lab NZ, University of Canterbury

Types of Experimental Measures Used



Billingshurst, M. Evaluating AR Applications, HIT Lab NZ, University of Canterbury

Typical Hardware

- Eye Tracking
- HMDs
- Physiological devices

Eye Tracking

- Head or desk mounted equipment tracks the position of the eye
- Eye movement reflects the amount of cognitive processing a display requires
- Measurements include
 - Fixations: eye maintains stable position. Number and duration indicate level of difficulty with display
 - Saccades: rapid eye movement from one point of interest to another
 - Scan paths: moving straight to a target with a short fixation at the target is optimal

Physiological Measurements


- Emotional response linked to physical changes
 - May help determine a user's reaction to an interface
- Measurements include:
 - heart activity, including blood pressure, volume and pulse
 - activity of sweat glands: Galvanic Skin Response (GSR)
 - electrical activity in muscle: electromyogram (EMG)
 - electrical activity in brain: electroencephalogram (EEG)
- Some difficulty in interpreting these physiological responses
 - More research needed

Survey of AR Papers


- Edward Swan (2005)
 - Surveyed major conference/journals (1992-2004)
 - Presence, ISMAR, ISWC, IEEE VR
- Summary
 - 1104 total papers
 - 266 AR papers
 - 38 AR HCI papers (Interaction)
 - 21 AR user studies
- Only 21 from 266 AR papers had a formal user study
 - Less than 8% of all AR papers

Billingshurst, M. Evaluating AR Applications, HIT Lab NZ, University of Canterbury

AR User Evaluations




Perceptual Evaluation of Photo-Realism AR



<https://www.youtube.com/watch?v=1t1UZK9v34>

User Experiences with AR Mobile Navigation



<https://www.youtube.com/watch?v=so0MDP2utq0>

Some Questionnaires

Immersion

- In a virtual environment (VE), Immersion, defined in technical terms, is capable of producing a sensation of Presence, the sensation of being there (part of the VE), as regards the user (Ijsselstein & Riva, 2003)

Ijsselstein, W., Riva, G. Being there: the experience of presence in mediated environments. In Being There: Concepts, effects and measurement of user presence in synthetic environments. G. Riva, F. Davide, W.A Ijsselstein (Eds.) IOS Press, Amsterdam, The Netherlands, 1-14, 2003

Types of Immersion

- Tactical immersion
 - Tactical immersion is experienced when performing tactile operations that involve skill
 - Players feel "in the zone" while perfecting actions that result in success
- Strategic immersion
 - Strategic immersion is more cerebral, and is associated with mental challenge
 - Chess players experience strategic immersion when choosing a correct solution among a broad array of possibilities
- Narrative immersion
 - Narrative immersion occurs when players become invested in a story, and is similar to what is experienced while reading a book or watching a movie

[https://en.wikipedia.org/wiki/Immersion_\(virtual_reality\)](https://en.wikipedia.org/wiki/Immersion_(virtual_reality))

Presence

- Presence can be defined as a special case of situation awareness, in which self-orientation and self-location are defined with respect to a media environment, not the real environment

Ijsselstein, W., Riva, G. Being there: the experience of presence in mediated environments. In Being There: Concepts, effects and measurement of user presence in synthetic environments. G. Riva, F. Davide, W.A Ijsselstein (Eds.) IOS Press, Amsterdam, The Netherlands, 1-14, 2003

Immersion Requirements

- A wide field of view (80 degrees or better)
- Adequate resolution (1080p or better)
- Low pixel persistence (3 ms or less)
- A high enough refresh rate (>60 Hz, 95 Hz is enough but less may be adequate)
- Global display where all pixels are illuminated simultaneously (rolling display may work with eye tracking)

[https://en.wikipedia.org/wiki/Immersion_\(virtual_reality\)](https://en.wikipedia.org/wiki/Immersion_(virtual_reality))

Immersion Requirements .

- Optics (at most two lenses per eye with trade-offs, ideal optics not practical using current technology)
- Optical calibration
- Rock-solid tracking – translation with millimeter accuracy or better, orientation with quarter degree accuracy or better, and volume of 1.5 meter or more on a side
- Low latency (20 ms motion to last photon, 25 ms may be good enough)

[https://en.wikipedia.org/wiki/Immersion_\(virtual_reality\)](https://en.wikipedia.org/wiki/Immersion_(virtual_reality))

Immersive Virtual Reality

- Direct interaction of the nervous system
 - The most considered method would be to induce the sensations that made up the virtual reality in the nervous system directly
 - In functionalism/conventional biology we interact with consensus reality through the nervous system
 - Thus we receive all input from all the senses as nerve impulses
 - It gives your neurons a feeling of heightened sensation

[https://en.wikipedia.org/wiki/Immersion_\(virtual_reality\)](https://en.wikipedia.org/wiki/Immersion_(virtual_reality))

VR Immersion Requirements

- Understanding of the nervous system
 - A comprehensive understanding of which nerve impulses correspond to which sensations, and which motor impulses correspond to which muscle contractions will be required
- Ability to manipulate central nervous system (CNS)
 - Manipulation could occur at any stage of the nervous system – the spinal cord is likely to be simplest; as all nerves pass through here, this could be the only site of manipulation.
- Computer hardware/software to process inputs/outputs
 - A very powerful computer would be necessary for processing virtual reality complex enough to be nearly indistinguishable from consensus reality and interacting with central nervous system fast enough

[https://en.wikipedia.org/wiki/Immersion_\(virtual_reality\)](https://en.wikipedia.org/wiki/Immersion_(virtual_reality))

Presence Questionnaire

PRESENCE QUESTIONNAIRE
 By Steven M. Ryan, 1993, 1994
 Revised by the ICCC (the psychology Lab, 2004)

Characteristics of presence are the sense of "being there" in the computerized world of the "virtual reality" environment. The questionnaire consists of 28 items that assess the degree to which you feel "present" in the virtual environment. Please indicate how much you agree or disagree with each statement. The items are listed below. Answer the questions independently in the order the list appears. Do not let your previous answers influence your answers to other questions.

WITH REGARD TO THE EXPERIENCE/ENVIRONMENT

1. How much does your life in virtual reality affect you?
 NOT AT ALL SOMEWHAT COMPLETELY
2. How important was the experience to you when you first used it?
 NOT IMPORTANT SOMEWHAT IMPORTANT VERY IMPORTANT
3. How natural did your interactions with the environment seem?
 EXTREMELY UNNATURAL SOMEWHAT UNNATURAL NATURAL
4. How much did the visual aspects of the environment interest you?
 NOT AT ALL SOMEWHAT COMPLETELY
5. How much did the sounds of the environment interest you?
 EXTREMELY UNINTERESTING SOMEWHAT UNINTERESTING INTERESTING


http://w3.uconn.edu/cyberpop/docs/presence/PSQ_v3.pdf

FLOW

- In positive psychology, FLOW (also known as the zone), is the mental state of operation in which a person performing an activity is fully immersed in a feeling of energized focus, full involvement, and enjoyment in the process of the activity
 - Characterized by complete absorption in what one does
 - Named by Mihály Csíkszentmihályi, the concept has been widely referenced across a variety of fields (and has an especially big recognition in occupational therapy), though the concept has existed for thousands of years under other guises, notably in some Eastern religions

[https://en.wikipedia.org/wiki/Flow_\(psychology\)](https://en.wikipedia.org/wiki/Flow_(psychology))

FLOW Model



[https://en.wikipedia.org/wiki/Flow_\(psychology\)](https://en.wikipedia.org/wiki/Flow_(psychology))

FLOW Conditions

- One must be involved in an activity with a clear set of goals and progress
 - This adds direction and structure to the task
- The task at hand must have clear and immediate feedback
 - This helps the person negotiate any changing demands and allows them to adjust their performance to maintain the flow state
- One must have a good balance between the perceived challenges of the task at hand and their own perceived skills
 - One must have confidence in one's ability to complete the task at hand

[https://en.wikipedia.org/wiki/Flow_\(psychology\)](https://en.wikipedia.org/wiki/Flow_(psychology))

FLOW Example

- Development and validation of a scale to measure optimal experience: the FLOW state scale

<https://esc22012.files.wordpress.com/2012/05/flow-state-scale004.pdf>

Virtual Reality Sickness

- Virtual reality sickness (also known as cybersickness) occurs when exposure to a virtual environment causes symptoms that are similar to motion sickness symptoms
- The most common symptoms are general discomfort, headache, stomach awareness, nausea, vomiting, pallor, sweating, fatigue, drowsiness, disorientation, and apathy
- Other symptoms include postural instability and retching

https://en.wikipedia.org/wiki/Virtual_reality_sickness

Virtual Reality Sickness .

- Virtual reality sickness is different from motion sickness in that it can be caused by the visually-induced perception of self-motion; real self-motion is not needed
- It is also different from simulator sickness
 - Non-virtual reality simulator sickness tends to be characterized by oculomotor disturbances
 - Virtual reality sickness tends to be characterized by disorientation

https://en.wikipedia.org/wiki/Virtual_reality_sickness

Simulator Sickness

- Simulator sickness is a subset of motion sickness that is typically experienced by pilots who undergo training for extended periods of time in flight simulators
- It is similar to motion sickness in many ways, but occurs in simulated environments and can be induced without actual motion
- Symptoms of simulator sickness include discomfort, apathy, drowsiness, disorientation, fatigue, vomiting, and many more

https://en.wikipedia.org/wiki/Simulator_sickness

Simulator Sickness Questionnaire

No. _____ Date _____

SIMULATOR SICKNESS QUESTIONNAIRE
(Based on the method of Greenbaum, 1979)

Instructions: Circle the best word which applies to the following symptoms.

1. General discomfort	None	Slight	Moderate	Severe
2. Fatigue	None	Slight	Moderate	Severe
3. Headache	None	Slight	Moderate	Severe
4. Eye strain	None	Slight	Moderate	Severe
5. Difficulty hearing	None	Slight	Moderate	Severe
6. Substantial nausea	None	Slight	Moderate	Severe
7. Dizziness	None	Slight	Moderate	Severe
8. Sweats	None	Slight	Moderate	Severe
9. Difficulty concentrating	None	Slight	Moderate	Severe
10. "Fullness of the head"	None	Slight	Moderate	Severe
11. Stomach rumbles	None	Slight	Moderate	Severe
12. Discomfort with eye-open	None	Slight	Moderate	Severe
13. Discomfort with eyes closed	None	Slight	Moderate	Severe
14. "Vertigo"	None	Slight	Moderate	Severe
15. "Heard" or "felt" movement	None	Slight	Moderate	Severe
16. Sweating	None	Slight	Moderate	Severe

* "Vertigo" is experienced as loss of orientation with respect to vertical upright.
 ** Sweating increases in severity used to indicate a feeling of discomfort which is just short of nausea.

Copyright © 1999, University of Illinois at Urbana-Champaign. All rights reserved. This document is the property of the University of Illinois at Urbana-Champaign. It is not to be distributed outside the University of Illinois at Urbana-Champaign.

http://w3.uqo.ca/cyberpsyc/docs/papers/ssq/ssq_va.pdf

Conclusions

- Very extensive field
- Not easy to select the best approach
- Biggest problems:
 - Understand the problem
 - Get a large sample
 - Analyse the data properly
- Still AR is not properly explored
 - Need for more research

Questions

