


Stance parameters

Stance, average



Parameters


Analysis time, sec	30,0	<div style="width: 75%;"></div>	40 sec
95% confidence ellipse area, mm ²	121	<div style="width: 30%;"></div>	130 mm ²
COP path length, mm	180	<div style="width: 14%;"></div>	190 mm
COP average velocity, mm/sec	6	<div style="width: 3%;"></div>	7 mm/sec

Parameters advanced


Length of minor axis, mm	8,2	<div style="width: 16%;"></div>	50 mm
Length of major axis, mm	18,9	<div style="width: 38%;"></div>	50 mm
Angle btw. Y and major axis, deg	85,6	<div style="width: 171%;"></div>	90 deg
Deviation X, mm	40,4	<div style="width: 81%;"></div>	50 mm
Deviation Y, mm	-12,3	<div style="width: 25%;"></div>	50 mm

Force (N)


Left forefoot




Right forefoot



Left backfoot



Right backfoot



Average Forces (%)

Left

Forefoot	47	<div style="width: 47%;"></div>	100%
Backfoot	53	<div style="width: 53%;"></div>	
Total	33	<div style="width: 33%;"></div>	

Right

100%	<div style="width: 49%;"></div>	49	Forefoot
	<div style="width: 51%;"></div>	51	Backfoot
	<div style="width: 67%;"></div>	67	Total