

C' mon,
do something...




90°



120°





R 0
-48 -24 -12 -6 DC
480 SD1025:03:46

FOLDER FILE SPEED WAV/MP3

TRACK 1 2 3 4

INPUT

REC

MIC

1

2

*Handy Recorder
H4n*

1


2

Interview
mic



Interní mikrofony

- Low cut 80 hZ (input>lo cut->mic->80hZ)
- Limiter 1 (General) (input->comp/limit->mic->limit 1 (General))
- 48 kHz
- 24 bit
- Průměrná hlasitost mluveného slova -20 - 12 dBFS s maximálními špičkami k - 6 dBFS
- (digitální 0 je zlo)



FOLDER FILE SPEED WAV/MP3

TRACK 1 2 3 4

INPUT REC

MIC

1 2


Stop, Play/Pause, Previous, Next buttons

REC (Recording indicator)

Handy Recorder
H4n

1 2

Externy
mic



Externí mikrofony

- Low cut 80 hZ (input>lo cut->mic->80hZ)
- Limiter 1 (General) (input->comp/limit->mic->limit 1 (General))
- Mono mix on (input->mono mix->on)
- Phantom +48V (input->phantom->+48V)
- 48 kHz
- 24 bit
- (je potřeba ťuknout na tlačítko 1 nebo 2 na levé straně ovládacího panelu Zoomu)