

# EXAMPLES OF AUTHENTIC DIAGNOSES

code	diagnosis
K928	Corpus alienum intestini tenuis perforans
C259	Carcinoma capitis pancreatis inoperabile, metastases hepatis multiplices
S019	Vulnera lacera regionis frontalis, dorsi nasi, labii superioris oris et vestibuli oris
C348	Tumor lobi medii pulmonis l. dx. ad pericardium, diaphragma et nervum phrenicum increscens
C186	St. p. colectomiam subtotalem propter carcinoma coli descendentes
M4795	Vulnus punctum cubiti sin., corpus alienum vitreum loci vulneris
S5250	Fractura intraarticularis partis distalis radii sin. dislocata comminutiva
S9220	Fractura ossis cuboidei et navicularis pedis l. dx. sine dislocatione
S863	Ruptura musculi tricipitis surae l. dx. suspecta
K928	Corpora aliena vitrea multiplicia antebrachii l. dx.
S300	Contusio dorsi regionis lumbalis gravis

**I. LOOK UP ALL ADJECTIVES IN THE DIAGNOSES AND WRITE THEM DOWN IN THEIR DICTIONARY FORMS IN THE TABLE.**

3-form adjectives	2-form adjectives	1-form adjectives

**II. TRANSLATE THE DIAGNOSES INTO ENGLISH.**

---

**III. FILL IN THE WORDS FROM THE TABLE IN THE DIAGNOSES IN THE CORRECT FORM (SEE THE HAND-OUT).**

## IV. PUT THE UNDERLINED TERMS IN THE OPPOSITE NUMBER.

code	diagnosis
K928	<u>Corpus alienum</u> intestini tenuis <u>perforans</u>
C259	Carcinoma capitis pancreatis inoperabile, metastases hepatis multiplices
S019	<u>Vulnera lacera</u> regionis frontalis, dorsi nasi, labii superioris oris et vestibuli oris
C348	<u>Tumor</u> lobi medii pulmonis l. dx. ad pericardium, diaphragma et nervum phrenicum <u>increscens</u>
C186	St. p. colectomiam subtotalem propter carcinoma coli descendentis
M4795	<u>Vulnus punctum cubiti</u> sin., <u>corpus alienum vitreum loci vulneris</u>
S5250	<u>Fractura intraarticularis partis distalis radii</u> sin. <u>dislocata comminutiva</u>
S9220	<u>Fractura ossis cuboidei et navicularis pedis</u> l. dx. sine dislocatione
S863	<u>Ruptura musculi tricipitis surae</u> l. dx. <u>suspecta</u>
K928	<u>Corpora aliena vitrea multiplicia</u> antebrachii l. dx.
S300	<u>Contusio</u> dorsi regionis lumbalis <u>gravis</u>

# V. PUT THE TERMS INTO THE CORRECT ORDER TO FORM DIAGNOSES. DO NOT CHANGE THE ENDINGS.

lacerum                      mentalis  
occipitalis                  vulnus  
regionis                      et

l. dx.                          musculi  
bicipitis                      ruptura  
partialis                      femoris

nasalium                      fractura  
dislocatione  
ossium                          sine

cruris                      status  
distalis                      fracturae  
post                          l. sin.  
operationem                  partis

# GIVE THE FOLLOWING CODES TO THE DIAGNOSES: S0220, S763, S018, S8280

?	Vulnus lacerum regionis occipitalis et mentalis
?	Ruptura partialis musculi bicipitis femoris I.dx.
?	Fractura ossium nasalium sine dislocatione
?	St. p. operationem fracturae partis distalis cruris I. sin.

# CORRECT ANSWERS:

---

<b>S018</b>	Vulnus lacerum regionis occipitalis et mentalis
<b>S763</b>	Ruptura partialis musculi bicipitis femoris I.dx.
<b>S0220</b>	Fractura ossium nasalium sine dislocatione
<b>S8280</b>	St. p. operationem fracturae partis distalis cruris I. sin.