



Final revision



FIND FEMININES AND NEUTRALS:



parietem

calcium

empyema

symphysibus

cuspidibus

focos

eupnoen

anni

decocta

metritide

cicatrices

diabetes

selectione

fronte

praecordii

lacrimis

foramina

CONNECT

Epithelium +	lens =>	Epithelium lentis
Sanatio +	decubitus	<i>decubitus</i>
Diphtheria +	fauces	<i>faucium</i>
Axis +	oculus	<i>oculi</i>
Cirrhosis +	hepar	<i>hepatis</i>
Calcar +	avis	<i>avis</i>
Diameter +	pelvis	<i>pelvis</i>
Melanosis +	colon	<i>coli</i>
Symptomata +	synarthrosis	<i>synarthrosis/eos</i>
Articulatio +	genu	<i>genus</i>
Collapsus +	systema	<i>systematis</i>
Calculosis +	vesica	<i>vesicae</i>
Stenosis +	ostium	<i>ostii</i>
Therapia +	scabies	<i>scabiei</i>

CONNECT

partes	columna vertebralis	columnae vertebralis
processus	vertebrae lumbales	vertebrarum lumbalium
nervus	brachium laterale	brachii lateralis
ruptura	ligamentum teres	ligamenti teretis
carcinoma	colon descendens	coli descendentis
sanatio	herpes simplex	herpetis simplicis
caries	dentes permanentes	dentium permanentium
bursa	musculus biceps brachii	musculi bicipitis brachii
inflammatio	appendix vermiformis	appendicis vermiformis
lamina	os ethmoidale	ossis ethmoidalis
fractura	ossa nasalia	ossium nasalium
therapia	morbus exacerbans	morbi exacerbantis
operatio	trauma grave	traumatis gravis
remedium	febris recurrens	febris recurrens

CREATE COMPARATIVES AND SUPERLATIVES

Musculus longus – longior - longissimus

Pelvis lata	<i>latior – latissima</i>
Os fragile	<i>fragilius – fragilissimum</i>
Icterus gravis	<i>gravior – gravissimus</i>
Pars mollis	<i>mollior – mollissima</i>
Pulsus frequens	<i>frequentior – frequentissimus</i>
Dolor acer	<i>acrior – acerrimus</i>
Infarctus recens	<i>recentior – recentissimus</i>
Appendicitis acuta	<i>acutior – acutissima</i>
Incisura parva	<i>minor – minima</i>
Foramen magnus	<i>majus – maximum</i>
Ossa brevia	<i>breviora – brevissima</i>
Operationes breves	<i>breviores – brevissimae</i>

ADD COMPARATIVES IN PROPER FORM

Major, majus

Nervus petrosus major

Hiatus canalis nervi petrosi majoris

Sub nervo petroso majore

In nervum petrosum majorem

Minor, minus

Abruptio cornus minoris ossis hyoidei

Prope cornu minus ossis hyoidei

Cornua minora ossis hyoidei

Abruptio cornuum minorum ossis hyoidei

CREATE CLINICAL DIAGNOSES (DO NOT CHANGE THE WORD ORDER)

- vulnus – lacer – pars – distalis – femur – latus – dexter
- suspicio – commotio – cerebrum – post – trauma – gravis
- post – resectio – pulmo (pl.) – subtotalis – propter tuberculosis
- sinusitis – paranasalis – subacutus – siccus
- e – hyperemesis – in – graviditas
- pseudoneoplasma (pl.) – duodenum – suspectus

FIND MISTAKE



- vagina tendonis musculi extensoris digiti minimis
- bursa ischiadicus musculi gluteae maximalis
- arteriae (pl.) lumbalis ima
- musculi intercostali internes
- trauma grava membrorum superiorium
- amputatio phalangum indexis
- propter necrosem heparis acutam
- status post abortum in statu febrile

READ AND TRANSLATE

- Insufficiencia renalis chronica gr. **IV**.
- Decubitus regionis ossis sacri et calcanei l. sin. gr. **II**.
- St. p. amputationem pollicis et digiti **III**. manus l. dx. traumaticam
- Gangraena digiti **IV**. et **V**. pedis l. Sin.
- St. p. fracturam vertebrae Th**12** compressivam
- St. p. fracturam costae l. sin. **IV.**, **V.**, **VI.** et **VII.** ante dies XII
- St. p. hysterectomiam abdominalem simplicem anno 2012/05
- Pelvis renis l. dx. et ureter l. dx duplex
- Tumor lobi superioris pulmonis l. sin. Triplex
- Metastases hepatis multiplices susp.
- Funiculus umbilicalis circum collum fetus **1x/2x/3x** in grav. hebd. 40+4

FILL IN THE GAPS

SPECIALITAS ANTIDEPRESSIVUM

_____ *Acentra 50 tbl. p. o. 28 x 50 mg*

_____ *orig. _____ IV (quattuor)*

D. _____ 2 tablety denně.

FILL IN THE GAPS

MAGISTRALITER HYPNOTICUM

Rp.

Amobarbitali 0,15

Codeinii dihydrogenphosphorici 0,03

Aminophenazoni 0,25

Olei cacao q. _____ ut _____ supp.

D. _____ d. _____ VI (sex)

S. Na noc zavést 1 čípek.

CREATE COMPOUNDS AND TRANSLATE THEM

hystera – salpinx – graphia

HYSTEROSALPINGOGRAPHIA

pan – hystera – salpinx – oophoron – ectome

PANHYSTEROSALPINGOOOPHORECTOMIA

oligos – erythros – kytos – haima

OLIGOERYTHROCYTAEMIA

erythros – leukos – thrombos – kytos – haima

ETHYTHROLEUCOTHROMBOCYTAEMIA

pneumon – haima – pericardium

PNEUMOHAEMOPERICARDIUM

kystis – ureter – pyelos – nephritis

CYSTOURETEROPYELONEPHRITIS

hepaticus – duodenum – anastomosis

HEPATICODUODENOANASTOMOSIS

DERIVE TERMS FROM THE GREEK ROOT *ODOÚS, ODONTOS*

- toothache
- originating from teeth
- inflammation of the tissues surrounding teeth
- hypersensitivity of teeth
- the field of medicine dealing with the anatomy, development, and diseases of teeth
- benign tumour of tooth-tissue origin
- tooth development
- pathological fear of dental care, dentistry
- visual examination of oral cavity
- field of medicine dealing with the prevention and correction of malpositioned teeth
- surgical removal of tooth