

Comparison of adjectives



3RD WEEK

Regular comparison



- *Positive*

LONGUS

- *Comparative*

- take genitive stem of the adjective and add endings:
- -ior (m+f), -ius (n), genitive ending for all 3 genders: -ioris
- declined like the **3rd declension**

LONGIOR, LONGIUS, gen. LONGIORIS

- *Superlative*

- take genitive stem of the adjective and add endings:
- -issimus (m), a (f), um (n) – declined like **1+2 decl. adjectives**

LONGISSIMUS, A, UM

DECLINING COMPARATIVE FORMS



	Sg	Pl	
1.	acrior	acrius	acrior- es acrior- a
2.	acrior- is		acrior- um
4.	acrior- em	acrius	acrior- es acrior- a
6.	acrior- e		acrior- ibus

comparative forms are declined according to paradigms
DOLOR (M., F.) and CORPUS (N.)

LATIN AND GREEK DECLENSIONS


Declens.	I.			II.				III.					IV.		V.
Paradigm	vena	systole	diabetes	nervus	septum	nephros	colon	dolor	corpus	pelvis	dosis febris	rete	ductus	genu	facies
Gender	f.	f.	m.	m.	n.	m.	n.	m. + f.	n.	m. + f.	m. + f.	n.	m.	n.	f.
Singular	1. -a	-e	-es	-us/-er	-um	-os	-on	?	?	-is/-es	-(s)is/-xis/-osis	-ar/-e/-al	-us	-u	-es
	2. -ae	-es	-ae	-i	-i	-i	-i	-is	-is	-is	-is/-eos	-is	-us	-us	-ei
	4. -am	-en	-am	-um	1	-um	1	-em	1	-em	-im/-in	1	-um	1	-em
	6. -a	-e	-a	-o	-o	-o	-o	-e	-e	-e / (-i)	-i	-i	-u	-u	-e
Plural	1. -ae	-ae	-ae	-i	-a	-i	-a	-es	-a	-es	-es	-ia	-us	-ua	-es
	2. -arum	-arum	-arum	-orum	-orum	-orum	-orum	-um	-um	-ium	-ium	-ium	-uum	-uum	-erum
	4. -as	-as	-as	-os	1	-os	1	-es	1	-es	-es	1	-us	1	-es
	6. -is	-is	-is	-is	-is	-is	-is	-ibus	-ibus	-ibus	-ibus	-ibus	-ibus	-ibus	-ebus
	+ Adj. of 1st decl. F			+ Adj. of 2nd decl. M	+ Adj. of 2nd decl. N			+Compa -rative forms of adj. M+F	+ Com- parative forms of adj. N	+ Adj. of 3rd decl. M + F		+ Adj. of 3rd decl. N			

IRREGULAR AND INCOMPLETE COMPARISON




- magnus – major, majus – maximus, a, um
- parvus – minor, minus – minimus, a, um

- forms used to describe positions on human body, derived from prepositions, having only comparative and superlative forms
 - ante – anterior, ius
 - post – posterior, ius – postremus, a, um
 - supra – superior, ius – supremus, a, um
 - infra – inferior, ius – infimus/imus, a, um
 - intra – interior, ius – intimus, a, um




- 1 cartilago lateralis
- 2 concha nasalis *inferior*
- 3 concha nasalis media
- 4 concha nasalis *superior*
- 5 sinus sphenoidalis
- 6 septum nasi




anterior

praesentatio occipitis



posterior



GIVE THE COMPARATIVES AND SUPERLATIVES



POSITIVE	COMPARATIVE	SUPERLATIVE
<i>parvus, a, um</i>		
<i>brevis, e</i>		
<i>fortis, e</i>		
<i>acutus, a, um</i>		
<i>magnus, a, um</i>		
<i>longus, a, um</i>		
<i>gravis, e</i>		
<i>profundus, a, um</i>		
<i>latus, a, um</i>		

FILL IN COMPARATIVES AND SUPERLATIVES IN THE CORRECT FORM

minimus, a, um

musculus abductor digiti _____

minor, minus

cornu _____ ossis hyoidei

superior, ius

defectus arcus dentalis_____

intimus, a, um

musculi intercostales_____

inferior, ius

amputatio membra _____

imus, a, um

arteriae lumbales _____

anterior, ius

peritoneum parietale _____

latissimus, a, um

ruptura musculi _____ dorsi

posterior, ius

arteria temporalis profunda _____

CREATE MEANINGFUL DIAGNOSES



- thoracicae / distorsionis / partis / vertebral is / suspicio / columnae
 - **suspicio distorsionis partis thoracicae columnae vertebral is**
- lateris / sinistri / colli / profundae / auriculae / faciei / et / combustiones
 - **combustiones colli, faciei et auriculae lateris sinistri profundae**
- comminutiva / minimi/ lateris / phalangis / proximalis / manus / dextri/ fractura / digit i
 - **fractura phalangis proximalis digit i minimi manus lateris dextri comminutiva**
- muscularum / distensio / levatorium/ costarum / utriusque / lateris
 - **distensio muscularum levatorium costarum lateris utriusque**
- contusa / et / gravia / regione / vulnera / in / abdominis / lacera
 - **vulnera contusa et lacera gravia in regione abdominis**

TRANSLATE



- stronger solution,
- shorter bone,
- more severe injury,
- bigger danger,
- bigger sublingual duct,
- in the upper hollow vein,
- the longest muscle of the upper limb,

- lesser curvature of ventricle of heart,
 - **curvatura minor ventriculi cordis**
- posterior deep temporal artery,
 - **arteria temporalis profunda posterior**
- fracture of the middle phalanx of the smallest finger,
 - **fractura phalangis mediae digitii minimi**
- the most recent infarction,
 - **infarctus recentissimus**
- the most frequent disease,
 - **morbus frequentissimus**
- the innermost layer of oesophagus
 - **tunica intima oesophagi**
- amputation of the lower limb due to gangraena caused by diabetes mellitus.
 - **amputatio extremitatis inferioris propter ganreaenam e diabeta mellito**

READ THE DIAGNOSES, PUT THE FULL FORMS OF ABBREVIATIONS



Vinculatio funiculi umbilici circum col.fetus 4x in grav.hebd.39+2
Cystis faciei fetus

Sectio caesarea sec.Geppert, Revisio cavi uteri instrumentalis

Partus inductus in grav. hebd.37+3

Praesentatio occipitis

Diabetes mellitus gestationis/dieta/

Hydronefrosis matris l.sin nefrostomia in situ

Nefrolithiasis l. dx.

Ruptura perinei gr. II