

EXAMPLES OF AUTHENTIC DIAGNOSES

code	diagnosis
K928	Corpus alienum intestini tenuis perforans
C259	Carcinoma capitis pancreatis inoperabile, metastases hepatis multiplices
S019	Vulnera lacera regionis frontalis, dorsi nasi, labii superioris oris et vestibuli oris
C348	Tumor lobi medii pulmonis I. dx. ad pericardium, diaphragma et nervum phrenicum increscens
C186	St. p. colectomiam subtotalem propter carcinoma coli descendens
M4795	Vulnus punctum cubiti sin., corpus alienum vitreum loci vulneris
S5250	Fractura intraarticularis partis distalis radii sin. dislocata comminutiva
S9220	Fractura ossis cuboidei et navicularis pedis I. dx. sine dislocatione
S863	Ruptura musculi tricipitis surae I. dx. suspecta
K928	Corpora aliena vitrea multiplicita antebrachii I. dx.
S300	Contusio dorsi regionis lumbalis gravis

I. LOOK UP ALL ADJECTIVES IN THE DIAGNOSES AND WRITE THEM DOWN IN THEIR DICTIONARY FORMS IN THE TABLE.

II. TRANSLATE THE DIAGNOSES INTO ENGLISH.

**III. FILL IN THE WORDS FROM THE TABLE IN THE
DIAGNOSES IN THE CORRECT FORM (SEE THE
HAND-OUT).**

IV. PUT THE UNDERLINED TERMS IN THE OPPOSITE NUMBER.

code	diagnosis
K928	<u>Corpus alienum</u> intestini tenuis <u>perforans</u>
C259	Carcinoma capitis pancreatis inoperabile, metastases hepatis multiplices
S019	<u>Vulnera lacera</u> regionis frontalis, dorsi nasi, labii superioris oris et vestibuli oris
C348	<u>Tumor</u> lobi medii pulmonis I. dx. ad pericardium, diaphragma et nervum phrenicum <u>increscens</u>
C186	St. p. colectomiam subtotalem propter carcinoma coli descendantis
M4795	<u>Vulnus punctum cubiti</u> sin., <u>corpus alienum</u> vitreum loci vulneris
S5250	<u>Fractura intraarticularis</u> partis distalis radii sin. <u>dislocata comminutiva</u>
S9220	<u>Fractura</u> ossis cuboidei et navicularis pedis I. dx. sine dislocatione
S863	<u>Ruptura</u> musculi tricipitis surae I. dx. <u>suspecta</u>
K928	<u>Corpora aliena</u> vitrea multiplicita antebrachii I. dx.
S300	<u>Contusio</u> dorsi regionis lumbalis <u>gravis</u>

V. PUT THE TERMS INTO THE CORRECT ORDER TO FORM DIAGNOSES. DO NOT CHANGE THE ENDINGS.

lacerum mentalis
occipitalis vulnus
regionis et

I. dx. musculi
bicipitis ruptura
partialis femoris

nasalium fractura
dislocatione sine
ossium

cruris status
distalis fracturae
post I. sin.
operationem partis

GIVE THE FOLLOWING CODES TO THE DIAGNOSES: S0220, S763, S018, S8280

?

Vulnus lacerum regionis occipitalis et mentalis

?

Ruptura partialis musculi bicipitis femoris l.dx.

?

Fractura ossium nasalium sine dislocatione

?

St. p. operationem fracturae partis distalis cruris l.
sin.

CORRECT ANSWERS:

S018

Vulnus lacerum regionis occipitalis et mentalis

S763

Ruptura partialis musculi bicipitis femoris l.dx.

S0220

Fractura ossium nasalium sine dislocatione

S8280

St. p. operationem fracturae partis distalis cruris l. sin.