

## ONE-WORD NAMES FOR INJURIES

injury	diagnosis
<b>LAESIO, ONIS, F.</b> (lesion)	<i>Laesio ligamenti musculi flexoris digitorum manus l. sin.</i>
<b>DEFORMITAS, ATIS, F.</b> (deformity, deformation)	<i>Deformitas antebrachii l. dx. gravis</i>
<b>LACERATIO, ONIS, F.</b> (laceration)	<i>Laceratio tendinis musculi extensoris indicis l. sin.</i>  <i>Laceratio renis sin. gr. IV</i>
<b>CONTUSIO, ONIS, F.</b> (contusion)	<i>Contusio femoris l. sin cum haematome musculi quadriceps femoris l. sin.</i>
<b>HAEMATOMA, TIS, N.</b> (haematoma)	<i>Contusio lienis gr. III.</i>
<b>PERFORATIO, ONIS, F.</b> (perforation)	<i>St.p. perforationem vesicae felleae</i>
<b>DISTENSIO, ONIS, F.</b> (strain: an injury to a muscle or tendon in which the muscle fibers tear as a result of overstretching)	<i>Distensio musculi recti abdominis l. dx.</i>
<b>EXCORIATIO, ONIS, F.</b> (scrape)	<i>Excoriationes faciei, manus l. utr. et genus l. utr. superficiales</i>
<b>COMMOTIO, ONIS, F.</b> (concussion)	<i>Commotio cerebri cum fissura ossis temporalis l. sin.</i>

<b>DISTORSIO, ONIS, F.</b> (sprain, distortion: a sudden or violent twist or wrench of a joint)	<i>Susp. distorsionis columnae vertebralis partis cervicalis</i>
<b>LUXATIO, ONIS, F.</b> (luxation)	<i>Fractura partis proximalis humeri l. sin. comminutiva cum luxatione</i>
<b>ABRUPTIO, ONIS, F.</b> (breaking off, abrupture)	<i>Abruptio partis ventralis corporis vertebrae C7 v. s.</i>
<b>COMBUSTIO, ONIS, F.</b> (burn)	<i>Combustio thoracis, cervicis et faciei gr. II</i>
<b>CONGELATIO, ONIS, F.</b> (frostbite)	<i>Congelationes extremitatis inferioris l. utr. gr. I.</i>
<b>DECUBITUS, US, M.</b> (bedsore , pressure sore, decubitus)	<i>Decubitus regionis calcanei et ossis sacri gr. II.</i>

**Vocabulary:**

flexor, oris, m.	flexor (a muscle serving to bend a body part)
superficialis, e	superficial (located on the surface)
suspicio, onis, f.	suspicion
ventralis, e	ventral (located on the anterior part of the body)
verisimiliter	probably

## NUMERALS (unit 9)

1) numerals in anatomical terms	
	<i>vertebrae cervicales (C I – VII)</i> <i>atlas (C I)</i> <i>axis (C II)</i> <i>vertebra prominens (C VII)</i> <i>vertebrae thoracicae (T I – T XII)</i> <i>vertebrae lumbales (L I – L V)</i> <i>vertebrae sacrales (I – V)</i> <i>vertebrae cocygeae (I – IV)</i>
	<i>costae (I – XII)</i> <i>costae verae (I – VII)</i> <i>costae spuriae (VIII – XII)</i> <i>costae fluctuantes (XI – XII)</i>
	<i>digitus primus/secundus/tertius/quartus/quintus</i>
ordinal numerals (1 –12)	<i>dens incisivus primus/secundus</i> <i>dens praemolaris primus/secundus</i> <i>dens molaris primus/secundus/tertius</i>
	<i>nervi craniales</i> <i>nervus olfactorius (I)</i> <i>nervus opticus (II)</i> <i>nervus oculomotorius (III)</i> <i>nervus trochlearis (IV)</i> <i>nervus trigeminus (V)</i> <i>nervus abducens (VI)</i> <i>nervus facialis (VII)</i> <i>nervus vertibulochochlearis (VIII)</i> <i>nervus glossopharyngeus (IX)</i> <i>nervus vagus (X)</i> <i>nervus accessorius (XI)</i> <i>nervus hypoglossus (XII)</i> <i>nervi cervicales (C1 – C8)</i> <i>nervi thoracici (T1 – T12)</i> <i>nervi lumbales (L1 – L5)</i> <i>nervi sacrales (S1 – S5)</i>

2) numerals in clinical terms	
ordinal numerals (1 – 12)	<i>Asthma bronchiale gr. III.</i>
	<i>Insufficientia renalis chronica gr. IV.</i>
	<i>St. p. amputationem pollicis et digitii II. manus l. dx. traumaticam</i>
	<i>Gangraena digitii IV. et V. pedis l. sin.</i>
	<i>St. p. fracturam vertebrae Th12 compressivam</i>
	<i>Fractura corporis vertebrae L2; fractura processus transversi vertebrae L2, L3, L4 et L5 l. dx.</i>
	<i>St. p. fracturam costae l. sin IV., V., VI. et VII. ante dies XII</i>
	<i>primi/secundi/terti/quarti/quinti/sextigravida primi/secundi/terti/quarti/quinti/sextipara</i>
multiple numerals (1 – 3 + multiplex)	<i>St. p. hysterectomiam abdominalem <u>simplicem</u> anno 2012/05</i>
	<i>Pelvis renis l. dx. et ureter l. dx <u>duplex</u></i>
	<i>Tumor lobi superioris pulmonis l. sin. <u>triplex</u></i>
	<i>Metastases hepatis <u>multiplices</u> susp.</i>
numeral adverbs (1 – 3)	<i>Funiculus umbilicalis circum collum fetus <u>semel/bis/ter</u> in grav. hebd. 40+4</i>

**Vocabulary:**

annus, i, m.	year
asthma, tis, n.	asthma (a chronic lung disorder with recurring episodes of airway obstruction)
atlas, atlantis, m.	atlas (the first vertebra of the neck)
bronchialis, e	bronchial (pertaining to the bronchi)
circum (+4th)	around
coccygeus, a, um	coccygeal (pertaining to the coccyx)
cranialis, e	cranial (pertaining to the scull)
funiculus, i, m.	cord
gradus, us, m.	grade
hebdomas, adis, f.	week
hysterectomy, ae, f.	hysterectomy (surgical removal of the uterus)
lateris utriusque	on both sides
lumbalis, e	lumber (pertaining to the loins)
praemolaris, e	premolar (preceding molar teeth)
prominens, entis	prominent
renalis, e	renal (pertaining to the kidney)
sacralis, e	sacral (pertaining to the sacrum)
suspensus, a, um	suspicious
traumaticus, a, um	traumatic (pertaining to or caused by an injury)
umbilicalis, e	umbilical (pertaining to the naval)