

ORGANUM VESTIBULOCOCHLEARE

Auris externa, media et interna

Auris externa

Auricula
Meatus acusticus externus
Membrana tympani

Auris media

Cavitas tympani
Ossicula auditus
Tuba auditiva

Auris interna


Labyrinthus osseus
Labyrinthus membranaceus


MEMBRANA TYMPANI

Middle connective tissue layer – stratum membranaceum

External layer - stratum cutaneum

Internal layer - stratum mucosum



A

Copyright © 2005 by Elsevier, Inc.

CAVITAS TYMPANI (eardrum)

paries membranaceus

- bubínek

paries labyrinthicus

- promontorium
- fenestra vestibuli
- fenestra cochleae

paries jugularis

- apertura externa canaliculi tympanici

paries tegmentalnis

- hiatus canalis nervi petrosi minoris

paries caroticus


- canaliculi caroticotympanici
- canalis musculotubarius

semicanalis musculi tensori tympani


semicanalis tubae auditivae

paries mastoideus

- antrum mastoideum



CAVITAS TYMPANI



OSSICULA AUDITUS


Malleus

Caput mallei

Manubrium mallei

Processus lateralis

Processus anterior




Incus

Corpus incudis

Crus longum

Crus breve



Stapes



Caput stapedis

Crus anterius

Crus posterius


Basis stapedis


Art. incudostapedialis





© 2002 St. George's, University of London


OSSICULA AUDITUS













A**B**

TUBA AUDITIVA, EUSTACHIAN TUBE

pars ossea tubae auditivae (10mm)

ostium tympanicum tubae auditivae



pars cartilaginea tubae auditivae (25 mm)

lamina medialis et lateralis


ostium pharyngeum tubae auditivae

torus tubarius


lymph tissue (tonsilla tubaria)



Eustachian tube



TUBA AUDITIVA, EUSTACHIAN TUBE



1- a. carotis int.;

2-lamina lateralis et 4-medialis;



6 – m. tensor veli palatini;

7- m. salpingopharyngeus;


8-m. levator veli palatini;

9-nasopharynx;

TORUS TUBARIUS, torus levatorius, plica salpingopharyngea




2- m. tensor v.p.; 3- m.levator v.p;
6- m. salpingopharyngeus



AURIS INTERNA - LABYRINTHUS OSSEUS

Right Osseous Labyrinth
Anterolateral View



- **vestibulum**

-**canales semicirculares ossei**
anterior
posterior
crus communae
ampulla ossea
lateralis
crus simplex

- **cochlea**

COCHLEA

modiolus


lamina spiralis ossea

canalis spiralis osseus


canales longitudinales

tractus spiralis foraminosus

AURIS INTERNA



VESTIBULUM



LABYRINTHUS MEMBRANACEUS

labyrinthus vestibularis

- utriculus et sacculus
- d. utriculosaccularis → d. endolymphaticus (aqueductus vestibuli) → saccus endolymph.
- ductus semicirculares

macula statica utriculi et sacci


cristae ampullares

labyrinthus cochlearis


- ductus cochlearis *lamina basilaris*
 membrana vestibularis Reissneri
 wall of bony canal

organum spirale Corti membrana tectoria


LABYRINTHUS MEMBRANACEUS






LABYRINTHUS MEMBRANACEUS




DUCTUS COCHLEARIS









NERVUS VESTIBULOCOCHLEARIS



A Schematic.






B Compartments of the cochlear canal, cross section.




C Location of the cochlea. Superior view of the petrous part of the temporal bone with the cochlea sectioned transversely. The bony canal of the cochlea (spiral canal) makes 2.5 turns around its bony axis (modiolus).

NERVUS VESTIBULOCOCHLEARIS





Fundus meatus acustici interni



MedUniver.com

Все по медицине...

