

1. Change into singular/plural.

caput breve -----
plexus venosi vertebrales -----
extractio dentis incisivi -----
vasa sanguinea -----

2. Put the words into correct form to create meaningful diagnoses.

Do not change the word order!

rete + articularis, e + cubitus

corpus + alienus, a, um + in + auris + medius, a, um

status post + operatio + carcinoma + pancreas

musculus (pl.!) + levator + costa (pl.!) + brevis, e

3. Put the terms in brackets into the correct form after prepositions/nouns.

abortus propter (defectus congenitus fetus) -----
pus in (vulnera lacera) -----
sanatio (febris continua) -----
aegrotus cum (symptomata diabetae melliti) -----

4. Create meaningful anatomical forms using the adjectives

from the box in their correct forms.

costalis, e ~ praematurus, a, um ~ tenuis, e ~ choledochus, a, um ~ perforans, ntis

obstrucio ductus _____

status post partum _____

facies _____ scapulae

carcinoma intestini _____

ulcus gastris _____

5. Put the full forms of the underlined abbreviations and translate into English.

fractura vertebrae Th7 cum dislocatione _____

st.p. operationem lob medii pulmonis sinistri _____

vulnus sectum antebrachii l.dx. _____

6. Fill in the nouns from which the following adjectives are derived. Put the full dictionary entry according to the example.

EXAMPLE: os temporale tempus, temporis, n.

cristae cutaneae _____

rete articulare _____

amputatio traumatica _____

morbis mortalis _____

plexus nervosus _____

7. Translate into Latin.

(25 points)

severe burns in the pectoral region

urological tea mixture against the inflammation of kidney

operation of the ascending part of duodenum

short head of the triceps muscle of arm

fissure of the round ligament of liver

stab wound penetrating towards heart

