

Oesophagografie

sagitální projekce

hluboký
(recessus
piriformis)

jícen



Oesophagografie


boční projekce

hrudní obratle


žebra

jícen


bránice




Gastrografie



Cholecystografie




Irigografie



Irigografie – metoda dvojího kontrastu

Chemický čistý síran
barnatý + vzduch




Vylučovací urografie

pánvička ledvinná —————

močovod —————


močový
měchýř —————

kalichy
ledvinné —————





Ascendentní pyelografie




Cystografie


močový měchýř



katétr



Hysterosalpingografie



Angiografie

Arteriogram truncus
coeliacus

a. hepatica
comm.

a. gastrica sin.

a. lienalis


a. hepatica propria

a. gastroduodenalis

Katétr

Truncus
coeliacus


a. gastroepiploica
sin.



Angiografie

Arteriogram břišní aorty

a. hepatica comm.



a. lienalis

aa. renales

aa. lumbales

a. iliaca com. sin

a. sacralis mediana

Angiografie

Arteriogram břišní aorty



a. colica media


a. mesenterica sup.

a. colica dx.

aa. jejunales


a. ileocolica

aa. ileae



Angiografie

Arteriogram břišní aorty



a. mesenterica inf.

a. colica sin.

aa. sigmoideae

a. rectalis inf.

Angiografie

Arteriogram horní končetiny

a. brachialis

a. radialis

a. ulnaris

a. interossea ant.



Angiografie

Arteriogram ruky



a. ulnaris ————— a. radialis

aa. interosseae —————

Angiografie

Arteriogram pánve


a. iliaca ext.

a. iliaca int.

Aorta
abdominalis

a. iliaca
comm.


a. sacralis
mediana



Angiografie

Arteriogramm DK

a. femoralis

An angiogram showing the arterial system of the thigh and lower leg. The common femoral artery (a. femoralis) is visible descending from the inguinal ligament. It bifurcates into the deep femoral artery (a. profunda femoris) and the superficial femoral artery. The superficial femoral artery gives off the circumflex femoral artery (a. circ. femoris lat.) which supplies the lateral femoral cutaneous nerve. Numerous perforating arteries (aa. perforantes) branch off the superficial femoral artery to supply the skin and muscles of the thigh.


a. profunda femoris

a. circ. femoris lat.

aa. perforantes

Angiografie

Arteriogram DK



a. genus desc.

a. femoralis

a. genus sup.

a. poplitea

a. genus inf.

a. tibialis post.

Angiografie

Flebogram hrudníku

v. cephalica dx.


v. brachio-
cephalica dx.

v. cava sup.

v. jug. int. dx.


v. subclavia dx.

v. brachio-
cephalica sin.



Angiografie

Flebogram horní končetiny



Angiografie

Lymfogram břicha a dolní končetiny

nodi lymphatici
iliaci communes

nodi lymphatici
iliaci int. et ext.

nodi lymphatici
inguinales

