

Handout

Task 1: Match nouns with appropriate adjectives and form genitive singular:

plexus	varus, a, um	_____
genu	frontalis, e	_____
facies	brachialis, e	_____
manus	sinister, tra, trum	_____
cornu	cutaneus, a, um	_____

Task 2: Put from singular to plural and vice versa:

sensus humanus	_____
phalanx media manus	_____
articulationes genuum	_____
in meatu acustico externo	_____
post laesionem faciei	_____
tractus nervosi	_____
propter decubitus regionis coccygeae	_____
prope processum costalem	_____
caries dentis	_____

Task 3: Put terms in brackets into correct cases:

status post (collapsus)	_____
extra (periculum)	_____
extractio dentis propter (caries)	_____
corpus alienum in (ductus lymphaticus dexter)	_____
dosis pro (dies)	_____
solutio ad (usus internus)	_____
infra (orbita)	_____

haemorrhagia ante (partus praematurus) _____

amputatio manus cum (narcosis) _____

in (status mortis) _____

glandulae sine (ductus) _____

intra (vita) _____

rabies e (morsus animalis) _____

remedia contra (vomitus) _____

Task 4: Give the full forms of the abbreviations and translate into English:

Stp. contusionem genus l.dx _____

Tu cutis cruris l. sin. _____

Vv. puncta reg. femoris _____

Fr. malleoli medialis _____

Fr. art. talocruralis sin. cum disloc. _____

Task 5: Fill in the chart:

dosis parva				
	genu varo			
				faciebus cutaneis
			tractuum nervosorum	
meatus acusticus				
		vasa afferentia		
				manibus longis

Task 6: Match nouns with appropriate adjectives:

manu	frontalia
articulationis	sinistri
plexum	sinistra
pulmonum	multiplices
oculum	simplicis
cornua	brachialem
genūs	dextrum
fracturae	multiplicem
sclerosim	sanorum

Task 7: Form phrases:

periculum — partus — praematurus _____

sine — dolor — caput _____

propter — pulsus — frequens _____

symptoma — morbus — incipiens _____

symptoma (pl.) — arthritis — rheumaticus _____

contra — morbus (pl.) — infectiosus _____

in — periculum — mors _____

ulcus (pl.) — in — colon — descendens _____

sanatio — cum — defectus _____

ad — scatula — parvus _____

trauma (pl.) — gravis — columna vertebralis _____

operatio — propter — fractura — gravis — ulna — sinister _____

contusio — musculus — biceps — brachium	_____
in — status — post — infarctus — cor — recens	_____
propter — nephrosis — gravis	_____
gutta (pl.) — contra — tussis	_____
propter — fractura — collum — femur	_____
vulnus (pl.) — lacer — caput	_____
fractura — pars — distalis — humerus	_____
extractio — dens — lacteus — e — caries	_____
apud — aditus — larynx	_____
in — sinus — occipitalis	_____

Task 8: Fill in missing endings:

- Extractio dent..... molar..... cum dolor..... acr.....
- Dolor acut..... in pulmon..... dextr.....
- Medicamentum contra tuss..... in lagoen..... pro infant..... et adult.....
- Laesio capit..... long..... muscul..... bicipit..... brachi.....
- Mors subit..... post dos..... letal.....
- Pus in vulner..... lacer.....
- Symptomat..... hepatid..... malign.....
- Status post amputation..... lob..... pulmon..... sinistr..... propter tuberculos.....