

Task 1: Give nominative, genitive singular and a gender of following nouns:

colitide _____	nephroseos _____
nephri _____	glandula _____
dentium _____	vasorum _____
colla _____	stomachos _____
systoles _____	antibiotico _____
anguli _____	diabetae _____
tarsis _____	cola _____
olecrana _____	gastre _____
partes _____	capitum _____
tussi _____	diagnosis _____
matres _____	febrium _____
dermatum _____	ossium _____

Task 2: Find neuters and form genitive (keep the number):

traumata _____	mamma _____
ligamenta _____	gramma _____
coxa _____	ora _____
anomalia _____	folia _____
semina _____	sutura _____
animalia _____	antagonista _____
ala _____	cochlearia _____
vasa _____	oedema _____

Task 3: Fill in required cases of given nouns:

<i>angulus</i>	<i>canalis</i>	<i>sitis</i>	<i>bronchitis</i>
angulo			
angulum			
angulis			
angulorum			
anguli			
angulos			
anguli			

Task 4: Fill in the chart. Each column should contain one case of all terms and one line should contain all required cases from one term:

			diagnosium certarum	
		dentēs incisivi		
				vulneribus laceris
	systemate complicato			
periodus longa				

Task 5: Form meaningful phrases (keep the word order):

1. extractio – dens – caninus

2. extractio (pl.) – dens (pl.) – lacteus (*lacteus, a, um* „mléčný“)

3. fractura – basis – cranium

4. mors – propter – fractura – basis – cranium

5. sanatio – febris – rheumaticus

6. propter – necrosis – acutus – haemorrhagicus – pancreas

7. diameter – pelvis – femininus

8. amputatio – pes – sinister – cum – narcosis

9. post – sanatio – vulnus – regio – coxa

10. pneumonia – post – fractura – collum – femur

11. post – amputatio – antebrachium – latus – sinister – cum – narcosis

12. symptoma – carcinoma – pulmones

13. deformitas – coxa – congenitus, a, um

14. scutula – pulvis – adpersorius – pro – infantes

Task 6: Translate:

1. Against thirst _____
2. With tuberculosis _____
3. Resections of roots of canine teeth _____
4. Resection of root of canine tooth _____
5. From inner ear _____
6. Into oral cavity _____
7. With symptoms of acute inflammation of bronchi _____

Task 7: Fill in missing endings:

1. Operatio propter cirrhos ____ acut ____.
2. Medicamenta pro infant ____ et adult ____.
3. Laesio pulmon ____ traumatic ____ cum perforation ____ diaphragmat ____.
4. Aether pro narcos ____.
5. Haemorrhagia post extraction ____ dent ____ incisiv ____.
6. Sub sign ____ venen ____.
7. Cum dors ____ et radic ____ lingu ____.
8. Gramma pulver ____ pro dos ____.
9. Unguentum contra combustion ____.

Task 8: Give the full forms of the abbreviations:

- carcinoma mammae lat. dx.
- tabulettae p. o. contra tussim
- iniectio i. v.
- medicamenta contra dolorem pro adult. et pro inf.
- laesio mm. adductorum
- nucll. supraoptici
- hepatitide ac.
- amputatio memb. sin.