

Give nominative + genitive singular and a gender
of following nouns:

colitide

partes

antibiotico

nephri

tussi

diabetae

dentium

matres

cola

colla

dermatum

gastre

systoles

nephroseos

capitum

anguli

glandula

diagnosis

tarsis

vasorum

febrium

olecrana

stomachos

ossium

Find neutres and form genitive (keep the number):



traumata

mamma

ligamenta

gramma

coxa

ora

anomalia

folia

semina

sutura

animalia

antagonista

ala

cochlearia

vasa

oedema

Vyberte neutra a utvořte od nich genitiv (číslo zachovejte):



traumata -> traumatum

mamma

ligamenta -> ligamentorum

gramma -> grammatis

coxa

ora -> orum

anomalia

folia -> foliorum

semina -> seminum

sutura

animalia -> animalium

antagonista

ala

cochlearia -> cochlearium

vasa -> vasorum

oedema -> oedematis

Fill in required cases of given nouns:



<i>angulus</i>	<i>canalis</i>	<i>sitis</i>	<i>bronchitis</i>
angulo	canale	siti	bronchitide
angulum	canalem	sitim	bronchitidem
angulis	canalibus	sitibus	bronchitidibus
angulorum	canalium	sitium	bronchitidum
anguli (gen. sg.)	canalis	sitis	bronchitidis
angulos	canales	sites	bronchitides
anguli (nom. pl.)	canales	sites	bronchitides

Fill in the chart. Each column should contain one case of all terms and one line should contain all required cases from one term:



			diagnosum certarum	
		dentes incisivi		
				vulneribus laceris
	systemate complicato			
periodus longa				

Fill in the chart. Each column should contain one case of all terms and one line should contain all required cases from one term:



diagnosis certa	diagnosi certa	diagnoses certae	diagnosium certarum	diagnosibus certis
dens incisivus	dente incisivo	dentes incisivi	dentium incisivorum	dentibus incisivis
vulnus lacerum	vulnera lacero	vulnera lacera	vulnerum lacerorum	vulneribus laceris
systema complicatum	systemate complicato	systemata complicata	systematum complicatorum	systematibus complicatis
periodus longa	periodo longa	periodi longae	periodorum longarum	poriodis longis

Form meaningful phrases (keep the word order):



- extractio – dens – caninus
 - extractio dentis canini
- extractio (pl.) – dens (pl.) – lacteus (*lacteus, a, um „mléčný“*)
 - extractiones dentium lacteorum
- fractura – basis – cranium
 - fractura basis / baseos cranii
- mors – propter – fractura – basis – cranium
 - mors propter fracturam basis cranii
- sanatio – febris – rheumaticus
 - sanatio febris rheumaticae
- propter – necrosis – acutus – haemorrhagicus – pancreas(*necrosis, is f. „nekróza, lokální odumření tkáně“*)
 - propter necrosim acutam haemorrhagicam pancreatis
- diameter – pelvis – femininus
 - diameter pelvis femininae

Form meaningful phrases (keep the word order):



- amputatio – pes – sinister – cum – narcosis
 - amputatio pedis sinistri cum narcosi
- post – sanatio – vulnus – regio – coxa
 - post sanationem vulneris regionis coxae
- pneumonia – post – fractura – collum – femur
 - pneumonia post fracturam colli femoris
- post – amputatio – antebrachium – latus – sinister – cum – narcosis
 - post amputationem antebrachii lateris sinistri cum narcosi
- symptoma – carcinoma – pulmones
 - symptoma carcinomatis pulmonum
- deformitas – coxa – congenitus, a, um
 - deformitas coxae congenita
- scatula – pulvis – adspersorius – pro – infantes
 - scatula pulveris adspersorii pro infantibus

Translate:



- against thirst → contra sitim
- with tuberculosis → cum tuberculosi
- resections of roots of canine teeth → resectiones radicum dentium caninorum
- resection of a root of canine tooth → resectio radicis dentis canini ex aure interna
- from inner ear → in cavitatem oris
- into oral cavity → cum symptomatibus
- with symptoms of acute inflammation of bronchi → bronchitidis acutae

Match nouns with preposition:



- in (stomachos, ventriculus, gaster)
- contra (febris, haemorrhagia cerebri, causa morbi)
- post (infusio intravenosa, ablatio unguis, fractura vomeris complicata)
- per (arteriae, vasa, nasus)
- pro (iniectiones, sanatio, narcosis)
- sub (talus, costae fractae, fascia lata rupta)
- propter (amputatio phalangis hallucis, pus in vulnere, encephalitis acuta)
- inter (fibula et tibia, hepar et lien, oculi)
- e/ex (os apertum, sistema nervosum, ulcus perforatum)
- ante (morbus chronicus, mors subita, dosis medicamenti)

Spojte substantivum s předložkou a vzniklé spojení přeložte:

- in (stomacho/um, ventriculo/um, gastrre/em)
- contra (febrim, haemorrhagiam cerebri, causam morbi)
- post (infusionem intravenosam, ablationem unguis, fracturam vomeris complicatam)
- per (arterias, vasa, nasum)
- pro (iniectionibus, sanatione, narcosi)
- sub (talo/um, costis/as fractis/as, fascia/am lata/am rupta/am)
- propter (amputationem phalangis hallucis, pus in vulnere, encephalitidem acutam)
- inter (fibulam et tibiam, hepar et lienem, oculos)
- e/ex (ore aperto, systemate nervoso, ulcere perforato)
- ante (morbum chronicum, mortem subitam, dosim medicamenti)

Fill in missing endings:



- Operatio propter cirrhos__ acut__.
- Medicamenta pro infant__ et adult__.
- Laesio pulmon__ traumatic__ cum perforation__ diaphragmat__.
- Aether pro narcos__.
- Haemorrhagia post extraction__ dent__ incisiv__.
- Sub sign__ venen__.
- Cum dors__ et radic__ lingu__.
- Gramma pulver__ pro dos__.
- Unguentum contra combustion__.

Fill in missing endings:



- Operatio propter cirrhosim acutam.
- Medicamenta pro infantibus et adultis.
- Laesio pulmonis /-um traumatica cum perforatione diaphragmatis.
- Aether pro narcosi.
- Haemorrhagia post extractionem dentis incisivi.
- Sub signo veneni.
- Cum dorso et radice linguae.
- Gramma pulveris pro dosi.
- Unguentum contra combustiones.

Give the full forms of the abbreviations:



- carcinoma mammae lat. dx.
- tabulettæ p. o. contra tussim
- injectio i. v.
- medicamenta contra dolorem pro adult. et pro inf.
- laesio mm. adductorum
- nucl. supraoptici
- hepatide ac.
- amputatio memb. sin.