






MOZKOVÝ KMEN



MOZKOVÝ KMEN – Odstupy hlavových nervů







SM


BM

VM

VS

SS

S





- 1 - ncl. motorius (originis) n. III.
2 - ncl. motorius (originis) n. IV.
3 - ncl. motorius (originis) n. VI.
4 - ncl. motorius (originis) n. XII.

- 5 - ncl. motorius (masticatorius) n. V.
6 - ncl. motorius (originis) n. VII.
7 - ncl. motorius (originis) n. IX., X., et XI.
(ncl. ambiguus)


- 8 - ncl. parasympathicus n. III (ncl. E.W.)
9 - ncl. parasympathicus n. VII.
10 - ncl. parasympathicus n. IX.
11 - ncl. parasympathicus n. X.


- 12 - ncl. solitarius
13 - ncl. spinalis n. V.
14 - ncl. principalis n. V.
15 - ncl. mesencephalicus n. V.
16 - ncll. cochleares et vestibulares





Medulla oblongata – representativní řezy










ncl. et tr. solitarius

ncl. parasymp. n. X



BM

ncl. originis n. XII








MOZKOVÝ KMEN - Pons







(a) Midsagittal section






Pons – representativní řezy







MOZKOVÝ KMEN – Mesencephalon



Mesencephalon – representativní řezy

