

# Oral histology and embryology

## Lecture 1

**Mgr. Jan Křivánek, Ph.D.**

jan.krivanek@med.muni.cz

15. 2. 2023



# Objectives of the course

---

- **Microscopic structure** of the organs of the orofacial system
- Connections of **structure and function**
- Detailed **understanding of developmental processes**
- Understanding the background of congenital malformations

## Lectures:

Odd weeks

Wednesday 9:00 – 10:40

## Practicals:

Even weeks

Wednesday 9:00 – 10:40

## Lecturer:

Mgr. Jan Křivánek, Ph.D.

# Conditions to successfully pass the course

---



**Practicals:** 100% attendance  
Successfully completed credit test (**17 May 2023**)  
ROPOTS

**Exam:** Successfully completed practicals  
Written test (minimally 60 % of correct answers)  
30 questions +1 bonus. Multiple choice + simple written answers  
New: Successful completion of Histology I + II is no longer a prerequisite for admission to the OHE examination

*The exam may include **questions from presentations in practicals and lectures** (written and orally communicated information), from **ROPOTS** and from **discussions** during practicals and lectures.*

For a more detailed understanding of the presented information, the study of comprehensive literature is recommended, for example:



**Ten Cate's Oral Histology: Development, Structure, and Function. Antonio Nanci**

Essentials of Oral Histology and Embryology: A clinical Approach

Illustrated Dental Embryology, Histology and Anatomy, Fehrenbach and Popowics

Oral Anatomy, histology and Embryology, Berkovitz, Holland, Moxham

**Ten Cate's Oral Histology: Development, Structure, and Function.**  
Antonio Nanci



**Essentials of Oral Histology and Embryology: A Clinical Approach**  
Daniel J. Chiego



# ROPOTS

---

- Every 14 days, one ROPOT
- The ROPOT will be published in the "lecture" week
- It has to be completed by the end of the week in which practicals are held
- Each answer sheet consists of about 10-15 questions to be answered **in your own words**
  
- The answer sheets should enable to practice the knowledge acquired
- **Questions from the ROPOTS may appear on the exam**

## Programme of lectures and practicals in Oral histology and embryology (aZLOH) for the 2nd year of Dentistry

Lecturers: Mgr. J. Krivánek, Ph.D., Doc. MUDr. M. Sedláčková, CSc.,  
 Doc. RNDr. Petr Vaňhara, Ph.D., Mgr. Eva Švandová, Ph.D.  
 Seminar tutors: Mgr. J. Krivánek, Ph.D., Mgr. Eva Švandová, Ph.D.

Lectures (even weeks)	Practice (odd weeks)
1. 13. 2. – 17. 2. 2023 <b>Introduction</b> , information about the completion of the course, recommended literature. <b>Orofacial system</b> , its structural components, and functions. <b>Oral cavity</b> - walls and contents. Structure and functions of the <b>oral mucosa</b> , types of mucosae. <b>Taste buds</b> .	1. 13. 2. – 17. 2. 2023
2. 20. 2. – 24. 2. 2023	2. 20. 2. – 24. 2. 2023 Microscopic structure and functional histology: lips, palate, cheeks, tongue. <u>Samples:</u> <i>labium oris, palatum molle, apex linguae, papilla vallata, radix linguae.</i>
3. 27. 2. – 3. 3. 2023 <b>Salivary glands, TMJ</b> Microstructure and classification of salivary glands. Temporomandibular joint, microstructure and function.	3. 27. 2. – 3. 3. 2023
4. 6. 3. – 10. 3. 2023	4. 6. 3. – 10. 3. 2023 Salivary glands, TMJ – microstructure. <u>Samples:</u> <i>gl. parotis, gl. submandibularis, gl. sublingualis, gl. apicis linguae, TMJ.</i>
5. 13. 3. – 17. 3. 2023 <b>Alveolar process, Periodontium</b> Microstructure of the alveolar process and clinical aspects of its remodelling. Microstructure of the periodontium, its function and clinical aspects. Gingiva, sulcus gingivalis.	5. 13. 3. – 17. 3. 2023
6. 20. 3. – 24. 3. 2023	6. 20. 3. – 24. 3. 2023 <b>Tonsils, Introduction to the tooth</b> <u>Samples:</u> <i>Tonsilla palatina, tonsilla lingualis.</i>
7. 27. 3. – 31. 3. 2023 <b>Enamel, Cementum</b> Enamel microstructure, function, amelogenesis and age-related changes. Microstructure of cementum, types and its clinical significance.	7. 27. 3. – 31. 3. 2023

8. 3. 4. – 7. 4. 2023	8. 3. 4. – 7. 4. 2023 <b>Dentin-pulp complex</b> Dentin as living tissue. Microstructure of the dental pulp, functions. <u>Samples:</u> Tooth (ground section).
9. 10. 4. – 14. 4. 2023 <b>Development of the face, oral and nasal cavities</b> Development of the face, oral and nasal cavities, palate, nasal septum, atrium of the oral cavity, upper and lower jaws.	9. 10. 4. – 14. 4. 2023
10. 17. 4. – 21. 4. 2023	10. 17. 4. – 21. 4. 2023 <b>Tooth development</b> <u>Samples:</u> Different stages of tooth development - pig, human.
11. 24. 4. – 28. 4. 2023 <b>Development of the tongue, salivary glands, pharyngeal arches</b> Tongue development, defects. Development of salivary glands. Development and features of pharyngeal arches and their derivatives.	11. 24. 4. – 28. 4. 2023
12. 1. 5. – 5. 5. 2023	12. 1. 5. – 5. 5. 2023 <b>Science and research, regenerative dental medicine</b> Current focus of dental research, advances in the field of regenerative dentistry. Are we going to be able to repair or regenerate our teeth? <u>Discussion.</u>
13. 8. 5. – 12. 5. 2023 <b>Permanent dentition, defects</b> Development of permanent dentition and a time overview. Mixed dentition. Differences in the structure of primary and secondary teeth. Developmental defects of teeth.	13. 8. 5. – 12. 5. 2023
14. 15. 5. – 19. 5. 2023	14. 15. 5. – 19. 5. 2023 <b>Credit test</b>
15. 22. 5. – 26. 5. 2023 Konzultace	15. 22. 5. – 26. 5. 2023

Doc. MVDr. Aleš Hampl, CSc.  
 Head of Department


# Orofacial system

---


# Orofacial system

Structures of the head and neck which:

- Are essential for intake, grinding and **processing of food**
- Maintain **taste and tactile** sensations
- Forms an interface for **social interactions** (phonetic, aesthetic-physiognomic function, mimics, speak)



Development from pharyngeal arches, frontonasal prominence and maxillary and mandibular prominences



(Helms et al. 2005)




# Orofacial system

---

Orofacial system is composed of:

- ***Skeleton faciei*** - (facial skeleton) mandible, maxilla, *ossa zygomatica*, *os ethmoides*, *ossa nasalia et lacrimalia*, vomer, *ossa palatina*, *os hyoides*) + *art. temporomandibularis*)
- **Cavitas oris** - *lingua* (tongue), *dentes*, periodontium, salivary glands (*glandulae salivariae*)
- ***Art. temporomandibularis***
- **Mimic muscles and muscles of mastication**
- **Soft tissues of the face** – lips, cheeks
- **Hard and soft palate** – (*palatum durum a palatum molle*)
- **Isthmus of the fauces** – (*isthmus faucium*)
- **Palatinal and tongue tonsils**



# Oral cavity (*cavitas oris*)

---

- Basic anatomy
- Oral mucosa and microscopic structure
  - Lining mucosa
  - Masticatory mucosa
  - Specialized mucosa
- Lips
- Microscopic structure of tongue
- Taste buds

# Oral cavity (*cavitas oris*)

*vestibulum oris / cavitas oris propria*

## Borders

Lips, cheeks, hard and soft palates, caudally floor of cavity, faucial isthmus (connection to oropharynx)

## Inside


Tongue, teeth, gums, tonsilla palatina

## Major salivary glands:


*gl. submandibularis*

*gl. sublingualis*


*gl. parotis (positioned outside)*



F.H.Netter 2003




<https://bonebroke.org/>



<https://inside.ucumberlands.edu>

# Oral mucosa



# Oral mucosa

Except of teeth it covers all surfaces inside the oral cavity

Oral mucosa has 2 layers (epithelium + *lamina propria mucosae*)


At some places is between mucosa and the base (bone/muscles) located connective tissue - *tela submucosa*

Functions of oral mucosa:

- **Protective** - resistant to mechanical and chemical forces or effects of the bacterial flora
- **Secretory** - saliva - a product of small and large salivary glands
- **Sensory** - contains receptors for perception of temperature, pain, touch and taste
- **Thermoregulatory** - in animals - (protruding tongue)
- **Food processing**

Features of the oral mucosa :

- Forms special **transitory zone** inserted between the skin and the mucosa of the alimentary canal (starts in the pharynx)
- The oral mucosa differs from mucosa of the alimentary canal or mucosa other tubular organs by the origin - **it was developed from the ectoderm and head mesenchyme of ectodermal origin (ectomesenchyme – neural crest)**, while elsewhere from the entoderm or mesoderm and mesenchyme of mesodermal origin.
- **Thanks to these circumstances the oral mucosa shows some characteristics of the skin: keratinization of the epithelium, presence of lamina propria protrusions against the epithelium (papillae)**



# Classification of oral mucosa

## Lining (65 %)

Inner part of lips, cheeks soft palate, inferior aspect of the tongue, floor of the mouth and alveolar process (except of the gingiva)

Tela submucosa located under mucosa

Soft and slightly movable (submucous coat)

Lamina propria from loose connective tissue

## Masticatory (25 %)

Hard palate and gingiva

Keratinized epithelium

Tela submucosa is usually missing

Lamina propria is composed from dense collagenous of irregular type and firmly connected with periosteum (mucoperiosteum)



## Specialized (10 %)

Dorsal surface of the tongue

Mucosa protrudes into papillae


Tela submucosa is missing

Lamina propria connected with aponeurosis linguae



## Gingiva

## Lip



### Masticatory mucosa

- *Lamina propria* from dense collagenous connective tissue of irregular type
- Firmly connected to periosteum (mucoperiosteum)

### Lining mucosa

- *Lamina propria* from loose collagenous tissue
- Tela submucosa under mucosa
- Mucosa is slightly movable

**B,** In histologic sections, the **gingival** epithelium is seen to be tightly bound to bone by a dense fibrous connective tissue (CT), whereas the epithelium of the **lip (C)** is supported by a much looser connective tissue.


# Oral mucosa

*Lamina epithelialis:*  
tlustý vrstevnatý  
dlaždicový epitel

! epithelium  
stratified squamous !


nonkeratinized

- Lining mucosa



keratinized

- Masticatory mucosa
- Specialized mucosa\*



(Yadav et al., 2012)

## *Lamina propria mucosae*


- Contains numerous of melanocytes or melanophages; Merkel cells
- Multiple papillae projected against the epithelium. Their shape and density are spatially different
- (depends on different mechanical needs of oral mucosa)
- Differences between: Melanophages, melanocytes, (melanophores), melanosomes a melanin

[Squid skin](#)

<https://youtu.be/OwtLrllKvJE?t=12>




# Classification of cell layers in the epithelium - similar as in the epidermis



## Nonkeratinized

*Stratum basale* - melanin  
*Stratum spinosum*  
*Stratum intermedium*  
*Stratum superficiale*





## Keratinized

*Stratum basale* - melanin  
*Stratum spinosum*  
*Stratum granulosum* - keratohyalin  
*Stratum corneum* - keratin

# Lining mucosa

---






**lamina propria**



**tela submucosa**

# Masticatory mucosa

mucoperiosteum



# Palate




# Hard palate (*palatum durum*)

Masticatory mucosa:

- Epithelium stratified squamous **keratinizing**
- Tela submucosa is usually missing

High regional variability:



Obr. 5.7-4 Schéma uspořádání měkkých tkání tvrdého patra. Řídké vazivo (růžově) obsahuje n. palatinus major et vasa palatina majora. Znáznomen průběh švů tvrdého patra.

A – přední úsek, B – zadní úsek

# Local differences in hard palate structure

## Raphe palati

- Midline area from papilla incisiva to soft palate, mucosa of raphe palati is without glands and adipocytes
- Formed by fusion of the maxillary processes (origin of clefts)

## Foramen incisivum


- Location on the papilla incisiva
- In the fetal period, forms opening between the nasal and oral cavities
- Before or shortly after birth, the connection is closed


## Adipose zone

- Paired structure
- Medially divided by papilla incisiva and raphe palati, Laterally bordered by gingiva and premolars
- Mucosa is thickened into 3-5 transversal plicae - *plicae palatinae transversae*, core of plicae is formed by stripes of dense collagenous connective tissue interlaced with adipocytes

## Glandular zone


- Paired structure
- Mucosa is smooth and contains mucous glands – *gll. palatinae*






**Hard palate – glandular zone**

# Lips




Sagittally:


- ventral aspect of the lip (skin)
- dorsal aspect of the lip (mucosa)
- Structural support: *m. orbicularis oris*
- Vermilion zone








***glandulae labiales***  
(mixed glands)






# Tongue

Lingua (lat.)  
Glossa (gr.)




(a) Extrinsic tongue muscles



(b) Palatoglossus and surface of tongue

**Base:** intra- and extraglossal striated muscles

**Evolutionary:** developed in terrestrial vertebrates and amphibians (tetrapods) from muscles of oral floor



## Surface

### *Dorsum linguae*

Specialized oral mucosa

### Inferior aspect

Lining mucosa


## Fibrous parts


### *Aponeurosis linguae*



- very stiff fibrous membrane

### *Septum linguae*

- composed by dense collagenous tissue







Depth indicator


0 200 micrometers

100 micrometers




# Glands of tongue

---




***Glandula apicis linguae (gl. Blandini)***  
mixed gland






## Ebner's glands - *gll. gustatoriae*

serous




**Ebner's serous glands (SŽ)** with secretory parts of tubular character (VS – septum of connective tissue)




Duct (V) of Ebner's gland (SŽ)

**Weber's glands** - *gll. linguales post*  
mucinous



**Weber's mucinous glands**  
MT – mucinous tubules, V – duct.




**Ebner's glands** - *gll. gustatoriae*  
serous

**Weber's glands** - *gll. linguales post*  
mucinous

# Dorsum linguae

## Specialized oral mucosa

- Firmly connected with *aponeurosis linguae*
- Rough surface
- Mucosal outgrowths - **lingual papillae**
- Covered by nonkeratinized squamous stratified epithelium (except of papillae filiformes)





## ***Papillae filiformes***




The most abundant and distributed over the entire dorsal surface of the tongue;  
Brush-like appearance (0.5 - 1 mm in height, 0.2 - 0.3 mm in width);  
The stratified squamous epithelium is often keratinized

## ***Papillae fungiformes***

Apex; Mushroom-shape (0.5 - 1.5 in height, 0.5 - 1.0 mm in width)  
Taste buds in epithelium



## *Papillae filiformes vs. Papillae fungiformes*



# Differences in keratinization



## *Papillae foliatae*




- Count: 3 - 8
- Vertically-oriented
- Rudimentary
- Laterally on the edge of the main body and root of tongue
- Taste buds






# *Papillae vallatae*

Largest (1-4 mm in height, 1-3 mm in width), 7-12 just in front of sulcus terminalis, submerged into mucosa. Deep circumpapillary furrow. Taste buds



# *Papilla vallata*



Circumpapillary furrow

Ebner's glands

20  $\mu$ m

# Taste buds

(*caliculi gustatorii*)


## Intraepithelial structures

Localization:


- In epithelium of vallate papillae + circumpapillar furrows
- In epithelium of fungiform papillae and foliate papillae
- Rarely in other places

Amount: around **2000 – 2500** in young individual, reduction with age up to 1/3

Every taste bud is composed of 50-150 cells



A







B

Support cells

Taste cells

Porus gustatorius








**Basic tastes:**

- Sweet
- Salty
- Sour
- Bitter
- Umami

**Suggested (still discussed):**

- Fatty
- Metallic



?

## Three types of taste bud cells

**Support cells / type I** (bright) - cells are characterized by bright cytoplasm (on electron-microscopy images) and presence of microvilli at apex


**Taste bud cells / type II** (dark) - have numerous synaptic vesicles in the cytoplasm and they have nerve fibres on their bodies


Type I and II cells go through the entire height of the taste bud

**Basal cells / type III** - are lower than the previous and less differentiated - serve as precursors for cells I and II (stem cells)

**Number of taste bud cells: 50 - 150**

**Life span of taste cells: about 10 - 14 days** (renewal from basal cells)





Type I glial-like cell	
<b>Neurotransmitter clearance</b>	
GLAST	Glutamate reuptake
NTPDase2	Ecto-ATPase
NET	Norepinephrine uptake
<b>Ion redistribution and transport</b>	
ROMK	K <sup>+</sup> homeostasis
<b>Other</b>	
OXTR	Oxytocin signaling?

Type II receptor cell	
<b>Taste transduction</b>	
T1Rs, T2Rs	Taste GPCRs
mGluRs	Taste GPCRs
G $\alpha$ -gus, G $\gamma$ 13	G protein subunits
PLC $\beta$ 2	Synthesis of IP3
TRPM5	Depolarizing cation current
<b>Excitation and transmitter release</b>	
Na <sub>v</sub> 1.7, Na <sub>v</sub> 1.3	Action potential generation
Panx1	ATP release channel

Type III presynaptic cell	
<b>Surface glycoproteins, ion channels</b>	
NCAM	Neuronal adhesion
PKD channels	Sour taste?
<b>Neurotransmitter synthesis</b>	
AADC	Biogenic amine synthesis
GAD67	GABA synthesis
5-HT	Neurotransmitter
Chromogranin	Vesicle packaging
<b>Excitation, transmitter release</b>	
Na <sub>v</sub> 1.2	Action potential generation
Ca <sub>v</sub> 2.1, Ca <sub>v</sub> 1.2	Voltage-gated Ca <sup>2+</sup> current
SNAP25	SNARE protein, exocytosis

# Signal transmission





FIGURE 9-16 Events involved in taste sensation with a taste bud. Dissolved food contacts the taste



## Inervation of taste buds

- Taste buds on *fungiform papillae* – *n. facialis* - chorda tympani (through lingual nerve)
- Taste buds on *foliate papillae* and vallate papillae - *n. glossopharyngeus*
- Taste buds in other locations (radix of the tongue, the isthmus faucium - *n. vagus*)



Thank you for your attention!