

# Revision (lesson 1 - 6)

## 1. Fill in missing endings:

doses medicament \_\_\_ contra dolor \_\_\_ post operation \_\_\_  
ruptura ulcer \_\_\_ in stomach \_\_\_  
laesio tunic \_\_\_ mucos \_\_\_ intestin \_\_\_ crass \_\_\_  
cum dolor \_\_\_ acr \_\_\_  
oedem \_\_\_ (pl.) membr \_\_\_ (pl.) propter diabet \_\_\_ mellit \_\_\_  
mors post infarct \_\_\_ myocardi \_\_\_  
vulnus lacer \_\_\_ labi \_\_\_ or \_\_\_  
medicament \_\_\_ contra tuss \_\_\_ et febr \_\_\_  
commotio cerebr \_\_\_ post trauma capit \_\_\_

## 2. Match the word *symptomata* with the words in the column:

symptomata

encephalitis acuta  
carcinoma labii  
tuberculosis pulmonum  
hepatitis chronica  
diabetes mellitus  
morbi infectiosi

## 3. Change the endings of the words in brackets (keep the word order):

propter (tumor – malignum – cervix – uterus)  
status (post – operatio – coxa – cum – complicatio (pl.)  
sanatio (insufficiencia – ventriculus – sinister – cor – chirurgicus)  
cum (laesio – caput – longus – et – caput – brevis – musculus – quadriceps – femor)  
fractura (pl.) (costa (pl.) – thoracica – multiplex)  
exitus (propter – sepsis – post – vulnus – punctus – in – regio – abdominalis)  
post (thrombosis – vena – cava)

## 4. Translate into English:

extractio dentis permanentis propter cariem  
status post operationem fracturae colli femoris complicatam  
scatula cum tabulettis pro adultis  
amputatio phalangis digiti manus dextrae  
ruptura musculi pectoralis  
vitium cordis congenitum