


Basic medical terminology

Assign nouns to their respective paradigms



Match noun with adjective, form nom. pl.

| | |
|--------------------------------|----------------------------|
| Auris + medius, (a,) um | Aures mediae |
| Psychosis + organicus, (a,) um | Psychoses organicae |
| Canalis + nutricius, a, um | Canales nutricii |
| Dens + incisivus, a, um | Dentes incisivi |
| Febris + acutus, (a,) um | Febres acutae |
| Sepsis + lentus, (a,) um | Sepses lentae |
| Metastasis + isolatus, (a,) um | Metastases isolatae |
| Mors + clinicus, (a,) um | Mortes clinicae |
| Rete + venosus, a, (um) | Retia venosa |

Translate and join with the preposition

| | | |
|--------------------------|----------------|-----------------|
| Auris media | ad | -em, -am |
| Febris continua | post | -im, -am |
| Emesis acuta | contra | -im, -am |
| Canalis alimentarius | in (6) | -e, -o |
| Thrombosis postoperativa | propter | -im, -am |
| Dens caninus | sub (4) | -em, -um |
| Cochlear plenum | cum | -i, -o |

Form the „of“ phrases

- ❖ Sectiones + *pons*
- ❖ Diphtheria + *fauces*
- ❖ Axis + *pelvis*
- ❖ Cirrhosis + *hepar*
- ❖ Calcar + *avis*
- ❖ Sulci + *cutis*
- ❖ Melanosis + *colon*
- ❖ Basis + *os*
- ❖ Pars + *apex*
- ❖ Sclerosis + *arteriae*
- ❖ Calculosis + *vesica*
- ❖ Stenosis + *ostium*
- ❖ Canalis + *cervix*
- ❖ Glandula + *cutis*

Form complex phrases

- Pars + apex + magnus, a, um
 - Pars apicis magna
- Sclerosis + arteriae (pl.) + coronarius, a, um
 - Sclerosis arteriarum coronariarum
- Calculosis + ostium + venosus, a, um
 - Calculosis ostii venosi
- Canalis + cervix + uterus
 - Canalis cervicis uteri
- Stratum + corneus, a, um + unguis
 - Stratum corneum unguium
- Pars + thoracicus, a, um + systema + autonomicus, a, um
 - Pars thoracica systematis autonomici
- Stenosis + ostium + venosus, a, um + sinister, a, um
 - Stenosis ostii venosi sinistri

Fill in the missing endings

- Partes hypophys~~is~~/eos
- Symptomata tuberculos~~is~~
- Resectio radic~~is~~ dent~~is~~
- Sub (6) calcari~~is~~ avis
- Amputatio ped~~is~~ dextr~~i~~ cum narcos~~i~~
- Febris cum tuss~~i~~
- Aether pro anaesthesia~~a~~
- Fractura pelv~~is~~ cum haemorrhagi~~a~~ in cavitat~~e~~ abdomin~~is~~
- Cochlear plen~~um~~ mell~~is~~ pro tuss~~i~~ chronic~~a~~

Translate

- Death on the operating table
 - *Mors in tabula*
- Profound part of the parotid gland
 - *Pars profunda (glandulae) parotidis*
- Symptoms of tuberculosis
 - *Symptomata tuberculosis*
- With narcosis
 - *Cum narcosi*
- Lobes and parts of the hypophysis
 - *Lobi et partes hypophysis/hypophyseos*
- Antibiotics against the whooping cough
 - *(Remedia) antibiotica contra pertussim*

Translate

- Internal ear
 - Auris interna
- Network of carpus
 - Rete carpi
- In acute fever
 - In feбри acuta
- Canine teeth
 - Dens caninus
- Venous network of the eyeball
 - Rete venosum bulbi oculi
- Symptoms of organic psychosis
 - Symptomata psychosis/eos organicae
- Symptoms of synarthrosis
 - Symptomata synarthrosis/eos

| IV. | |
|--------|-------|
| ductus | genu |
| m. | n. |
| -us | -ū |
| -ūs | -ūs |
| -um | 1 |
| -ū | -ū |
| -ūs | -ua |
| -uum | -uum |
| -ūs | 1 |
| -ibus | -ibus |

4th declension

Genitive ending: -us

Nominative ending: -us

Gender: Masculine & Neuter

Feminines are exceptions

| |
|--------|
| V. |
| facies |
| f. |
| -ēs |
| -eī |
| -em |
| -ē |
| -ēs |
| -ērum |
| -ēs |
| -ēbus |

5th declension

Genitive ending: -ei

Nominative ending: -es

Gender: **Feminines**

Masculines are exceptions
!!! Never Neuters

EXCEPTIONS

- **FEMININES OF 4th DECLENSION:**
 - manus, ūs, f. – *hand*
 - acus, ūs, f. – *needle*
 - trees, e. g. *quercus*, ūs, f. – *oak*
- **THERE ARE ONLY 2 NEUTERS OF 4th DECLENSION:**
genū, ūs, n. *knee*; cornū, ūs, n. *horn*
- **WORD OF 5th DECLENSION** – species, ei, f. is commonly used only in pl. and meas „*mixture of dried plants*“.
- 4th and 5th Declensions have **NO ADJECTIVES**

Connection with adjectives

- Ductus, us, m. + hepaticus, a, um
- Genu, us, n. + dexter, a, um
- Facies, ei, f. + transversus, a, um

Inflect

1. Duct-**us** hepatic **us**

2. Duct-**us** hepatic **i**

4. Duct-**um** hepatic **um**

6. Duct-**u** hepatic **o**

1. Duct-**us** hepatic **i**

2. Duct-**uum** hepatic **orum**

4. Duct-**us** hepatic **os**

6. Duct-**ibus** hepatic **is**

1. Gen-**u** valg **um**

2. Gen-**us** valg **i**

4. Gen-**u** valg **um**

6. Gen-**u** valg **o**

1. Gen-**ua** valg **a**

2. Gen-**uum** valg **orum**

4. Gen-**ua** valg **a**

6. Gen-**ibus** valg **is**

Inflect

1. Faci-**es** transvers **a**
 2. Faci-**ei** transvers **ae**
 4. Faci-**em** transvers **am**
 6. Faci-**e** transvers **a**
-
1. Faci-**es** transvers **ae**
 2. Faci-**erum** transvers **arum**
 4. Faci-**es** transvers **as**
 6. Faci-**ebus** transvers **is**

Distinguish

- **nom. sg. of 2nd, 3rd and 4th declensions**
nerv-us x corp-us x duct-us
- **nom. sg. x nom. pl. of 4th declension**
 - **prōcessus accessōrius / sinister***
 - **prōcessūs accessōriī / sinistrī***
- **nom. sg. x gen. sg. of 4th declension**
 - **prōcessus vertebrae**
 - **fractūra processūs vertebrae**

Match noun with adjective, form nom. pl.

Tractus + nervosus, a, um

Corpus + luteus, a, um

Manus + sinister, a, um

Infarctus + septicus, a, um

Methodus + novus, a, um

Tempus + longus, a, um

Sulcus + medianus, a, um

Caries + profundus, a, um

Paries + caroticus, a, um

Tractus nervosi

Corpora lutea

Manus sinistrae

Infarctus septici

Methodi novae


Tempora longa

Sulci mediani

Caries profundae

Parietes carotici

Connect nouns with suitable adjectives



Play Latin SUDOKU

| | | | | |
|-------------------|------------------|---------------|---------------|---------------------------|
| | Febrim flavam | | | |
| | | | Ossa longa | |
| | | Genu valgo | | |
| | | | | Decubituum profundorum |
| Tumor benignus | | | | |