

Basic medical terminology

Fill in all forms

Gen. sg.	Gender	Paradigm	Nom. Pl.	Gen. pl.
----------	--------	----------	----------	----------

- margo **marginis** **M** *dolor* margines marginum
- pars **partis** **F** *pelvis* partes partium
- regio **regionis** **F** *dolor* regiones regionum
- extremitas **extremitatis** **F** *dolor* ex-at-es ex-at-um
- foramen **foraminis** **N** *corpus* foramina foraminum
- canalis **canalis** **M** *pelvis* canales canalium
- phalanx **phalangis** **F** *dolor* phalanges phalangum
- tendo **tendinis** **M** *dolor* tendines tendinum

Fill in all forms

Gen. sg.	Gender	Paradigm	Nom. Pl.	Gen. pl.
----------	--------	----------	----------	----------

• abdomen	abdominis	N	<i>corpus</i>	abdomina	abdominum
• extensor	extensoris	M	<i>dolor</i>	extensores	extensorum
• tuber	tuberis	N	<i>corpus</i>	tubera	tuberum
• os	ossis/oris	N	<i>corpus</i>	ossa/ora	ossium/orum
• basis	basis	F	<i>pelvis</i>	bases	basium
• dens	dentis	M	<i>pelvis</i>	dentes	dentium
• unguis	unguis	M	<i>pelvis</i>	ungues	unguium
• vas	vasis	N	<i>corpus/ septum</i>	vasa	vasorum

Find correct form of adjective, change phrases into gen. sg.

- **margo** (*dexter*, *a*, *um*)
- **pars** (*uterinus*, *a*, *um*)
- **femur** (*sinister*, *a*, *um*)
- **regio** (*pubicus*, *a*, *um*)
- **os** (*longus*, *a*, *um*)
- **extremitas** (*tubarius*, *a*, *um*)
- **pelvis** (*masculus*, *a*, *um*)
- **canalis** (*nutricius*, *a*, *um*)
- **rete** (*venosus*, *a*, *um*)
- **marginis dextri**
- **partis uterinae**
- **femoris sinistri**
- **regionis pubicae**
- **ossis longi**
- **extremitatis tubariae**
- **pelvis masculinae**
- **canalis nutricii**
- **retis venosi**

Fill in missing endings

- Vitium acquisitum renis
- Operatio tumoris benigni in cavitate oris
- Fractura complicata femoris sinistri
- Luxatio articulationis
- Injectio contra dolorem acutum
- Periculum carcinomatosis cervicis uteri
- Oculus post operationem iridis
- Medicamentum bonum pro encephalite adulti
- Excisio tumoris benigni
- Medicamentum bonum pro colite acuta

Translate

- With the fracture of the body of vertebra
- Medicament for a cut wound of the lip
- Rupture of tendon
- A sick person with acute pains in the cavity of the abdomen

Translate

- Congenital defect of heart
- Operation of a malignant tumor of the uterus
- Pains in the head caused by the commotion of the brain
- Wound after excision of a melanoma in the region of the back

Form phrases

- *Cortex* + ren, lien, cerebellum, ovarium
- *Carcinoma* + ureter, uterus, urethra, tuba uterina, vesica urinaria
- *Fractura* + occiput, femur dextrum, caput femoris, thorax, costae
- *Apex* + cor, pulmo, prostata, vesica urinaria, lingua
- *Basis* + cor, pulmo dexter, prostata
- *Caput* + femur, costa, humerus, pancreas, fibula, mandibula, os metacarpi, radius

Translate – derive the word for the function for the particular muscle

- Musculus **abductor** pollicis longus >> **abductio, onis, f.**
- Musculus **adductor** hallucis
- Musculus **depressor** anguli oris
- Musculus **dilatator** pupillae
- Musculus **extensor** carpi radialis
- Musculus **flexor** digitorum profundus
- Musculus **levator** anguli oris
- Musculus **masseter**
- Musculi **rotatores** cervicis
- Musculus **sphincter** ani externus
- Musculus **tensor** fasciae latae

Connect with preposition

- **Inter** + phalanges digitorum
- **Post** + operatio carcinomatis
- **Sub** + lobus dexter pulmonis
- **Propter** + dolor acutus cordis
- **Ad** + cavitas nasi
- **Pro** + injectio subcutanea
- **Per** + os
- **Cum** + vulnus sectum
- **Contra** + ulcus ventriculi
- Inter phalang**es** digitorum
- Post operation**em** carcinomatis
- Sub lob**o** dextro**o** pulmonis
- Propter dolor**em** acut**um** cordis
- Ad cavitat**em** nasi
- Pro injection**e** subcutanea**a**
- Per os
- Cum vulner**e** sect**o**
- Contra ulcus ventriculi

Match with appropriate adjectives/join with prepositions

- | | | |
|--------------------------------|-------------------|-----------------------|
| • Auris (medius, a, um) | In (acc.) | • Aurem mediam |
| • Psychosis (organicus, a, um) | Ante | • Psychosim organicam |
| • Canalis (nutricius, a, um) | Sub (abl.) | • Canale nutricio |
| • Dens (incisivus, a, um) | In (acc.) | • Dentem incisivum |
| • Febris (acutus, a, um) | Propter | • Febrim acutam |
| • Sepsis (lentus, a, um) | Post | • Sepsim lentam |
| • Metastasis (isolatus, a, um) | Ex | • Metastasi isolata |
| • Mors (clinicus, a, um) | Post | • Mortem clinicam |
| • Rete (venosus, a, um) | In (acc.) | • Reti venoso |

Form phrases

- Basis + os + sacer, a, um
 - Basis ossis sacri
- Pars + apex + magnus, a, um
 - Pars apicis magni
- Sclerosis + arteriae (pl.) + coronarius, a, um
 - Sclerosis arteriarum coronariarum
- Calculosis + vesica + urinarius, a, um
 - Calculosis vesicae urinariae
- Stenosis + ostium + venosus, a, um
 - Stenosis ostii venosi
- Canalis + cervix + uterus
 - Canalis cervicis uteri

Fill in the missing endings

- Partes hypophys **is**
- Symptomata tuberculos **is**
- Resectio radic **is** dent **is**
- Sub calcar **e** av **is**
- Amputatio ped **is** dextr **i** cum narcos **i**
- Febris cum tuss **i**
- Aether pro anaesthes **ia**
- Fractura pelv **is** cum haemorrhagi **a** in cavitat **e** abdomin **is**
- Cochlear plen **um** mell **is** pro tuss **i** chronic **a**