P11 Clinical microbiology II – examination in respiratory and GI infections

To study: Infections of various organs and organ systems (from textbooks, www etc.)
From the spring term: Microscopy, culture, biochemical identification

Examination in respiratory tract infections

Task 1: Search for respiratory pathogens in clinical microbiology

With the help of your teacher and the slideshow, describe the following picture. Use the knowledge from this picture in the Task 2 and Task 3.



disc containing _____

possible pathogen _____

possible pathogens: _____

disc containing _____ and _____

possible pathogen (tiny, colourless colonies, haemolysis) _____

possible pathogen (something larger, white colonies, haemolysis) _____

Common pharyngeal flora consists mostly of
a) _____ appearance: _____
b) _____ appearance: _____

_____ line of _____ because of _____

Task 2: Examination in acute bronchopneumonia

For this casuistic, documented by the order form, try to examine the corresponding specimen (sputum), to find a possible pathogen, make a conclusion and interpret the result. Step by step, fill in the individual fields in "the screen of laboratory information system".

Kód pojišťovny: 1 1 1 | IČP: 7 2 1 2 3 4 5 6 | Datum | Odbornost: 7 8 9 | 1 5 1 2 0 8 | Čís. dokladu | Poř. č.

POUKAZ NA VYŠETŘENÍ / OŠETŘENÍ

Pacient: Linda Green
Č. pojištěnce: *1932
Variabilní symbol:
Accute bronchopneumonia, 38.5 °C, heavy diabetes
Odeslán ad:
Kód náhrady:
Požadováno:

sputum for bacteriological examination

Poznámka:

72 123 456 Dr. Microbe Terrible general practitioner Grampositive 8, Brno

razítko a podpis lékaře

VZP-08/1999

Dne:

razítko a podpis

	IČP	Odbornost	Var. symbol	Datum	Kód	Poč.
1						
2						
3						
4						
5						
6						
7						
8						
9						
10						
11						
12						
13						
14						

Patient: Linda Green *1932 Dg.: Pneumonia					
Specimen: Sputum Ordered by: Dr. Microbe Terrible					
Bacterium A: description	Conclusion:		Interpretation	Microscopy result: Epithelial cells: _____ WBC-s _____ Bacteria (describe): _____	
Bacterium B: description	Conclusion:		Interpretation		
Bacterium C: description	Cata-lase	10 % NaCl	Hyaluronidase	Conclusion:	Interpretation

Antibiotic susceptibility test (bacterium C)

Cefoxitin (FOX)*	R < 22 S ≥ 22		Co-trimoxazole (SXT)	R < 14 S ≥ 17	
Erythromycin (E)	R < 18 S ≥ 21		Tetracyclin** (TE)	R < 19 S ≥ 22	
Clindamycin (DA)	R < 19 S ≥ 22		Chloramfenicole (C)	R < 18 S ≥ 18	

write S = susceptible, R = resistant, eventually I = intermediary
*interpreted as oxacillin and other beta-lactams
**result of this test is also valid for doxycycline
Final conclusion and recommendation for treatment: _____

a) Microscopy of sputum

Look at the smear prepared from your specimen. Try to find the individual objects (bacteria, host cells). Fill in the field "Microscopy result":
+++ = more than 10 objects in the observation area
++ = less than 10 objects in the observation area
+ = only rare objects (one or less per an observation area)
0 = none

b) Description of bacteria

On the blood agar, describe the size, colour and haemolytic properties of the grown bacteria. Do not describe other characteristics. Take into account that there was no growth visible on Endo agar. Bacteria A and B should be bacteria considered to be parts of normal flora. Bacterium C will be a pathogenic bacterium that will be tested in detail in parts c) and d)

c) Further tests

Fill in the results of the catalase test, hyaluronidase test and of the growth on blood agar with 10 % NaCl for Bacterium C.

d) Antibiotic susceptibility

Fill in the antibiotic susceptibility test for Bacterium C. Always write down the name of the antibiotics and "S" or "R" (susceptible or resistant). Reference zones are written on your table.

e) Final conclusion

Try to formulate several words for the general practitioner. Especially try to find out (with the help of your teacher) which antibiotics would be the best choice.

Task 3: Examination in acute tonsillitis

Similarly as in the previous case, there is an order form. Try to examine the corresponding specimen (throat swab) to find a possible pathogen, make a conclusion and interpret the results. Step by step, fill in the individual fields in "the screen of laboratory information system". The way of doing it is the same as in the previous task.



Patient: Martin Blue *1991 Dg.: Accute tonsillitis						
Specimen: Throat swab Ordered by: Dr. Microbe Terrible						
Bacterium A: description	Conclusion:		Interpretation			
Bacterium B: description	Conclusion:		Interpretation			
Bacterium C: description	Cata-lase	Bile--aesc.	PYR	CAMP	Conclusion:	Interpretation

Antibiotic susceptibility tests (bacterium C)

Penicillin (P)	R < 18 S ≥ 18		Chloramfenicol (C)	R < 19 S ≥ 19	
Erythromycin (E)	R < 18 S ≥ 21		Tetracyklin* (TE)	R < 20 S ≥ 23	
Clindamycin (DA)	R < 17 S ≥ 27		Vancomycin (VA)	R < 13 S ≥ 13	

write S = susceptible, R = resistant, eventually I = intermediary
*interpreted as oxacillin and other beta-lactams
**result of this test is also valid for doxycycline
Final conclusion and recommendation for treatment: _____

Task 4: Suitable specimens for various respiratory infections

Using slideshow, find suitable way of examination for various clinical situations

Suspicion for	Type of specimen	Suspicion for	Type of specimen
rhinitis		bronchitis	
sinusitis		acute pneumonia (expectoration of pus)	
pharyngitis		subacute pneumonia (dry cough)	
influenza		lung aspergilosis	

Examination in gastrointestinal system

Task 5: Examination in acute diarrhoea

In this case, stool was sent to the laboratory. We have to know, that stool normally contains strictly anaerobic flora, but this cannot be found during normal examination, as normal examination is only aerobic. Even enterococci are only found in blood agar is used, and this is not part of routine examination of stool. On the other hand, members of *Enterobacteriaceae* family are often found in stool – both parts of normal flora (with some strains with elevated virulence, for example EPEC for *E. coli*) and obligatory pathogens (*Salmonella*). – The stool specimens are observed after 24 hours (direct result of Endo agar and XLD agar) and 48 hours (direct result of *Campylobacter* examination on CCDA agar and *Yersinia* examination on CIN agar, and subcultures from selenite broth on Endo agar and MAL agar). The 24 h examination was already performed in your case. Fill in results of 48 h examination and try to make a final conclusion.



<table>
<tr><td colspan="6">Patient Cecilia Brown, *1984 Dg.: Accute diarrhoea</td></tr>
<tr><td>Endo agar
(24 h)</td><td>XLD agar
(24 h)</td><td>Endo agar
(subcultivation)</td><td>MAL agar
(subcultivation)</td><td>CIN agar
(48 h)</td><td>CCDA agar
(48 h)</td></tr>
<tr><td>E. coli</td><td>negative</td><td></td><td></td><td colspan="2" rowspan="4">Final conclusion and interpretation</td></tr>
<tr><td colspan="4">More tests</td></tr>
<tr><td colspan="2">HAJNA medium</td><td colspan="2"></td></tr>
<tr><td colspan="2">Serotypisation</td><td colspan="2"></td></tr>
</table>

Task 6: Stool samples for different types of pathogens and toxins

For some purposes, it is possible to send rectal swabs, while for others, it is necessary to send a piece of stool, sometimes even refrigerated.

Fill in the next table.

Stool sent for	Type of specimen	Stool sent for	Type of specimen
bacteriology		virology – virus isolation	
mycology		parasitology	
virology – antigen detection		detection of the *Clostridium difficile* toxin	