



1st declension

a-stems

Read

- glandula linguae, in gutta tincturae, cum herbis, ruptura calvae, fracturae vertebrarum, ligamenta rupta, spondyli laesi, pneumonia acuta, scatula adlata, vena portae, atherosclerosis modica, carcinoma mammae, haemorrhagia periculosa, hydrocephalia, diphtheria perniciosa

Fill in the correct endings

fractura uln_, in aort_, ad scatul_, sine

aqu_, rima palpebrar_, in glandul_

lingu_, sub aort_, fracturae complicat_,

pneumonia aspiratori_, aqua menth_,

arteri_ coronari_, vena port_, post

pneumoni_ aspiratori_, ad scatul_ adlat_

Fill in full dictionary entry

columna, ____, __

lagoena, ____, __

dispnoe, ____, __

medulla, ____, __

linea, ____, __

rhaphe, ____, __

Decline Greek terms

diploe

chole

diabetes

dyspnoe

systole

ascites

Translate

lagoena aquae destillatae, causa diphtheriae,
sine allergia, fractura ulnae, secundum naturam,
operatio necessaria, palatum durum, trachea
inflammata, columna vertebrarum, fractura
mandibulae, rhaps medianae, tuba auditiva,
tonsillae palatinae, tunica mucosa, vesica fellea,
rima in costa spuria



2nd declension

o-stems



Decline

praeventia

morbis

ganglion


virus periculosum

diabetes mellitus

methodus nova

Fill in the correct endings

fractura cost____ (pl), medicament_ contra
scarlatin_, bacillus diphtheri_, muscul_
lingu_, period_ morb_, sine sept_ nas_,
cum ven_ port_, ad raph_, propter
anaemi_ periculos_, pro adult_, causa
fractur_ complicat_



diamet_ transvers_ (Nom), propter fissur_
palat_ congenit_, sine ligament_ lat_
uter_, sub sign_ venen_ pernicios_, in
tunic_ mucos_ (state), morb_ col_, sine
insufficienti_ valvul_ dextr_

Join the expressions meaningfully

glandula, sub signo, ligamento, anomaliae, bulbus,
post fracturam, medicamentum, in vesica, septum,
sine insufficientia, digiti, colicae, columna,
extractum, rami, intestino, unguentis, morborum,
vena, acromion, rimae, ante therapiam, atrophiam, in
membranam, gutta, prope medullam, methodus

interosseam, nova, complicatae, oculi, musculorum,
oblongatam, caeco, scapulae, valvulae,
chronicorum, belladonnae, veneni, aquae, fellea,
complicatam, medii, chirurgicam, thyroidea, portae,
novum, nasi, congenitae, palpebrarum, nervorum,
uteri, glycerini, vertebrarum

Give the plural

diameter obliquus, medicamentum pro
adulto, rami dextri, periodo longa, sine
periculo acuto, digiti medii, ad scapulam
sinistram, ascites alvi, prope intestinum
crassum, post therapiam operativam, sub
olecranon ulnae, anguli costae, sutura cranii,
propter fracturam costae verae

Give Latin/Greek names of colours

white

yellow

black

grey

green


pale

blue

red

colourless

purple



Name the parts of the skeleton you already know

Translate

substantia compacta, tunica mucosa vesicae felleae, sine aqua destillata, pneumonia chronica, insufficientia vesicae urinariae postoperativa, virus periculosum, arteria nutricia humeri, ligamenta lata uteri, unguentum glycerini, medicamentum bonum pro aegrotis, in lagoenam sterilisatam, fractura complicata scapulae dextrae, in glandula linguae, ova in ovario, prope venam cavam, pneumonia adamantina, ostium tubae auditivae, olecranon ulnae, in loco frigido

Translate into Latin

little hollow, without caecum intestine, cancer of gullet, congenital fissure of palate, with a new medicament, right branch of veins, posttraumatic bleeding in the brain because of rupture of vein, thoracic vertebra, in thyroid gland, because of contagious disease, in acute danger, after complicated fracture of calf bone, with congenital anomaly of wrist, open fracture of ankle, near to pericardium, without pale lips

Name the parts of gastrointestinal tract you already know

