

Basic medical terminology

Fill in all forms

Gen. sg.	Gender	Paradigm	Nom. Pl.	Gen. pl.
----------	--------	----------	----------	----------

• margo	marginis	M	<i>dolor</i>	margines	marginum
• pars	partis	F	<i>pelvis</i>	partes	partium
• regio	regionis	F	<i>dolor</i>	regiones	regionum
• extremitas	extremitatis	F	<i>dolor</i>	ex-at-es	ex-at-um
• foramen	foraminis	N	<i>corpus</i>	foramina	foraminum
• canalis	canalis	M	<i>pelvis</i>	canales	canalium
• phalanx	phalangis	F	<i>dolor</i>	phalanges	phalangum
• tendo	tendinis	M	<i>dolor</i>	tendines	tendinum

Fill in all forms

Gen. sg.	Gender	Paradigm	Nom. Pl.	Gen. pl.
----------	--------	----------	----------	----------

• abdomen	abdominis	N	<i>corpus</i>	abdomina	abdominum
• extensor	extensoris	M	<i>dolor</i>	extensores	extensorum
• tuber	tuberis	N	<i>corpus</i>	tubera	tuberum
• os	ossis/oris	N	<i>corpus</i>	ossa/ora	ossium/orum
• basis	basis	F	<i>pelvis</i>	bases	basium
• dens	dentis	M	<i>pelvis</i>	dentes	dentium
• unguis	unguis	M	<i>pelvis</i>	ungues	unguium
• vas	vasis	N	<i>corpus/ septum</i>	vasa	vasorum

Find correct form of adjective, change phrases into gen. sg.

- **margo** (*dexter*, a, um)
- **pars** (*uterinus*, a, um)
- **femur** (*sinister*, a, um)
- **regio** (*pubicus*, a, um)
- **os** (*longus*, a, um)
- **extremitas** (*tubarius*, a, um)
- **pelvis** (*masculus*, a, um)
- **canalis** (*nutricius*, a, um)
- **rete** (*venosus*, a, um)
- **marginis dextri**
- **partis uterinae**
- **femoris sinistri**
- **regionis pubicae**
- **ossis longi**
- **extremitis tubariae**
- **pelvis masculinae**
- **canalis nutricii**
- **retis venosi**


Form phrases

- *Cortex* + ren, lien, cerebellum, ovarium
- *Carcinoma* + ureter, uterus, urethra, tuba uterina, vesica urinaria
- *Fractura* + occiput, femur dextrum, caput femoris, thorax, costae
- *Apex* + cor, pulmo, prostata, vesica urinaria, lingua
- *Basis* + cor, pulmo dexter, prostata
- *Caput* + femur, costa, humerus, pancreas, fibula, mandibula, os metacarpi, radius

Translate – derive the word for the function for the particular muscle

- Musculus **abductor** pollicis longus >> **abductio, onis, f.**
- Musculus **adductor** hallucis
- Musculus **depressor** anguli oris
- Musculus **dilatator** pupillae
- Musculus **extensor** carpi radialis
- Musculus **flexor** digitorum profundus
- Musculus **levator** anguli oris
- Musculus **masseter**
- Musculi **rotatores** cervicis
- Musculus **sphincter** ani externus
- Musculus **tensor** fasciae latae

Assign nouns to their respective paradigms



Form the „of“ phrases

- ❖ Sectiones + *pons*
- ❖ Diptheria + *fauces*
- ❖ Axis + *pelvis*
- ❖ Cirrhosis + *hepar*
- ❖ Calcar + *avis*
- ❖ Sulci + *cutis*
- ❖ Melanosis + *colon*
- ❖ Basis + *os*
- ❖ Pars + *apex*
- ❖ Sclerosis + *arteriae*
- ❖ Calculosis + *vesica*
- ❖ Stenosis + *ostium*
- ❖ Canalis + *cervix*
- ❖ Glandula + *cutis*

Match with appropriate adjectives/join with prepositions

- | | | |
|--------------------------------|-------------------|-----------------------|
| • Auris (medius, a, um) | In (abl.) | • Aure media |
| • Psychosis (organicus, a, um) | Ante | • Psychosim organicam |
| • Canalis (nutricius, a, um) | Sub (abl.) | • Canale nutricio |
| • Dens (incisivus, a, um) | In (acc.) | • Dentem incisivum |
| • Febris (acutus, a, um) | Propter | • Febrim acutam |
| • Sepsis (lentus, a, um) | Post | • Sepsim lentam |
| • Metastasis (isolatus, a, um) | Ex | • Metastasi isolata |
| • Mors (clinicus, a, um) | Post | • Mortem clinicam |
| • Rete (venosus, a, um) | In (acc.) | • Rete venosum |

Translate and join with the preposition

Pelvis feminina	ad	-em, -am
Febris continua	post	-im, -am
Emesis acuta	contra	-im, -am
Canalis alimentarius	in (6)	-e, -o
Thrombosis postoperativa	propter	-im, -am
Dens caninus	sub (4)	-em, -um
Cochlear plenum	cum	-i, -o

Form phrases

- Basis + os + sacer, a, um
 - Basis ossis sacri
- Pars + apex + dens
 - Pars apicis dentis
- Sclerosis + arteriae (pl.) + coronarius, a, um
 - Sclerosis arteriarum coronariarum
- Calculosis + vesica + urinarius, a, um
 - Calculosis vesicae urinariae
- Stenosis + ostium + venosus, a, um
 - Stenosis ostii venosi
- Canalis + cervix + uterus
 - Canalis cervicis uteri

Fill in the missing endings

- Partes hypophys **is/eos**
- Symptomata tuberculos**is**
- Resectio radic**is** dent**is**
- Sub calcari**i** av**is**
- Amputatio ped**is** dextr**i** cum narcos**i**
- Febris cum tuss**i**
- Aether pro anaesthes**ia**
- Fractura pelv**is** cum haemorrhagi**a** in cavitat**e** abdomin**is**
- Cochlear plen**um** mell**is** pro tuss**i** chronic**a**

Translate

- Death on the operating table
 - *Mors in tabula*
- Profound part of the parotid gland
 - *Pars profunda (glandulae) parotidis*
- Symptoms of tuberculosis
 - *Symptomata tuberculosis*
- With narcosis
 - *Cum narcosi*
- Lobes and parts of the hypophysis
 - *Lobi et partes hypophysis/hypophyseos*
- Antibiotics against the whooping cough
 - *(Remedia) antibiotica contra pertussim*

Translate

- Internal ear
 - Auris interna
- Network of carpus
 - Rete carpi
- In acute fever
 - In feбри acuta
- Canine teeth
 - Dens caninus
- Venous network of the eyeball
 - Rete venosum bulbi oculi
- Symptoms of organic psychosis
 - Symptomata psychosis/eos organicae
- Symptoms of synarthrosis
 - Symptomata synarthrosis/eos