

## Winter Semester 2015/2016 Handout 8

### *1. Recognize declension and example word and add Genitive plural form.*

sulcus	tussis
cartilago	alvus
tegmentum	ascites
rotator	gestosis
belladonna	frons
mel	cochlear

### *2. Create simple diagnoses and translate.*

fractura – hallux – pes sinister  
sanatio – carcinoma – cervix – uterus  
operatio – luxatio congenita – coxae  
functio laesa – musculus adductor  
resectio – dentes incisivi  
sclerosis – arteriae coronariae  
symptoma – calculosis - ren

### *3. Fill in the correct Latin form after prepositions.*

CONTRA + swellings of the feet  
PROPTER + the acquired disorder of the gall bladder  
INTER + the fingers of the foot  
AD + the top of the heart  
CUM + the danger of death on the operating table  
SINE + narcose  
POST + the healing without complications  
IN + the calcarine spur

### *4. Recognize the cases and put the whole expression into plural.*

dolore acuto  
inflammationis periculosae  
post operationem complicatam

os sacrum  
pontis cerebri  
apicem cordis  
extracto chamomillae  
radix dentis  
lobi dextri  
prophylaxim  
corneam oculi  
tumore benigno  
symphysis pubica  
febris continuae  
tuberculosis primaria  
functione laesa

**5. Fill in the correct endings of adjectives.**

pulmo sinist\_, pars minim\_, psychosis organic\_, dens lacte\_, mens san\_, tumor malign\_,  
stenosis acut\_, vulnus lacer\_, prognosis bon\_, solutio physiologic\_, morbus infectios\_, vesica  
felle\_, canalis palatin\_, mater pi\_, dolor chronic\_, diabetes mellit\_, medulla oblongat\_

**6. Give Nom. Sg, Gen. Sg, gender, declension and example of the underlined nouns /  
dictionary forms of the underlined adjectives! Translate the whole expressions.**

propter commotionem cerebri  
in capite humano  
medicamentum contra sclerosim arteriarum  
saccharum lactis  
excisio dentis canini  
cochlear plenum mellis  
cum vulnere secto  
vitium acquisitum abdominis  
cystis benigna corporis uteri  
apex cordis

**7. Fill in the correct endings**

medulla oss\_ flav\_, mixtur\_ pro injection\_, vulnus contus\_ cum oedemat\_, thrombosis ven\_  
ped\_ sinistr\_, cum prognos\_ bon\_, propter cancr\_ ventricul\_, lagoena plen\_ aqu\_, ad cavitat\_  
nas\_, diphtheria fauc\_ (Pl.), foramin\_ nutriti\_ oss\_, cum diabet\_ mellit\_, pro aegrot\_, mens  
san\_ in corpor\_ san\_, in aur\_ intern\_ (location), muscul\_ rotator\_ (Pl.), sine narcos\_, dolor in  
region\_ pharyng\_, inter phalang\_ digit\_ (Pl.), fissura transvers\_ cerebr\_

**8. Translate into Latin**

right lobe of liver

operation without pain with narcosis

cut wound of left forearm

infectious disease of abdomen

without symptoms of tuberculosis

medicaments against continuous fever

because of insufficiency of hypophysis

treatment of the acute pneumonia

excessive vomiting of pregnant women

**9. Match the nouns with the appropriate adjectives**

foramen	perforatus, a, um
mors	fractus, a, um
medulla	continuus, a, um
injectio	clinicus, a, um
ulcus	obliquus, a, um
mater	nutricius, a, um
lobus	subcutaneus, a, um
febris	flavus, a, um
axis	pubicus, a, um
tumor	bonus, a, um
symphysis	sinister, a, um
femur	durus, a, um
prognosis	opticus, a, um
diameter	benignus, a, um

**10. Give the plural form**

vulnus sectum	sanatio morbi
foramen ossis	phalanx media
resectio radialis	corpus nervi
musculus rotator	cervix dentis
methodus nova	foramen nutricium
dens caninus	melanosis coli
apex cordis	septum naŝi
psychosis organica	tegmentum pontis
sclerosis arteriae	rete venosum
nucleus ruber	cystis benigna
ren deformatus	

**11. Fill in the correct endings**

fractura pelv\_ cum haemorrhagi\_ in cavitat\_ abdomin\_  
pars thoracic\_ system\_ autonomic\_  
post mort\_ in tabul\_  
ulcus duoden\_ perforat\_  
ruptura tendin\_  
dolores in capit\_ propter commotion\_ cerebr\_  
mater pi\_ encephal\_  
periculum ruptur\_ ven\_ cav\_  
insufficienti\_ valvul\_ cord\_  
febris acut\_ cum tuss\_  
injectio subcutane\_ contra encephalid\_ pro adult\_  
vulnus antebrachi\_ sect\_  
diphtheria fauc\_  
medicamenta pro tuberculos\_  
sine symptomat\_ (pl.) morb\_ infectios\_  
sub calcar\_ av\_ (location)  
cochlear plen\_ mell\_  
ante operation\_ complicat\_

amputatio halluc\_ dextr\_

dolor in region\_ pharyng\_

in extract\_ tili\_

pars thoracic\_ column\_ vertebr\_

foramen nutrici\_ oss\_

haemodialysis propter function\_ ren\_ laes\_

aether pro narcos\_

lobus dext\_ pulmon\_

antibiotic\_ contra pertuss\_

vitium acquisit\_ vesic\_ felle\_