

Cvičení 4.-5. deklinace

Vyberte tvary akuzativu singuláru:

- ▶ domum, rerum, spurium, hominum, vulnus, arcus, basim, regionum, continuum, superficiem, cornu, rete, tussium, diaphragmatum, spiritum, ureterum, os, ossa, uterum, nasalium, crurum, ganglion, rem, ren

Převeďte do singuláru nebo plurálu:

- ▶ meatum
- ▶ genuum
- ▶ carie
- ▶ fetūs
- ▶ gravidas
- ▶ graviditas
- ▶ cubitum
- ▶ capitum

- ▶ decubitum
- ▶ bicipites
- ▶ foramine nutricio
- ▶ partium
- ▶ partuum
- ▶ partibus
- ▶ morbum
- ▶ mortium

Spojte adjektiva s vhodným tvarem
substantiva z nabídky:

- ▶ *frontalia, sinistri, sinistra, simplicium, multiplices, simplicis, brachialem, dextrum, multiplicem, sanorum*
- ▶ *manu, articulationis, plexum, pulmonum, oculum, cornua, pulverum, genūs, fracturae, sclerosim*

Dejte do opačného čísla:

- ▶ **homines cum morbis gravibus**
- ▶ **remedia contra dolores**
- ▶ **in cavitatem dentis**
- ▶ **sub cortice lentis**
- ▶ **laesiones musculorum intercostalium**
- ▶ **ligamenta collateralia articulationum digitorum manuum**

Vytvořte spojení:

- ▶ **causa — partus — praematurus**
- ▶ **sine — dolor — caput**
- ▶ **propter — pulsus — frequens**
- ▶ **symptoma — morbus — incipiens**
- ▶ **symptoma (pl.) — arthritis — rheumaticus**
- ▶ **contra — morbus (pl.) — infectiosus**
- ▶ **in — periculum — mors**
- ▶ **ulcus (pl.) — in — colon — descendens**
- ▶ **sanatio — cum — defectus**
- ▶ **ad — scatula — parvus**
- ▶ **partus — extra — murus (pl.)** mūrus, ī, m. „zed“

Vytvořte spojení:

- ▶ trauma (pl). — gravis — columna vertebralis
- ▶ operatio — propter — fractura — gravis — ulna — sinister
- ▶ contusio — musculus — biceps — brachium
- ▶ in — status — post — infarctus — cor — recens
- ▶ propter — nephrosis — gravis
- ▶ gutta (pl.) — contra — tussis
- ▶ propter — fractura — collum — femur
- ▶ vulnus (pl.) — lacer — caput
- ▶ fractura — pars — distalis — humerus
- ▶ extractio — dens — lacteus — e — caries
- ▶ apud — aditus — larynx
- ▶ in — sinus — occipitalis

Doplňte správné koncovky:

- ▶ Extractio dent..... molar..... cum dolor..... acr.....
- ▶ Dolor acut..... in pulmon..... dextr.....
- ▶ Medicamentum contra tuss..... in lagoen..... pro infant..... et adult.....
- ▶ Auxilium celer..... in traumat..... grav.....
- ▶ Laesio capit..... long..... muscul..... bicipit..... brachi.....
- ▶ Remedium cardinal..... et adiuvan.....
- ▶ Mors subit..... post dos..... letal.....
- ▶ Pus in vulner..... lacer.....
- ▶ Symptomat..... hepatit..... malign.....
- ▶ Status post amputation..... lob..... pulmon..... sinistr..... propter tuberculos.....

Doplňte tabulku tak, aby každý řádek obsahoval jeden výraz v různých pádech a každý sloupec různé výrazy v jednom pádě:

dosis parva				
		nervi abducentes		
	genu varo			
				facies cutaneis
			tractuum nervosorum	
meatus acusticus				
		vasa afferentia		
				manibus longis