


4th and 5th declension



partus caesareus / sectio caesarea



Types of Caesarean Section



LSCS - Lower Segment Caesarean Section
– today the most commonly used type of Caesarean section

The term is derived from Latin verb *caedo*, ... *caesum* meaning „to cut“, „to free by cutting“

From this verb Latin nouns with stem: *-cisio* (English - cision) are derived:
excisio, incisio, discisio...



partus caesareus / sectio caesarea

What are the Greek and Latin synonyms?

ENGLISH

bile

wound

kidney

brain

stomach

thorax

eye

liver

LATIN

bilis

vulnus

ren

cerebrum

ventriculus

pectus

oculus

jecur

GREEK

chole

trauma

nephros

encephalon

stomachos / gaster

thorax

ophthalmos

hepar


Connect the nouns with adjectives




- infarctus → spinosus, a, um
- partus → dolorosus, a, um
- plexus → valgus, a, um
- processus → venosus, a, um
- usus → praematurus, a, um
- decubitus → Hippocraticus, a, um
- genu → acutus, a, um
- facies → externus, a, um



genua valga



genua vara



facies Hippocratica /
facies abdominalis

The facial expression produced in the by impending death or long illness (accompanied by pain), excessive evacuations, excessive hunger, and the like, e.g. by peritonitis (inflammation of peritoneum) or cholera. Its synonym is **facies abdominalis**.

The nose is sharp, the eyes sunken, the temples fallen in, the ears cold and drawn in and their lobes distorted, the skin of the face hard, stretched and dry, and the colour of the face pale or dusky.






facies composita – normal,
calm facial expression of
healthy person




facies dolorosa – facial
expression showing signs
of pain



© Healthwise, Incorporated

decubitus profundus



Form corresponding loose attributes



- articulatio (genu + dexter, tra, trum)
 - Articulatio genus dextri
- arcus (vertebrae + thoracici, ae, a)
 - Arcus vertebrarum thoracicarum
- causa (obstructio venae)
 - Causa obstructionis venae
- ligamenta (manus + sinister, tra, trum)
 - Ligamenta manus sinistrale
- effectus (gargarisma + novus, a, um)
 - Effectus gargarismatis novi
- sanatio (decubitus + profundus, a, um)
 - Sanatio decubitus profundi
- collapsus (systema + circulatorius, a, um)
 - Collapsus systematis circulatorii
- status (canities + praematurus, a, um)
 - Status canitiei praematuraie

Connect the phrases with the preposition




- post + infarctus acutus
 - Post infarctum acutum
- propter + partus praematurus
 - propter partum praematurum
- sub +plexus venosus uterinus
 - Sub plexu venoso uterino / sub plexum venosum uterinum
- in + decursus morbi
 - In decursu morbi
- ad + usus internus
 - Ad usum internum
- ante + processus spinosus
 - Ante processum spinosum
- sine + effectus malus
 - Sine effectu malo

Sensus humani:




visus ~ auditus ~ olfactus ~ tactus ~ gustus



HABITUS



= a general body type or constitution of a person;
posture or position of the body



a)

b)

c)

d)

- A hypersthenicus
- B sthenicus
- C hyposthenicus
- D asthenicus

*Gr. *sthenos* = strength

Which of these is the average/normal?

Form plural



- Caries profunda
- Genu varum
- Morbus infectiosus
- Status acutus
- Processus spinosus
- Facies cutanea
- Vulnus sectum
- Fractura genus
- Abscessus subcutaneus
- Rete venosum

- Caries profundae
- Genua vara
- Morbi infectiosi
- Status acuti
- Processus spinosi
- Facies cutaneae
- Vulnera secta
- Fracturae genuum
- Abscessus subcutanei
- Retia venosa

Form phrases from words in boxes and translate them into English

cum

partus

anaesthesia

praematurus, a, um

partus praematurus cum anaesthesia
premature delivery with anesthesia

exisio

lacteus, a, um

caries

dens

propter

excisio dentis lactei propter cariem
excision of a milk tooth because of
dental decay

excisio, onis, f. - excision

dens

profundus, a, um

caries

caninus, a, um

caries profunda dentis canini
deep dental decay of canine tooth

operatio

status

femur

fractura

post

dexter, tra, trum

status post operationem fracturae
femoris dextri


state after operation of right femur

Fill in the given nouns to complete the phrases



facies ~ status ~ processus ~ meatus ~ manus ~ usus
~ apparatus ~ species

- a) medicamentum ad usum externum
- b) amputatio phalangis mediae digitI III manus dextrae traumatica
- c) apertura meatus acustici externi
- d) os, labia, palatum, oesophagus, ventriculus, intestina: organa apparatus digestorii
- e) species urologicae propter inflammationem vesicae urinariae
- f) fractura processu spinosi vertebrae T₇
- g) status post resectionem lobi sinistri pulmonis propter metastases
- h) aegrotus cum facie pallida



meatus acusticus externus et internus