

potkan	den	skupina	hmotnost půvo	hmotnost aktuáln	hmotnost levé ledviny
		kontrola			0.930
	6 po	experiment			1.265
	3 po	experiment			0.850
	2 po	experiment			0.470
	5 po	experiment			1.270
	4 po	experiment			0.600
en	po	experiment		340	1.730
en	po	experiment		270	1.430
en	po	experiment		325	0.790
en	po	experiment		335	0.630
en	po	experiment		370	1.410
	út	kontrola		241	1.025
	út	kontrola		274	0.940
	út	experiment		263	0.490
	út	experiment		261	1.140
	út	experiment		260	0.845
	út	experiment		294	1.000
	út	kontrola		252	1.085
	út	kontrola		279	0.975
	út	experiment		220	0.420
	út	kontrola		180	0.925
	út	kontrola		285	0.960
	út	experiment		240	0.475
	út	experiment		285	1.170
	út	kontrola		300	1.220
	út	experiment		288	0.535
	út	kontrola		283	1.015
en	út	experiment		307	1.180
en	út	experiment		280	1.160
en	út	experiment		305	0.905
en	út	kontrola		285	0.920
en	út	kontrola		286	1.010
	st	experiment		296	1.610
	st	kontrola		230	0.925
	st	experiment		320	1.375
	st	experiment		300	1.310
	st	kontrola		225	0.790
	st	kontrola		245	1.050
	st	experiment		340	1.565
	st	experiment		200	0.385
	st	kontrola		235	1.030
	st	experiment		340	1.350
	st	kontrola		285	1.130
	st	experiment		310	1.120
	st	kontrola		235	1.075
	st	experiment		295	1.735
	st	kontrola		285	1.015
	ct	experiment	275	276	0.940
	ct	experiment	265	309	1.020
	ct	experiment	270	315	1.250
	ct	experiment	275	315	1.250
dop	ct	experiment	356	374	1.530

dop	ct	experiment	314	337	1.265
dop	ct	experiment	314	359	1.460
dop	ct	experiment	315	325	1.230
dop	ct	kontrola		265	1.010
dop	ct	kontrola		310	1.240
en	ct	experiment		345	1.370
en	ct	experiment		266	0.450
en	ct	experiment		280	0.285
en	ct	experiment		333	1.330
en	ct	experiment		324	1.345
	pá	kontrola		296	1.335
	pá	experiment	273	328	1.155
	pá	experiment	260	290	1.025
	pá	experiment	290	310	1.255
	pá	experiment	260	291	0.545
	pá	experiment	305	337	1.270
	pá	experiment	265	288	1.145
	pá	experiment	295	334	1.335
dop	pá	experiment	210	242	0.920
dop	pá	experiment	240	277	1.375
dop	pá	experiment	221	251	0.915
dop	pá	experiment	265	290	1.025
dop	pá	experiment	268	300	1.110
	po	kontrola		275	0.690
	po	experiment	279	325	1.265
	po	experiment	275	320	1.275
	po	experiment	261	316	1.165
	po	kontrola		298	1.265
EN 1	po	experiment		370	1.150
	po	experiment		300	1.005
	po	experiment		300	1.020
	po	experiment		385	1.375
EN 2	po	kontrola		255	1.280
	po	experiment		302	1.420
	po	kontrola		260	1.095
	po	experiment		311	1.375
	po	experiment		298	1.050
	po	experiment	245	279	1.020
7:00	út	kontrola		234	1.055
	út	kontrola		322	1.205
	út	experiment	255	296	1.230
	út	kontrola		245	1.225
	út	kontrola		255	1.030
	út	experiment	320	185	0.400
	út	kontrola		260	1.250
	út	experiment	280	357	1.400
	út	kontrola		275	1.110
10:00	út	experiment	270	293	0.985
	út	experiment	266	205	0.615
	út	experiment	258	285	0.945
	út	experiment	300	310	0.435
	út	experiment	285	312	1.310
EN 13:00	út	experiment		204	0.340
	út	experiment		211	1.185
	út	experiment	270	293	1.100

	st	kontrola		300	1.145
7:00	st	experiment	270	309	0.460
	st	experiment		281	1.010
	st	experiment		297	0.365
	st	experiment	259	313	1.280
10:00	st	experiment		290	0.945
	st	kontrola		230	0.925
	st	experiment	275	315	0.625
	st	experiment		275	0.420
	st	experiment	252	284	1.315
	st	kontrola		279	1.165
7:00	ct	experiment		335	1.570
	ct	experiment		265	0.840
	ct	experiment	292	349	1.300
	ct	experiment	275	297	1.510
	ct	experiment	260	280	1.395
	ct	experiment	335	349	1.050
10:00	ct	experiment	290	315	0.400
	ct	kontrola		230	1.010
	ct	experiment		365	1.565
	ct	experiment	290	330	1.605
	ct	experiment	240	264	0.450
	ct	experiment	285	316	0.880
EN 13:00	ct	experiment	250	282	1.230
	ct	experiment	250	270	0.800
	ct	experiment	287	320	1.140
	ct	experiment	258	261	0.955
7:00	pa	experiment		291	1.16
7:00	pa	experiment		330	1.26
7:00	pa	experiment	265	296	1.21
7:00	pa	experiment	275	300	0.51
7:00	pa	experiment	227	255	1.125
7:00	pa	experiment	265	282	1.2
7:00	pa	kontrola		245	1.015
7:00	pa	kontrola		210	0.845
10.00	pa	experiment	263	290	1.35
10.01	pa	experiment	274	295	0.95
10.02	pa	experiment	257	278	0.43
10.03	pa	experiment	269	282	1.06
10.04	pa	experiment	256	275	0.425

levá ledvina %	hmotnost pravé ledvi	pravá ledvina %	poměr levá/pravá ledvi	hmotnost srdce
	0.930		1.000	0.875
	1.345		0.941	1.025
	1.990		0.427	1.335
	2.245		0.209	1.075
	1.265		1.004	1.000
	1.500		0.400	0.800
0.51%	1.580	0.46%	1.095	1.160
0.53%	1.395	0.52%	1.025	1.125
0.24%	1.760	0.54%	0.449	1.500
0.19%	1.520	0.45%	0.414	1.100
0.38%	1.460	0.39%	0.966	1.090
0.43%	1.170	0.49%	0.876	0.760
0.34%	0.985	0.36%	0.954	0.770
0.19%	1.885	0.72%	0.260	1.065
0.44%	1.660	0.64%	0.687	0.990
0.33%	1.680	0.65%	0.503	1.035
0.34%	1.130	0.38%	0.885	0.950
0.43%	1.135	0.45%	0.956	0.930
0.35%	1.000	0.36%	0.975	0.810
0.19%	1.570	0.71%	0.268	1.080
0.51%	0.900	0.50%	1.028	0.645
0.34%	0.960	0.34%	1.000	0.935
0.20%	1.540	0.64%	0.308	0.955
0.41%	1.160	0.41%	1.009	0.785
0.41%	1.550	0.52%	0.787	0.850
0.19%	1.630	0.57%	0.328	1.185
0.36%	1.090	0.39%	0.931	0.900
0.38%	1.165	0.38%	1.013	0.995
0.41%	1.110	0.40%	1.045	0.775
0.30%	1.775	0.58%	0.510	1.080
0.32%	1.055	0.37%	0.872	0.870
0.35%	1.020	0.36%	0.990	0.880
0.54%	0.410	0.14%	3.927	0.960
0.40%	0.885	0.38%	1.045	0.830
0.43%	1.450	0.45%	0.948	0.950
0.44%	1.365	0.46%	0.960	1.045
0.35%	0.840	0.37%	0.940	0.805
0.43%	0.930	0.38%	1.129	0.770
0.46%	1.360	0.40%	1.151	1.135
0.19%	1.325	0.66%	0.291	0.930
0.44%	1.050	0.45%	0.981	0.745
0.40%	1.420	0.42%	0.951	1.075
0.40%	1.240	0.44%	0.911	0.850
0.36%	1.200	0.39%	0.933	0.990
0.46%	1.030	0.44%	1.044	0.775
0.59%	1.450	0.49%	1.197	0.900
0.36%	1.030	0.36%	0.985	0.880
0.34%	0.985	0.36%	0.954	0.880
0.33%	1.220	0.39%	0.836	0.900
	1.370	0.43%	0.912	1.060
0.40%	1.320	0.42%	0.947	0.980
0.41%	1.540	0.41%	0.994	1.150

0.38%	1.645	0.49%	0.769	1.360
0.41%	1.860	0.52%	0.785	1.380
0.38%	1.270	0.39%	0.969	0.960
0.38%	1.005	0.38%	1.005	0.845
0.40%	1.260	0.41%	0.984	0.980
0.40%	1.545	0.45%	0.887	1.025
0.17%	1.415	0.53%	0.318	0.765
0.10%	1.370	0.49%	0.208	0.950
0.40%	1.425	0.43%	0.933	1.190
0.42%	1.325	0.41%	1.015	1.050
0.45%	1.190	0.40%	1.122	0.860
0.35%	1.280	0.39%	0.902	1.140
0.35%	1.425	0.49%	0.719	0.885
0.40%	1.240	0.40%	1.012	0.920
0.19%	1.430	0.49%	0.381	0.965
0.38%	1.140	0.34%	1.114	0.975
0.40%	1.115	0.39%	1.027	0.845
0.40%	1.290	0.39%	1.035	0.955
0.38%	1.030	0.43%	0.893	0.730
0.50%	1.170	0.42%	1.175	0.830
0.36%	0.940	0.37%	0.973	0.825
0.35%	1.080	0.37%	0.949	1.040
0.37%	1.280	0.43%	0.867	1.120
0.25%	1.340	0.49%	0.515	1.120
0.39%	1.605	0.49%	0.788	1.035
0.40%	1.340	0.42%	0.951	1.030
0.37%	1.225	0.39%	0.951	0.870
0.42%	1.185	0.40%	1.068	1.140
0.31%	1.170	0.32%	0.983	1.070
0.34%	1.035	0.35%	0.971	1.055
0.34%	1.010	0.34%	1.010	0.855
0.36%	1.445	0.38%	0.952	1.385
0.50%	1.295	0.51%	0.988	0.900
0.47%	1.090	0.36%	1.303	0.860
0.42%	1.100	0.42%	0.995	0.845
0.44%	1.265	0.41%	1.087	0.975
0.35%	1.485	0.50%	0.707	1.145
0.37%	0.975	0.35%	1.046	0.790
0.45%	1.130	0.48%	0.934	0.805
0.37%	1.210	0.38%	0.996	0.901
0.42%	1.370	0.46%	0.898	0.935
0.50%	1.355	0.55%	0.904	0.835
0.40%	1.280	0.50%	0.805	1.035
0.22%	1.155	0.62%	0.346	1.075
0.48%	1.400	0.54%	0.893	0.850
0.39%	1.430	0.40%	0.979	1.320
0.40%	1.115	0.41%	0.996	
0.34%	1.275	0.44%	0.773	1.155
0.30%	1.160	0.57%	0.530	0.945
0.33%	1.445	0.51%	0.654	1.045
0.14%	2.015	0.65%	0.216	1.200
0.42%	1.210	0.39%	1.083	1.115
0.17%	1.285	0.63%	0.265	1.035
0.56%	1.330	0.63%	0.891	1.450
0.38%	1.130	0.39%	0.973	0.890

0.38%	1.195	0.40%	0.958	0.925
0.15%	1.770	0.57%	0.260	1.080
0.36%	1.595	0.57%	0.633	1.180
0.12%	1.250	0.42%	0.292	1.010
0.41%	1.260	0.40%	1.016	1.095
0.33%	1.920	0.66%	0.492	1.225
0.40%	0.920	0.40%	1.005	0.910
0.20%	1.670	0.53%	0.374	0.890
0.15%	2.085	0.76%	0.201	0.975
0.46%	1.205	0.42%	1.091	1.000
0.42%	1.330	0.48%	0.876	0.905
0.47%	1.730	0.52%	0.908	1.365
0.32%	1.245	0.47%	0.675	0.895
0.37%	1.485	0.43%	0.875	1.075
0.51%	1.430	0.48%	1.056	1.095
0.50%	1.340	0.48%	1.041	0.985
0.30%	1.190	0.34%	0.882	1.000
0.13%	1.890	0.60%	0.212	0.940
0.44%	0.995	0.43%	1.015	0.905
0.43%	1.560	0.43%	1.003	1.170
0.49%	1.600	0.48%	1.003	1.170
0.17%	1.780	0.67%	0.253	0.910
0.28%	1.860	0.59%	0.473	1.225
0.44%	1.070	0.38%	1.150	0.970
0.30%	1.200	0.44%	0.667	1.200
0.36%	1.175	0.37%	0.970	1.205
0.37%	1.530	0.59%	0.624	1.160
0.40%	1.23	0.42%	0.943	0.91
0.38%	1.285	0.39%	0.981	0.925
0.41%	1.255	0.42%	0.964	0.84
0.17%	1.755	0.59%	0.291	0.92
0.44%	1.175	0.46%	0.957	0.84
0.43%	1.225	0.43%	0.980	0.99
0.41%	0.960	0.39%	1.057	0.790
0.40%	0.865	0.41%	0.977	0.72
0.47%	1.335	0.46%	1.011	1.11
0.32%	1.34	0.45%	0.709	1.1
0.15%	1.44	0.52%	0.299	0.84
0.38%	1.145	0.41%	0.926	0.925
0.15%	1.48	0.54%	0.287	0.85

srdce % pozn.

0.34%

0.42%

0.46%

0.33%

0.29%

0.32%

0.28%

0.40%

0.38%

0.40%

0.32%

0.37%

0.29%

0.49%

0.36%

0.33%

0.40%

0.28%

0.28%

0.41%

0.32%

0.32%

0.28%

0.35%

0.31%

0.31%

0.32% anat. Anomálie

0.36%

0.30%

0.35%

0.36%

0.31%

0.33%

0.47%

0.32%

0.32%

0.30%

0.32%

0.33%

0.31%

0.31%

0.32%

0.29%

0.34%

0.31%

0.31%

0.40%
0.38%
0.30%
0.32%
0.32%
0.30%
0.29%
0.34%
0.36%
0.32%
0.29%
0.35%
0.31%
0.30%
0.33%
0.29%
0.29%
0.29%
0.30%
0.30%
0.33%
0.36%
0.37%

0.41%
0.32%
0.32%
0.28%
0.38%
0.29%
0.35%
0.29%
0.36%
0.35%
0.28%
0.33%
0.31%
0.38%
0.28%
0.34%
0.28%
0.32%
0.34%
0.41%

0.58% potkan zjevně nemocný, váha reálná
0.33%
0.37%

0.39%
0.46% signifikantní úbytek váhy
0.37%
0.39%
0.36%
0.51%
0.69%
0.30%

0.31%
0.35%
0.42%
0.34%
0.35%
0.42%
0.40%
0.28%
0.35%
0.35%
0.32%
0.41%
0.34%
0.31%
0.37%
0.35%
0.29%
0.30%
0.39%
0.32%
0.35%
0.34%
0.39%
0.34%
0.44%
0.38%
0.44%
0.31%
0.28%
0.28%
0.31%
0.33%
0.35%
0.32%
0.34%
0.38%
0.37%
0.30%
0.33%
0.31%

potkan	day	group	mass 3 weeks a	mass now	left kidney mass
		control			0.930
	6 mo	experiment			1.265
	3 mo	experiment			0.850
	2 mo	experiment			0.470
	5 mo	experiment			1.270
	4 mo	experiment			0.600
en	mo	experiment		340	1.730
en	mo	experiment		270	1.430
en	mo	experiment		325	0.790
en	mo	experiment		335	0.630
en	mo	experiment		370	1.410
	tu	control		241	1.025
	tu	control		274	0.940
	tu	experiment		263	0.490
	tu	experiment		261	1.140
	tu	experiment		260	0.845
	tu	experiment		294	1.000
	tu	control		252	1.085
	tu	control		279	0.975
	tu	experiment		220	0.420
	tu	control		180	0.925
	tu	control		285	0.960
	tu	experiment		240	0.475
	tu	experiment		285	1.170
	tu	control		300	1.220
	tu	experiment		288	0.535
	tu	control		283	1.015
en	tu	experiment		307	1.180
en	tu	experiment		280	1.160
en	tu	experiment		305	0.905
en	tu	control		285	0.920
en	tu	control		286	1.010
	we	experiment		296	1.610
	we	control		230	0.925
	we	experiment		320	1.375
	we	experiment		300	1.310
	we	control		225	0.790
	we	control		245	1.050
	we	experiment		340	1.565
	we	experiment		200	0.385
	we	control		235	1.030
	we	experiment		340	1.350
	we	control		285	1.130
	we	experiment		310	1.120
	we	control		235	1.075
	we	experiment		295	1.735
	we	control		285	1.015
	th	experiment	275	276	0.940
	th	experiment	265	309	1.020
	th	experiment	270	315	1.250
	th	experiment	275	315	1.250
dop	th	experiment	356	374	1.530
dop	th	experiment	314	337	1.265
dop	th	experiment	314	359	1.460

dop	th	experiment	315	325	1.230
dop	th	control		265	1.010
dop	th	control		310	1.240
en	th	experiment		345	1.370
en	th	experiment		266	0.450
en	th	experiment		280	0.285
en	th	experiment		333	1.330
en	th	experiment		324	1.345
	fr	control		296	1.335
	fr	experiment	273	328	1.155
	fr	experiment	260	290	1.025
	fr	experiment	290	310	1.255
	fr	experiment	260	291	0.545
	fr	experiment	305	337	1.270
	fr	experiment	265	288	1.145
	fr	experiment	295	334	1.335
dop	fr	experiment	210	242	0.920
dop	fr	experiment	240	277	1.375
dop	fr	experiment	221	251	0.915
dop	fr	experiment	265	290	1.025
dop	fr	experiment	268	300	1.110
	mo	control		275	0.690
	mo	experiment	279	325	1.265
	mo	experiment	275	320	1.275
	mo	experiment	261	316	1.165
	mo	control		298	1.265
EN 1	mo	experiment		370	1.150
	mo	experiment		300	1.005
	mo	experiment		300	1.020
	mo	experiment		385	1.375
EN 2	mo	control		255	1.280
	mo	experiment		302	1.420
	mo	control		260	1.095
	mo	experiment		311	1.375
	mo	experiment		298	1.050
	mo	experiment	245	279	1.020
7:00	tu	control		234	1.055
	tu	control		322	1.205
	tu	experiment	255	296	1.230
	tu	control		245	1.225
	tu	control		255	1.030
	tu	experiment	320	185	0.400
	tu	control		260	1.250
	tu	experiment	280	357	1.400
	tu	control		275	1.110
10:00	tu	experiment	270	293	0.985
	tu	experiment	266	205	0.615
	tu	experiment	258	285	0.945
	tu	experiment	300	310	0.435
	tu	experiment	285	312	1.310
EN 13:00	tu	experiment		204	0.340
	tu	experiment		211	1.185
	tu	experiment	270	293	1.100
	we	control		300	1.145
7:00	we	experiment	270	309	0.460
	we	experiment		281	1.010

	we	experiment		297	0.365
	we	experiment	259	313	1.280
10:00	we	experiment		290	0.945
	we	control		230	0.925
	we	experiment	275	315	0.625
	we	experiment		275	0.420
	we	experiment	252	284	1.315
	we	control		279	1.165
7:00	th	experiment		335	1.570
	th	experiment		265	0.840
	th	experiment	292	349	1.300
	th	experiment	275	297	1.510
	th	experiment	260	280	1.395
	th	experiment	335	349	1.050
10:00	th	experiment	290	315	0.400
	th	control		230	1.010
	th	experiment		365	1.565
	th	experiment	290	330	1.605
	th	experiment	240	264	0.450
	th	experiment	285	316	0.880
EN 13:00	th	experiment	250	282	1.230
	th	experiment	250	270	0.800
	th	experiment	287	320	1.140
	th	experiment	258	261	0.955
7:00	fr	experiment		291	1.16
7:00	fr	experiment		330	1.26
7:00	fr	experiment	265	296	1.21
7:00	fr	experiment	275	300	0.51
7:00	fr	experiment	227	255	1.125
7:00	fr	experiment	265	282	1.2
7:00	fr	control		245	1.015
7:00	fr	control		210	0.845
10.00	fr	experiment	263	290	1.35
10.01	fr	experiment	274	295	0.95
10.02	fr	experiment	257	278	0.43
10.03	fr	experiment	269	282	1.06
10.04	fr	experiment	256	275	0.425

left kidney %	right kidney mass	right kidney %	left-to-right kidney ratio	heart mass
	0.930		1.000	0.875
	1.345		0.941	1.025
	1.990		0.427	1.335
	2.245		0.209	1.075
	1.265		1.004	1.000
	1.500		0.400	0.800
0.51%	1.580	0.46%	1.095	1.160
0.53%	1.395	0.52%	1.025	1.125
0.24%	1.760	0.54%	0.449	1.500
0.19%	1.520	0.45%	0.414	1.100
0.38%	1.460	0.39%	0.966	1.090
0.43%	1.170	0.49%	0.876	0.760
0.34%	0.985	0.36%	0.954	0.770
0.19%	1.885	0.72%	0.260	1.065
0.44%	1.660	0.64%	0.687	0.990
0.33%	1.680	0.65%	0.503	1.035
0.34%	1.130	0.38%	0.885	0.950
0.43%	1.135	0.45%	0.956	0.930
0.35%	1.000	0.36%	0.975	0.810
0.19%	1.570	0.71%	0.268	1.080
0.51%	0.900	0.50%	1.028	0.645
0.34%	0.960	0.34%	1.000	0.935
0.20%	1.540	0.64%	0.308	0.955
0.41%	1.160	0.41%	1.009	0.785
0.41%	1.550	0.52%	0.787	0.850
0.19%	1.630	0.57%	0.328	1.185
0.36%	1.090	0.39%	0.931	0.900
0.38%	1.165	0.38%	1.013	0.995
0.41%	1.110	0.40%	1.045	0.775
0.30%	1.775	0.58%	0.510	1.080
0.32%	1.055	0.37%	0.872	0.870
0.35%	1.020	0.36%	0.990	0.880
0.54%	0.410	0.14%	3.927	0.960
0.40%	0.885	0.38%	1.045	0.830
0.43%	1.450	0.45%	0.948	0.950
0.44%	1.365	0.46%	0.960	1.045
0.35%	0.840	0.37%	0.940	0.805
0.43%	0.930	0.38%	1.129	0.770
0.46%	1.360	0.40%	1.151	1.135
0.19%	1.325	0.66%	0.291	0.930
0.44%	1.050	0.45%	0.981	0.745
0.40%	1.420	0.42%	0.951	1.075
0.40%	1.240	0.44%	0.911	0.850
0.36%	1.200	0.39%	0.933	0.990
0.46%	1.030	0.44%	1.044	0.775
0.59%	1.450	0.49%	1.197	0.900
0.36%	1.030	0.36%	0.985	0.880
0.34%	0.985	0.36%	0.954	0.880
0.33%	1.220	0.39%	0.836	0.900
	1.370	0.43%	0.912	1.060
0.40%	1.320	0.42%	0.947	0.980
0.41%	1.540	0.41%	0.994	1.150
0.38%	1.645	0.49%	0.769	1.360
0.41%	1.860	0.52%	0.785	1.380

0.38%	1.270	0.39%	0.969	0.960
0.38%	1.005	0.38%	1.005	0.845
0.40%	1.260	0.41%	0.984	0.980
0.40%	1.545	0.45%	0.887	1.025
0.17%	1.415	0.53%	0.318	0.765
0.10%	1.370	0.49%	0.208	0.950
0.40%	1.425	0.43%	0.933	1.190
0.42%	1.325	0.41%	1.015	1.050
0.45%	1.190	0.40%	1.122	0.860
0.35%	1.280	0.39%	0.902	1.140
0.35%	1.425	0.49%	0.719	0.885
0.40%	1.240	0.40%	1.012	0.920
0.19%	1.430	0.49%	0.381	0.965
0.38%	1.140	0.34%	1.114	0.975
0.40%	1.115	0.39%	1.027	0.845
0.40%	1.290	0.39%	1.035	0.955
0.38%	1.030	0.43%	0.893	0.730
0.50%	1.170	0.42%	1.175	0.830
0.36%	0.940	0.37%	0.973	0.825
0.35%	1.080	0.37%	0.949	1.040
0.37%	1.280	0.43%	0.867	1.120
0.25%	1.340	0.49%	0.515	1.120
0.39%	1.605	0.49%	0.788	1.035
0.40%	1.340	0.42%	0.951	1.030
0.37%	1.225	0.39%	0.951	0.870
0.42%	1.185	0.40%	1.068	1.140
0.31%	1.170	0.32%	0.983	1.070
0.34%	1.035	0.35%	0.971	1.055
0.34%	1.010	0.34%	1.010	0.855
0.36%	1.445	0.38%	0.952	1.385
0.50%	1.295	0.51%	0.988	0.900
0.47%	1.090	0.36%	1.303	0.860
0.42%	1.100	0.42%	0.995	0.845
0.44%	1.265	0.41%	1.087	0.975
0.35%	1.485	0.50%	0.707	1.145
0.37%	0.975	0.35%	1.046	0.790
0.45%	1.130	0.48%	0.934	0.805
0.37%	1.210	0.38%	0.996	0.901
0.42%	1.370	0.46%	0.898	0.935
0.50%	1.355	0.55%	0.904	0.835
0.40%	1.280	0.50%	0.805	1.035
0.22%	1.155	0.62%	0.346	1.075
0.48%	1.400	0.54%	0.893	0.850
0.39%	1.430	0.40%	0.979	1.320
0.40%	1.115	0.41%	0.996	
0.34%	1.275	0.44%	0.773	1.155
0.30%	1.160	0.57%	0.530	0.945
0.33%	1.445	0.51%	0.654	1.045
0.14%	2.015	0.65%	0.216	1.200
0.42%	1.210	0.39%	1.083	1.115
0.17%	1.285	0.63%	0.265	1.035
0.56%	1.330	0.63%	0.891	1.450
0.38%	1.130	0.39%	0.973	0.890
0.38%	1.195	0.40%	0.958	0.925
0.15%	1.770	0.57%	0.260	1.080
0.36%	1.595	0.57%	0.633	1.180

0.12%	1.250	0.42%	0.292	1.010
0.41%	1.260	0.40%	1.016	1.095
0.33%	1.920	0.66%	0.492	1.225
0.40%	0.920	0.40%	1.005	0.910
0.20%	1.670	0.53%	0.374	0.890
0.15%	2.085	0.76%	0.201	0.975
0.46%	1.205	0.42%	1.091	1.000
0.42%	1.330	0.48%	0.876	0.905
0.47%	1.730	0.52%	0.908	1.365
0.32%	1.245	0.47%	0.675	0.895
0.37%	1.485	0.43%	0.875	1.075
0.51%	1.430	0.48%	1.056	1.095
0.50%	1.340	0.48%	1.041	0.985
0.30%	1.190	0.34%	0.882	1.000
0.13%	1.890	0.60%	0.212	0.940
0.44%	0.995	0.43%	1.015	0.905
0.43%	1.560	0.43%	1.003	1.170
0.49%	1.600	0.48%	1.003	1.170
0.17%	1.780	0.67%	0.253	0.910
0.28%	1.860	0.59%	0.473	1.225
0.44%	1.070	0.38%	1.150	0.970
0.30%	1.200	0.44%	0.667	1.200
0.36%	1.175	0.37%	0.970	1.205
0.37%	1.530	0.59%	0.624	1.160
0.40%	1.23	0.42%	0.943	0.91
0.38%	1.285	0.39%	0.981	0.925
0.41%	1.255	0.42%	0.964	0.84
0.17%	1.755	0.59%	0.291	0.92
0.44%	1.175	0.46%	0.957	0.84
0.43%	1.225	0.43%	0.980	0.99
0.41%	0.960	0.39%	1.057	0.790
0.40%	0.865	0.41%	0.977	0.72
0.47%	1.335	0.46%	1.011	1.11
0.32%	1.34	0.45%	0.709	1.1
0.15%	1.44	0.52%	0.299	0.84
0.38%	1.145	0.41%	0.926	0.925
0.15%	1.48	0.54%	0.287	0.85

heart % note

0.34%
0.42%
0.46%
0.33%
0.29%
0.32%
0.28%
0.40%
0.38%
0.40%
0.32%
0.37%
0.29%
0.49%
0.36%
0.33%
0.40%
0.28%
0.28%
0.41%
0.32%
0.32%
0.28%
0.35%
0.31%
0.31%
0.32% anat. Anomalie
0.36%
0.30%
0.35%
0.36%
0.31%
0.33%
0.47%
0.32%
0.32%
0.30%
0.32%
0.33%
0.31%
0.31%
0.32%
0.29%

0.34%

0.31%

0.31%
0.40%
0.38%

0.30%
0.32%
0.32%
0.30%
0.29%
0.34%
0.36%
0.32%
0.29%
0.35%
0.31%
0.30%
0.33%
0.29%
0.29%
0.29%
0.30%
0.30%
0.33%
0.36%
0.37%

0.41%
0.32%
0.32%
0.28%
0.38%
0.29%
0.35%
0.29%
0.36%
0.35%
0.28%
0.33%
0.31%
0.38%
0.28%
0.34%
0.28%
0.32%
0.34%
0.41%

0.58% potkan zjevně nemocný, váha reálná
0.33%
0.37%

0.39%
0.46% signifikantní úbytek váhy
0.37%
0.39%
0.36%
0.51%
0.69%
0.30%

0.31%
0.35%
0.42%

0.34%
0.35%
0.42%
0.40%
0.28%
0.35%
0.35%
0.32%
0.41%
0.34%
0.31%
0.37%
0.35%
0.29%
0.30%
0.39%
0.32%
0.35%
0.34%
0.39%
0.34%
0.44%
0.38%
0.44%
0.31%
0.28%
0.28%
0.31%
0.33%
0.35%
0.32%
0.34%
0.38%
0.37%
0.30%
0.33%
0.31%