

# **Pathophysiological principles of respiratory insufficiency, oxygen therapy and mechanical ventilation**

MUDr. MSc. Michal Šitina, PhD.

Department of pathological physiology, MUNI  
Department of anaesthesia and intensive care medicine, FNUSA  
Biostatistics, ICRC-FNUSA


## Contents

1. Basics of respiratory (patho)physiology
2. Principles of mechanical ventilation
3. Applied pathophysiology of MV in clinical cases
4. *Exact analysis of mechanisms of respiratory insufficiency*

# **Mechanisms of respiratory insufficiency**


## Mechanics of spontaneous breathing

- pressure in area of lips approx. 0
- active inspiration
  - diaphragm, intercostal muscles
  - negative intrapleural pressure
- spontaneous expiration
  - positive intrapleural pressure





## Important quantities and terms

- $FiO_2$  (21 %)
- $PaO_2$  (> 80 mmHg, hypoxemia vs. hypoxia)
- $PaCO_2$  (35-45 mmHg, hypo/normo/hypercapnia)
- tidal volume ( $\approx$ 500 ml)
- respiratory rate ( $\approx$  12-16/min)
- anatomic dead space (150 ml)



## Physical principles

- pressure vs. pressure difference
- compliance
- resistance



## **Respiratory insufficiency**



- type 1 – oxygenation dysfunction - hypoxemia without hypercapnia
- type 2 – ventilation dysfunction – hypercapnia with hypoxemia

## **Mechanisms of respiratory insufficiency**

- global hypoventilation
- impaired diffusion across alveolocapillary membrane
- dead space
- intrapulmonary (or extrapulmonary) shunt
- ventilation-perfusion (V/Q) mismatch


## Mechanisms of respiratory insufficiency

- hypoventilation, diffusion, dead space, shunt, V/Q mismatch






Капнометрия





## Capnometry

- monitoring of breathing
- 100 % verification of correct tracheal intubation



$$PaCO_2 \times EtCO_2 = CO_2\text{-gap}$$

- increased with pulmonary pathology



Acidobazická rovnováha- artérie	
pCO2	5.65 kPa
pO2	10.40 kPa



Acidobazická rovnováha- artérie	
pH akt	7.35
pCO2	8.68 kPa
pO2	9.07 kPa

## Oxygen therapy

- oxygen delivery
- principle: increased  $\text{FiO}_2$
- corrects hypoxemia
- no correction or impairment of hypercapnia
- sometimes almost no effect




# Oxygen therapy




- Why impairment of hypercapnia?
- Why sometimes almost no effect?

COPD



Atelectasis



# **Principles of mechanical ventilation**

## Mechanical ventilation


- ventilation using ventilator replacing a part or a whole work of breathing of a patient
- therapeutic goals
  - correction of hypoxemia
  - correction of hypercapnia
  - decrease in work of breathing
  - hemodynamic stabilisation
  - airways protection
  - performance of an operation
  - ...






## Principle of mechanical ventilation

- active inspiration
  - **positive pressure in airways created by ventilator**
- passive expiration
  - just as in spontaneous breathing




# Principle of mechanical ventilation







# What can we set on the ventilator?



# MUNI MED

## What do we monitor?




Krev		
Acidobazická rovnováha- artérie		
pH akt.	7.47	-
pCO <sub>2</sub>	5.06	kPa
pO <sub>2</sub>	10.00	kPa
AADO <sub>2</sub>	12.3	kPa
Base excess	3.9	mmol/l
Hydrogenkarbonáty aktuální	27.7	mmol/l
Hydrogenkarbonáty stand...	27.8	mmol/l
Saturace kyslíkem	95.9	%
pCO <sub>2</sub> - korigované na tepl...	5.03	kPa
pO <sub>2</sub> - korigované na teplotu	9.97	kPa
Hematokrit	0.30	
Methemoglobin	1.0	%
Karboxylhemoglobin	0.9	%
Hemoglobin	99	g/l
Acidobazická rovnováha		
Inspirační frakce kyslíku	30	%

**blood gas  
analysis**



# Monitoring of MV



1		2		SpO <sub>2</sub>
16 Ppeak cmH <sub>2</sub> O	--- AutoPEEP cmH <sub>2</sub> O	380 VTl ml	19 f celkem d/min	
--- Pplateau cmH <sub>2</sub> O	--- P0.1 cmH <sub>2</sub> O	349 VTE ml	19 f spont d/min	
8.4 Pmean cmH <sub>2</sub> O	--- PTP cmH <sub>2</sub> O*s	349 VTESpont ml	0.91 TI s	
6.0 PEEP/CPAP cmH <sub>2</sub> O	36.8 Insp průt. V/min	6.5 ExpMinObj V/min	2.45 TE s	
--- ΔP cmH <sub>2</sub> O	26.6 Exp průt. V/min	6.5 MVSpont V/min	1:2.7 I:E	

09-13 08:33

PEEPtot (cmH <sub>2</sub> O)	
C static (ml/cmH <sub>2</sub> O)	
E (cmH <sub>2</sub> O/l)	
C dyn (ml/cmH <sub>2</sub> O)	65
Re (cmH <sub>2</sub> O/l/s)	
WOB v (J/l)	0.56
WOB p (J/l)	0.00
P 0.1 (cmH <sub>2</sub> O)	1.3
Tc (s)	
SBI	32

09-13 08:33

Ppeak (cmH <sub>2</sub> O)	12
Pmean (cmH <sub>2</sub> O)	7
PEEP (cmH <sub>2</sub> O)	5
RR (d/min)	16
O <sub>2</sub> (%)	30
V <sub>ee</sub> (l/min)	0
Ti/Ttot	0.30
MVi (l/min)	8.6
MVe (l/min)	8.9
VTi (ml)	452
VT <sub>e</sub> (ml)	461
MVe sp (l/min)	4.7

Další strana

Monitorace

Grafika

Nástroje

Události

## Analysis of MV curves




- modes of MV
  - volume controlled
  - pressure controlled
  - pressure support
  - SIMV
  - ...



# volume controlled ventilation (CMV)




- we set
  - breath rate
  - tidal volume
  - length of inspirium
  - length of inspiratory pause



# volume controlled ventilation (CMV)



- we set
  - breath rate
  - tidal volume
  - length of inspirium
  - length of inspiratory pause





# PCV



Pressure Control

Přijem  
pacienta

Nebulizátor

Stav  
⊙

0:22

Ppeak (cmH<sub>2</sub>O)  
**17** 40

Pmean (cmH<sub>2</sub>O)  
**9**

PEEP (cmH<sub>2</sub>O)  
**4**

RR (d/min)  
**17** 40  
1



O<sub>2</sub> (%)  
**30** 35  
25

I:E  
**1:1.6**

MVe (l/min)  
**10.1** 25.0  
3.0

VTi (ml)  
**548**

VTe (ml)  
**528**



Další  
nastavení

Konc. O<sub>2</sub>  
**30**  
%

PEEP  
**5**  
cmH<sub>2</sub>O

Dechová frekv.  
**15**  
d/min

PC nad PEEP  
**10**  
cmH<sub>2</sub>O

Další  
hodnoty

# PCV



Pressure Control

Příjem pacienta

Nebulizátor

Stav

0:22

Ppeak (cmH<sub>2</sub>O) 40

17

Pmean (cmH<sub>2</sub>O) 9

9

PEEP (cmH<sub>2</sub>O) 4

4

RR (d/min) 40

17

O<sub>2</sub> (%) 35

30

I:E 25

1:1.6

MVe (l/min) 25.0

10.1

VTi (ml) 3.0

548

VTe (ml)

528

Další nastavení



Konc. O<sub>2</sub> 30 %

PEEP 5 cmH<sub>2</sub>O

Dechová frekv. 15 d/min

PC nad PEEP 10 cmH<sub>2</sub>O

Další hodnoty







# Curves of MV



$(TV)$ , BR, time  
Volume controlled  
ventilation (CMV)

BR, time,  $P_{max}$   
pressure controlled  
ventilation (PCV)



# CPAP/PSV

09-13 08 32

PS/CPAP

**Základní**

PS nad PEEP  
**10**  
cmH<sub>2</sub>O

PEEP  
**5**  
cmH<sub>2</sub>O

Konc. O<sub>2</sub>  
**30**  
%


**I:E**

T insp. náběhu  
**0.15**  
s

**Trigger**

Trigg. - průtok  
**1**

Ukončení insp.  
**30**  
%



**Ppeak** (cmH<sub>2</sub>O) **16**

**Pmean** (cmH<sub>2</sub>O) **8**

**PEEP** (cmH<sub>2</sub>O) **5**

**RR** (d/min) **15**

**O<sub>2</sub>** (%) **30**

**Ti/Ttot** **0.24**


**MVe** (l/min) **8.8**

**VTi** (ml) **654**




**VTe** (ml) **677**

**Další nastavení**    **Konc. O<sub>2</sub>** **30** %    **PEEP** **5** cmH<sub>2</sub>O    **PS nad PEEP** **10** cmH<sub>2</sub>O    **Další hodnoty**

PCV  
versus  
PSV








## PEEP (positive end-expiratory pressure)


- the lowest pressure in airways
- prevents alveolar collapse (called atelectasis)
- both too low and too high values are harmful
  - it is necessary to find the optimal value




# Influence of PEEP on lung aeration



# p-V curve and PEEP



# p-V curve and PEEP



## Effects of MV on other systems

### Effects on cardiovascular system

- decreases venous return and subsequently the cardiac output
- affects pulmonary hypertension and so the right ventricle function
- can help the failing left ventricle
- decreases oxygen consumption in respiratory muscles

### Effects on other systems


- significant influence on acid-base balance (CO<sub>2</sub>)
- decreases renal blood flow and so promotes fluid retention
- increases intraabdominal pressure and reduces splanchnic perfusion
- can increase intracranial pressure
- „motor“ of multiorgan failure



## Ventilator induced lung injury (VILI)



6. Webb HH, Tierney DF: **Experimental pulmonary edema due to intermittent positive pressure ventilation with high inflation pressures. Protection by positive end-expiratory pressure.** *Am Rev Respir Dis* 1974, **110**: 556–565.

!!! inappropriate ventilation can damage lungs



**Figure 1.** Normal Rat Lungs and Rat Lungs after Receiving High-Pressure Mechanical Ventilation at a Peak Airway Pressure of 45 cm of Water.

## How can MV damage lungs?



- large distension tears pulmonary structures
  - econdary inflammatory reaction and fibrosis
- danger of lung perforation in thin areas -> pneumothorax
- shear forces on the boundary of ventilated and non-ventilated areas of lungs
  
- elimination of natural immune barriers
  - ventilator-associated pneumonia
- risks of intubation and airway management
- promotion of muscle weakness of critically ill patients
- necessary sedation

## Non-invasive ventilation

- just as mechanical ventilation, but
  - patient is not (deeply) sedated
  - airways are not secured
- impossible to use high PEEP or inflation pressures
- short-term or repeated usage
- typical indications
  - acute COPD exacerbation
  - moderate cardiogenic pulmonary edema
  - intermittent support after extubation





# PSV at NIV





## Administration of prostacyclin

- prostacyclin causes dilatation of pulmonary arterioles and thus reduces pulmonary hypertension
- can be inhaled or administered intravenously
- in patients with respiratory insufficiency, just one of both routes of administration improves respiratory insufficiency

**which one and why?**

# **Applied pathophysiology of MV in clinical cases**



## MV in clinical cases

- Pulmonary edema by acute myocardial infarction
- COPD exacerbation
- Intubation and MV by polytrauma
- Massive pulmonary embolism
- ARDS – COVID-19 pneumonia






# Pulmonary edema by acute myocardial infarction






# Interstitial vs. alveolar pulmonary edema




**Figure 6.2.** Example of engorgement of the perivascular space of a small pulmonary blood vessel by interstitial edema. Some alveolar edema is also present. (Image courtesy of Edward Klatt, MD.)



**Figure 6.3.** Section of human lung showing alveolar edema. (Image courtesy of Edward Klatt, MD.)

Pulmonary edema by acute myocardial infarction





PEEP 15  
CH<sub>2</sub>H<sub>2</sub>O

$NOB = 0$   
25% O<sub>2</sub>


↑  $\sqrt{100}$   
stabilization




# Acute exacerbation of COPD



# Acute exacerbation of COPD




COPD exacerbation





# Auto-PEEP



# Major trauma



Intubation and MV by polytrauma



OTI, MV  $\Rightarrow$

75/40

140/min

↑ lactate  $\rightarrow$  acidosis

hyperventilate  
40/min

$\downarrow$   
pH = 7.1

$\downarrow \downarrow$  CO

$\downarrow \downarrow$  BP (50/20)



20/min

$\downarrow$   
pH = 6.8

cardiac arrest


$\downarrow$   
CPR

# Pulmonary embolism – angio CT






# Pulmonary embolism - echocardiography





# Massive pulmonary embolism



↑ pulm. arterial ↑  
↓ ↓  
pulm hypertension  
↓ ↓  
acute right  
heart  
failure


OT, RV  
↑ PEEP ↵





Figure 10.3. Effect of raised airway pressure on the histologic appearance of pulmonary capillaries. A. Normal appearance. B. Collapse of capillaries when alveolar pressure is raised above capillary pressure. (From Glazier JB, Hughes JMB, Maloney JE, et al. Measurements of capillary dimensions and blood volume in rapidly frozen lungs. J Appl Physiol 1969;26:65-76.)

## ARDS – COVID-19 pneumonia

- protective ventilation
- permissive hypercapnia (pH >7.2)
- prone position



↓ TV } ↑  $P_{CO_2}$   
↑ PEEP }  
↑ RR



## High-flow nasal oxygen (HFNO)

- just as nasal cannula, but
  - humidified oxygen up to 60 l/min
  - FiO<sub>2</sub> up to 100 %
- high flow of gases builds up excess pressure in upper airways and so the PEEP 2-4 cmH<sub>2</sub>O
- better tolerated than NIV
- similar indications as NIV
  - moderate COVID-19 pneumonia
  - acute COPD exacerbation
  - moderate cardiogenic pulmonary edema
  - intermittent support after extubation




M U N I

M E D


## Extracorporeal membrane oxygenation (ECMO)

- extracorporeal circuit
- up to complete substitute of lungs (VV-ECMO) or heart and lungs (VA-ECMO)
- construction based on pump and oxygenator
- in oxygenator blood and air/oxygen come to contact over a membrane
- Indication
  - reasonable chance of solution of the basic problem (as e.g. cure of COVID pneumonia) or bridge-to-transplantation






# Extracorporeal membrane oxygenation (ECMO) variants





# Principle of membrane oxygenator



## Apneic ventilation

1+1 = 3 ??

- apneic test of brain death
  1. the patient breathes O<sub>2</sub> through the mask, creating an oxygen reserve in the lungs
  2. general anaesthesia and muscle relaxation
  3. the patient is not breathing, but we continue to administer O<sub>2</sub>


How long does it take for the patient to desaturate?

The lung O<sub>2</sub> reserve (5 l) would be sufficient for a maximum of 20 min at 250 ml O<sub>2</sub>/min.

**Up to 60 minutes!!**



# Apnoic ventilation



$O_2 \rightarrow CO_2$   
 $P_a = 0.8$   
 $\dot{V}_R \rightarrow \dot{V}_E$

$\dot{V}_R$   
 $12 \ell$



# Life-threatening respiratory disorders

- Cardiogenic pulmonary edema
- Non-cardiogenic pulmonary edema – ARDS
- Severe pneumonia
- Exacerbation of COPD/asthma
- Tension pneumothorax
- Upper airway obstruction
  - Allergic edema
  - Laryngitis
  - Epiglottitis
- Aspiration
- Massive pulmonary embolism
- Coma with secondary asphyxia
- Acute neuromuscular disorders
  - Myasthenia gravis
  - Syndrome Guillain-Barré
- Thorax trauma
  - Lung contusion
  - Block rib fracture
  - Massive hemothorax
- Massive haemoptysis