

**Trial Based Functional Analysis**

**Directions:** Conduct trials up to over a 7 day period. Each 4 min trial consists of two, 2 min segments; a control and a test segment. Conclude by summarizing the % of each trial type with PB.

**Control:** First 2 min segment in the trial. (a) No problem behavior (PB) occurs by the end of the 2 min segment, circle (-), go to test. (b) PB occurs, circle (+), end segment, go to test.

**Test:** Second 2 min segment in the trial. (a) No PB occurs by the end of the 2 min segment, circle (-), end segment. (b) PB occurs, deliver specified consequence, circle (+), end segment.

**Attention:** *Control:* Stand near client, deliver noncontingent attention (no tasks).  
*Test:* Stand near client but ignore, deliver attention contingent on occurrence of PB.

**Task/Demand:** *Control:* Observe while no task demands are present.  
*Test:* Deliver prompts to engage in difficult work, remove work contingent on occurrence of PB.

**Alone:** *Test 1 & 2:* Two consecutive test segments are conducted. Observe when client is not working, not interacting with others, and has no access to leisure items.

**Tangible:** *Control:* Client has access to preferred leisure items.  
*Test:* Stand near client but hold leisure items, deliver items contingent on occurrence of PB.

Trial	Attention		Task		Alone		Tangible			
	Control	Test	Control	Test	Test 1	Test 2	Control	Test		
1	+	-	+	-	+	-	+	-	+	-
2	+	-	+	-	+	-	+	-	+	-
3	+	-	+	-	+	-	+	-	+	-
4	+	-	+	-	+	-	+	-	+	-
5	+	-	+	-	+	-	+	-	+	-
6	+	-	+	-	+	-	+	-	+	-
7	+	-	+	-	+	-	+	-	+	-
8	+	-	+	-	+	-	+	-	+	-
9	+	-	+	-	+	-	+	-	+	-
10	+	-	+	-	+	-	+	-	+	-
11	+	-	+	-	+	-	+	-	+	-
12	+	-	+	-	+	-	+	-	+	-
13	+	-	+	-	+	-	+	-	+	-
14	+	-	+	-	+	-	+	-	+	-
15	+	-	+	-	+	-	+	-	+	-
16	+	-	+	-	+	-	+	-	+	-
17	+	-	+	-	+	-	+	-	+	-
18	+	-	+	-	+	-	+	-	+	-
19	+	-	+	-	+	-	+	-	+	-
20	+	-	+	-	+	-	+	-	+	-
% PB										

**Additional Comments:**