

Final written test structure+ preparation

1. Fill in missing endings

Rete canal _is_ nerv_i__ hypogloss_i__

Coma ex (6) traumat_e__ (2) capit_is__

Tunica (F) mucos_a___ (2) ureter_is___

Haemorrhagia e (6) caus__a__ ignot_a___

Symptomata (2) diabet_ae__ mellit_i__

Sanatio per (4) prim_am___ intention__em___

Remedium contra (4) diarrhoe_am__ acut_am___

Rete, retis, N – network like calcar example

2. Translate:

death after infarction of the the right ventricle of the heart

mors/exitus post infarctum ventriculi dextri cordis

solution for disinfection

solutio ad desinfectionem

congenital deformity of hip joints

deformatio congenita coxarum

remedy against cough

remedium contra tussim/antitussicum

a spoon of fennel honey

cochlear foeniculi mellis

bitter salt

sal amarum/amarus

symptoms of inflammation

symptomata inflammationis

extract of sirup for an adult person

extractum sirupi pro adulta/adulto

3. Change into the opposite number (sg. to pl and vice versa)

Example: vena rupta: venae ruptae; musculi thoracici – musculus thoracicus

Remedia stomachica (PL) remedium stomachicum

Flos siccus (SG) flores sicci

Pulveres adpersorii (PL) pulvis adpersorius

Emulsio oleosa (SG) emulsionem oleosam

4. Match the Latin expressions with their English equivalents:

- | | |
|--------------|---------------|
| 1 Papaver | A primrose |
| 2 Piper | B root |
| 3 Betulla | C cotton wool |
| 4 Hypericum | D galipot |
| 5 Primula | E lungwort |
| 6 Gossypium | F spoon |
| 7 Gargarisma | G goatweed |
| 8 Pulmonaria | H poppy |
| 9 Olla | I birch |
| 10 Radix | J gargle |
| 11 Cochlear | K pepper |

1H, 2K, 3I, 4G, 5A, 6C, 7J, 8E, 9D, 10B, 11F

5. Supply opposites

ramus dexter - sinister

cavum parvum - magnum

organum sanum - aegrotum

remedium compositum - simplex

nasus externus - internus

extractum siccum – liquidum/fluidum