

Vzorek	změna CO2 PPM	Průtok L min-1	čerstvá hm g	sušina g
Kontrola 1	55	0.4	2.121	0.1
Kontrola 2	33	0.5	3.333	0.23
Kontrola 3	19	0.8	3.139	0.19
Kontrola 4	66	0.4	3.087	0.18
-N 1	70	0.4	3.901	0.3
-N 2	12	0.5	2.983	0.2
-N 3	28	0.8	2.565	0.15
-N 4	32	0.4	2.82	0.2
-P1	45	0.4	3.313	0.21
-P2	18	0.5	2.236	0.15
-P3	4	0.8	2.596	0.14
-P4	26	0.4	2.598	0.17
-Fe 1	27	0.4	1.457	0.09
-Fe 2	4	0.5	0.46	0.03
-Fe 3	1	0.8	2.017	0.08
-Fe 4	22	0.4	1.179	0.05
Pšenice 3h				
	20	0.4	6.858	5.48
	9	0.5	7.813	6.15
Pšenice 12h				
	30	0.4	6.017	3.67
	13	0.5	3.572	2.2
Bob 3h				
	47	0.4	7.166	5.24
	35	0.8	4.9	3.14
Bob 12h				
	124	0.4	5.994	2.91
	50	0.8	7.73	3.5