

Vzorek	změna CO2 PPM	Průtok L min-1	čerstvá hm g	sušina g
Kontrola 1	25	0.45	2.35	0.12
Kontrola 2	60	0.4	1.95	0.14
Kontrola 3	70	0.4	2.592	0.18
Kontrola 4	16	0.4	1.29	0.07
-N 1	10	0.4	1.56	0.1
-N 2	47	0.4	1.5	0.11
-N 3	29	0.4	1.6	0.09
-N 4	13	0.4	1.29	0.12
-P1	9	0.4	1.9	0.12
-P2	21	0.4	0.91	0.05
-P3	12	0.4	0.472	0.02
-P4	20	0.4	1.58	0.09
-Fe 1	8	0.45	1.23	0.07
-Fe 2	37	0.4	1.01	0.04
-Fe 3	30	0.4	2.11	0.09
-Fe 4	27	0.4	1.71	0.09
Pšenice 3h				
	14	0.4	2.463	1.82
	1	0.4	2.25	1.98
Pšenice 12h				
	22	0.4	3.41	1.94
	5	0.4	2.91	1.68
Bob 3h				
	114	0.4	13.18	8.69
	44	0.4	13.54	9.06
Bob 12h				
	134	0.4	8.65	4.12
	78	0.4	9.61	4.7