


# Interview: What can I do with a Mathematics Degree?

<http://www.youtube.com/watch?v=HLlxranKf78>

**The Quigmans** By Buddy Hickerson



Herald Examiner 2/20/72

**Pre-listening. Answer questions with your neighbor.**

- 1) Why have you decided to study maths?
- 2) Why and where is maths important?
- 3) What sort of career can you have as a mathematician?
- 4) What is the difference between vocational and non-vocational degree?

**Listen to the talk and answer questions.**

- 1) What is Dr. Chris Good going to explain?

.....

- 2) What is the difference between studying engineering and medicine on the one hand and mathematics on the other hand?

.....

- 3) Which things he mentioned would not work without mathematics?

.....

- 4) What is Dr. Good interested in?

.....

- 5) Why do societies need mathematically-literate people?

.....

**The Way I Remember It** (Adapted from Křepinská, Houšková, Bubeníková: Rozšiřující materiály pro výuku anglického jazyka, Matfyzpress 2006)

**Pre-reading. Try to explain the meaning of these words.**

supervisor    unique    spherical    convex function    series

reinvent    assumption    analogy    ignorance    paper

**Reading. 1) Read the text and answer Qs.**

- 1) Why was the writer interested in Zygmund's book?
- 2) Where are the properties of convex functions important?
- 3) Why was the author forced to invent again the notion of subharmonicity?
- 4) How did the author's results compare with those of F. Riesz?
- 5) What happened after the author gave a presentation at Duke?
- 6) What was Plancherel famous for?
- 7) What was Plancherel's relation to Riesz?
- 8) Why does the writer think that ignorance could be positive? Do you agree?

**2) Read the text again. It is in American English. Try to find American words and replace them with British equivalents.**

**FOCUS A**

**THE WAY I REMEMBER IT**

In the fall of '47 I began to work on a Ph.D. thesis. My supervisor had me start by studying a chapter in Zygmund's book, dealing with uniqueness theorems for trigonometric series. Analogous work had been done for various other systems of functions, but only in one variable, as far as I could find out. I decided to try this problem for series of spherical harmonics. In the one-variable setting, properties of convex functions played a key role. This meant that I needed to find a good analogue of convexity for functions defined on the surface of a sphere. After a few unsatisfactory attempts I was led to reinvent the notion of subharmonicity (without giving it a name). When I found that F. Riesz had proved all the basic properties of subharmonic functions 20 years earlier I felt that I was on the right track. My final results were very similar to the best that were known in the classical case.

I presented this at an AMS meeting at Duke, in April '49. Soon after an abstract of this talk appeared in print, I received an envelope from Zürich, containing a paper published in 1919 by Plancherel, a mathematician who had proved the most fundamental theorem about Fourier transforms. The paper he sent me dealt with the same problem that I had worked on! Fortunately, his results were much weaker than mine, he had to make stronger assumptions, so that the desired conclusions were only proved for a much smaller class of series. (He had preceded Riesz while I had followed him.)

Now here is the point of all this: Had I known of Plancherel's paper, I would probably have been discouraged from tackling this problem. If this famous man could only get such weak results, what am I doing here? Sometimes a little ignorance is a good thing.

(*W. Rudin*)

4. Fill in the missing British equivalents of the American words:

- area code .....
- billion .....
- collect call .....
- cookie .....
- fall .....
- flashlight .....
- math .....
- resumé .....
- schedule .....
- secretary .....
- stove .....

5. Match the British words in column A with the American ones in column B:

- | A            | B            |
|--------------|--------------|
| a) shop      | 1) pants     |
| b) quote     | 2) railroad  |
| c) engaged   | 3) attorney  |
| d) tube      | 4) conductor |
| e) trousers  | 5) busy      |
| f) railway   | 6) cite      |
| g) guard     | 7) subway    |
| h) solicitor | 8) store     |

6. Read out the following:

- a)  $S_p = \frac{a - aq^n}{1 - q} \quad (q \neq 1)$
- b)  $0 < \text{ctn}^{-1}x < \pi$
- c)  $\lim x_n = a$
- d)  $x_n \rightarrow a$
- e)  $n > \frac{\log \varepsilon}{\log |q|}$
- f)  $0 < 1 - \frac{\sin x}{x} < 1 - \cos x$

g)  $1 < \sqrt{1 + \frac{1}{n}} < 1 + \frac{1}{n}$

h)  $\frac{\sqrt{1+x}-1}{x} = \frac{1}{\sqrt{1+x}+1}$

7. Rewrite these expressions into mathematical symbols:

- a) square brackets \_\_\_\_\_
- b) parentheses, round brackets \_\_\_\_\_
- c) braces \_\_\_\_\_
- d) X is an empty set \_\_\_\_\_
- e) M is the set with the elements 2, 4, 6 \_\_\_\_\_
- f) Capital l minus l is equal to d \_\_\_\_\_
- g) The nth root of c to the mth equals c to the power of m over n \_\_\_\_\_
- h) b to the power of minus n is equal to one over b to the nth \_\_\_\_\_
- i) The limit of f of x as x tends to x nought is not equal to f of x nought \_\_\_\_\_
- j) The limit, for delta x tending to zero, of the sum of f of x sub k delta x taken from x sub k equal to a to x sub k equal to b minus delta x equals \_\_\_\_\_  
 the integral from b to a of small f of x d x equals \_\_\_\_\_  
 capital f of x between the limits a and b \_\_\_\_\_
- k) y equals the negative square root of the difference r squared minus x squared \_\_\_\_\_