

## HRANIČNÍ PLAZMOLÝZA

česnek cibule

c [M]	Skupina 1 (% plaznolyz	Skupina 2 (% plaznolyz	Skupina 3 (% plaznolyzovaných)
0	0	0	0
0.1	0	0	0
0.2	0	0	0
0.3	1	0	28/119
0.4	3	67	36/131
0.5	6	67.83	49/118
0.6	43	93.07	68/116
0.7	79	100	87/117
0.8	100	100	111/117

## REFRAKTOMETRIE n vzorek (lilek brambor)

c [M]	Skupina 1		Skupina 2		Skupina 3	
	Kontrola (b	Vzorek	Kontrola (b	Vzorek	Kontrola (b	Vzorek
0		1.95	0	0	0	0
0.1		3.9	4.99	5.2	4.50	4.75
0.2		6.8	8.95	8.1	9.00	5.25
0.3		10	11.1	11.1	9.50	8.50
0.4		12.8	15	13.4	12.50	9.00
0.5		15.25	17.1	15.8	12.25	11.00
0.6		17.7	19.8	18.1	15.00	11.50
0.7		19.5	23.4	19	15.25	12.75
0.8		19.8	25.5	20.2	15.50	14.00

## TLAKOVÁ METODA

List č.	tlak [bar]	
	suchá	zalitá
1	4	3
2	6	4
3	2.9	6.1

$t = 24\text{ }^{\circ}\text{C}$