

| Date/Time | Value | Unit | Value2 | Unit2 |
|--------------------|-------|------|--------|-------|
| 13/04/2016 9:07:11 | 8.51 | mg/l | 23.3 | °C |
| 13/04/2016 9:07:21 | 8.51 | mg/l | 23.3 | °C |
| 13/04/2016 9:07:31 | 8.51 | mg/l | 23.3 | °C |
| 13/04/2016 9:07:41 | 8.51 | mg/l | 23.3 | °C |
| 13/04/2016 9:07:51 | 8.51 | mg/l | 23.3 | °C |
| 13/04/2016 9:08:01 | 8.5 | mg/l | 23.3 | °C |
| 13/04/2016 9:08:11 | 8.5 | mg/l | 23.3 | °C |
| 13/04/2016 9:08:21 | 8.49 | mg/l | 23.3 | °C |
| 13/04/2016 9:08:31 | 8.47 | mg/l | 23.3 | °C |
| 13/04/2016 9:08:41 | 8.49 | mg/l | 23.3 | °C |
| 13/04/2016 9:08:51 | 8.48 | mg/l | 23.3 | °C |
| 13/04/2016 9:09:01 | 8.46 | mg/l | 23.3 | °C |
| 13/04/2016 9:09:11 | 8.44 | mg/l | 23.3 | °C |
| 13/04/2016 9:09:21 | 8.44 | mg/l | 23.3 | °C |
| 13/04/2016 9:09:31 | 8.44 | mg/l | 23.3 | °C |
| 13/04/2016 9:09:41 | 8.43 | mg/l | 23.2 | °C |
| 13/04/2016 9:09:51 | 8.43 | mg/l | 23.2 | °C |
| 13/04/2016 9:10:01 | 8.42 | mg/l | 23.2 | °C |
| 13/04/2016 9:10:11 | 8.41 | mg/l | 23.1 | °C |
| 13/04/2016 9:10:21 | 8.42 | mg/l | 23.1 | °C |
| 13/04/2016 9:10:31 | 8.42 | mg/l | 23.1 | °C |
| 13/04/2016 9:10:41 | 8.41 | mg/l | 23 | °C |
| 13/04/2016 9:10:51 | 8.42 | mg/l | 23 | °C |
| 13/04/2016 9:11:01 | 8.43 | mg/l | 22.9 | °C |
| 13/04/2016 9:11:11 | 8.42 | mg/l | 22.9 | °C |
| 13/04/2016 9:11:21 | 8.42 | mg/l | 22.8 | °C |
| 13/04/2016 9:11:31 | 8.42 | mg/l | 22.8 | °C |
| 13/04/2016 9:11:41 | 8.44 | mg/l | 22.7 | °C |
| 13/04/2016 9:11:51 | 8.44 | mg/l | 22.7 | °C |
| 13/04/2016 9:12:01 | 8.43 | mg/l | 22.6 | °C |
| 13/04/2016 9:12:11 | 8.43 | mg/l | 22.6 | °C |
| 13/04/2016 9:12:21 | 8.43 | mg/l | 22.5 | °C |
| 13/04/2016 9:12:31 | 8.44 | mg/l | 22.5 | °C |
| 13/04/2016 9:12:41 | 8.44 | mg/l | 22.5 | °C |
| 13/04/2016 9:12:51 | 8.45 | mg/l | 22.4 | °C |
| 13/04/2016 9:13:01 | 8.44 | mg/l | 22.4 | °C |
| 13/04/2016 9:13:11 | 8.45 | mg/l | 22.3 | °C |
| 13/04/2016 9:13:21 | 8.46 | mg/l | 22.3 | °C |
| 13/04/2016 9:13:31 | 8.46 | mg/l | 22.3 | °C |
| 13/04/2016 9:13:41 | 8.46 | mg/l | 22.3 | °C |
| 13/04/2016 9:13:51 | 8.46 | mg/l | 22.2 | °C |
| 13/04/2016 9:14:01 | 8.45 | mg/l | 22.2 | °C |
| 13/04/2016 9:14:11 | 8.47 | mg/l | 22.2 | °C |
| 13/04/2016 9:14:21 | 8.47 | mg/l | 22.2 | °C |
| 13/04/2016 9:14:31 | 8.46 | mg/l | 22.1 | °C |
| 13/04/2016 9:14:41 | 8.45 | mg/l | 22.1 | °C |
| 13/04/2016 9:14:51 | 8.47 | mg/l | 22.1 | °C |
| 13/04/2016 9:15:01 | 8.47 | mg/l | 22.1 | °C |
| 13/04/2016 9:15:11 | 8.46 | mg/l | 22.1 | °C |

| | | |
|--------------------|-----------|---------|
| 13/04/2016 9:15:21 | 8.46 mg/l | 22.1 °C |
| 13/04/2016 9:15:31 | 8.47 mg/l | 22.1 °C |
| 13/04/2016 9:15:41 | 8.45 mg/l | 22 °C |
| 13/04/2016 9:15:51 | 8.46 mg/l | 22 °C |
| 13/04/2016 9:16:01 | 8.45 mg/l | 22 °C |
| 13/04/2016 9:16:11 | 8.46 mg/l | 22 °C |
| 13/04/2016 9:16:21 | 8.46 mg/l | 22 °C |
| 13/04/2016 9:16:31 | 8.47 mg/l | 22 °C |
| 13/04/2016 9:16:41 | 8.46 mg/l | 22 °C |
| 13/04/2016 9:16:51 | 8.45 mg/l | 22 °C |
| 13/04/2016 9:17:01 | 8.46 mg/l | 22 °C |
| 13/04/2016 9:17:11 | 8.45 mg/l | 22 °C |
| 13/04/2016 9:17:21 | 8.47 mg/l | 21.9 °C |
| 13/04/2016 9:17:31 | 8.46 mg/l | 21.9 °C |
| 13/04/2016 9:17:41 | 8.45 mg/l | 21.9 °C |
| 13/04/2016 9:17:51 | 8.43 mg/l | 21.9 °C |
| 13/04/2016 9:18:01 | 8.44 mg/l | 21.9 °C |
| 13/04/2016 9:18:11 | 8.45 mg/l | 21.9 °C |
| 13/04/2016 9:18:21 | 8.46 mg/l | 21.9 °C |
| 13/04/2016 9:18:31 | 8.46 mg/l | 21.8 °C |
| 13/04/2016 9:18:41 | 8.46 mg/l | 21.8 °C |
| 13/04/2016 9:18:51 | 8.44 mg/l | 21.8 °C |
| 13/04/2016 9:19:01 | 8.46 mg/l | 21.8 °C |
| 13/04/2016 9:19:11 | 8.45 mg/l | 21.8 °C |
| 13/04/2016 9:19:21 | 8.46 mg/l | 21.8 °C |
| 13/04/2016 9:19:31 | 8.46 mg/l | 21.8 °C |
| 13/04/2016 9:19:41 | 8.46 mg/l | 21.7 °C |
| 13/04/2016 9:19:51 | 8.45 mg/l | 21.7 °C |
| 13/04/2016 9:20:01 | 8.45 mg/l | 21.7 °C |
| 13/04/2016 9:20:11 | 8.45 mg/l | 21.7 °C |
| 13/04/2016 9:20:21 | 8.45 mg/l | 21.7 °C |
| 13/04/2016 9:20:31 | 8.45 mg/l | 21.7 °C |
| 13/04/2016 9:20:41 | 8.46 mg/l | 21.7 °C |
| 13/04/2016 9:20:51 | 8.45 mg/l | 21.7 °C |
| 13/04/2016 9:21:01 | 8.45 mg/l | 21.7 °C |
| 13/04/2016 9:21:11 | 8.45 mg/l | 21.7 °C |
| 13/04/2016 9:21:21 | 8.46 mg/l | 21.7 °C |
| 13/04/2016 9:21:31 | 8.45 mg/l | 21.6 °C |
| 13/04/2016 9:21:41 | 8.45 mg/l | 21.6 °C |
| 13/04/2016 9:21:51 | 8.45 mg/l | 21.6 °C |
| 13/04/2016 9:22:01 | 8.45 mg/l | 21.6 °C |
| 13/04/2016 9:22:11 | 8.46 mg/l | 21.6 °C |
| 13/04/2016 9:22:21 | 8.46 mg/l | 21.6 °C |
| 13/04/2016 9:22:31 | 8.45 mg/l | 21.6 °C |
| 13/04/2016 9:22:41 | 8.45 mg/l | 21.6 °C |
| 13/04/2016 9:22:51 | 8.45 mg/l | 21.6 °C |
| 13/04/2016 9:23:01 | 8.46 mg/l | 21.6 °C |
| 13/04/2016 9:23:11 | 8.46 mg/l | 21.6 °C |
| 13/04/2016 9:23:21 | 8.48 mg/l | 21.6 °C |
| 13/04/2016 9:23:31 | 8.47 mg/l | 21.6 °C |

| | | |
|--------------------|-----------|---------|
| 13/04/2016 9:23:41 | 8.46 mg/l | 21.6 °C |
| 13/04/2016 9:23:51 | 8.46 mg/l | 21.6 °C |
| 13/04/2016 9:24:01 | 8.47 mg/l | 21.6 °C |
| 13/04/2016 9:24:11 | 8.48 mg/l | 21.6 °C |
| 13/04/2016 9:24:21 | 8.48 mg/l | 21.6 °C |
| 13/04/2016 9:24:31 | 8.47 mg/l | 21.6 °C |
| 13/04/2016 9:24:41 | 8.48 mg/l | 21.6 °C |
| 13/04/2016 9:24:51 | 8.49 mg/l | 21.6 °C |
| 13/04/2016 9:25:01 | 8.48 mg/l | 21.7 °C |
| 13/04/2016 9:25:11 | 8.49 mg/l | 21.7 °C |
| 13/04/2016 9:25:21 | 8.49 mg/l | 21.7 °C |
| 13/04/2016 9:25:31 | 8.49 mg/l | 21.7 °C |
| 13/04/2016 9:25:41 | 8.5 mg/l | 21.7 °C |
| 13/04/2016 9:25:51 | 8.49 mg/l | 21.7 °C |
| 13/04/2016 9:26:01 | 8.5 mg/l | 21.7 °C |
| 13/04/2016 9:26:11 | 8.5 mg/l | 21.7 °C |
| 13/04/2016 9:26:21 | 8.5 mg/l | 21.7 °C |
| 13/04/2016 9:26:31 | 8.51 mg/l | 21.7 °C |
| 13/04/2016 9:26:41 | 8.5 mg/l | 21.7 °C |
| 13/04/2016 9:26:51 | 8.51 mg/l | 21.7 °C |
| 13/04/2016 9:27:01 | 8.53 mg/l | 21.7 °C |
| 13/04/2016 9:27:11 | 8.52 mg/l | 21.7 °C |
| 13/04/2016 9:27:21 | 8.51 mg/l | 21.7 °C |
| 13/04/2016 9:27:31 | 8.51 mg/l | 21.7 °C |
| 13/04/2016 9:27:41 | 8.52 mg/l | 21.7 °C |
| 13/04/2016 9:27:51 | 8.52 mg/l | 21.7 °C |
| 13/04/2016 9:28:01 | 8.51 mg/l | 21.7 °C |
| 13/04/2016 9:28:11 | 8.51 mg/l | 21.7 °C |
| 13/04/2016 9:28:21 | 8.53 mg/l | 21.6 °C |
| 13/04/2016 9:28:31 | 8.53 mg/l | 21.6 °C |
| 13/04/2016 9:28:41 | 8.52 mg/l | 21.6 °C |
| 13/04/2016 9:28:51 | 8.53 mg/l | 21.6 °C |
| 13/04/2016 9:29:01 | 8.53 mg/l | 21.6 °C |
| 13/04/2016 9:29:11 | 8.53 mg/l | 21.6 °C |
| 13/04/2016 9:29:21 | 8.54 mg/l | 21.6 °C |
| 13/04/2016 9:29:31 | 8.54 mg/l | 21.6 °C |
| 13/04/2016 9:29:41 | 8.54 mg/l | 21.6 °C |
| 13/04/2016 9:29:51 | 8.53 mg/l | 21.6 °C |
| 13/04/2016 9:30:01 | 8.55 mg/l | 21.6 °C |
| 13/04/2016 9:30:11 | 8.55 mg/l | 21.6 °C |
| 13/04/2016 9:30:21 | 8.55 mg/l | 21.6 °C |
| 13/04/2016 9:30:31 | 8.56 mg/l | 21.6 °C |
| 13/04/2016 9:30:41 | 8.55 mg/l | 21.6 °C |
| 13/04/2016 9:30:51 | 8.56 mg/l | 21.6 °C |
| 13/04/2016 9:31:01 | 8.56 mg/l | 21.6 °C |
| 13/04/2016 9:31:11 | 8.56 mg/l | 21.6 °C |
| 13/04/2016 9:31:21 | 8.56 mg/l | 21.6 °C |
| 13/04/2016 9:31:31 | 8.57 mg/l | 21.6 °C |
| 13/04/2016 9:31:41 | 8.55 mg/l | 21.6 °C |
| 13/04/2016 9:31:51 | 8.56 mg/l | 21.7 °C |

| | | |
|--------------------|-----------|---------|
| 13/04/2016 9:32:01 | 8.57 mg/l | 21.7 °C |
| 13/04/2016 9:32:11 | 8.57 mg/l | 21.7 °C |
| 13/04/2016 9:32:21 | 8.59 mg/l | 21.7 °C |
| 13/04/2016 9:32:31 | 8.59 mg/l | 21.7 °C |
| 13/04/2016 9:32:41 | 8.58 mg/l | 21.7 °C |
| 13/04/2016 9:32:51 | 8.59 mg/l | 21.8 °C |
| 13/04/2016 9:33:01 | 8.61 mg/l | 21.8 °C |
| 13/04/2016 9:33:11 | 8.6 mg/l | 21.8 °C |
| 13/04/2016 9:33:21 | 8.59 mg/l | 21.8 °C |
| 13/04/2016 9:33:31 | 8.6 mg/l | 21.9 °C |
| 13/04/2016 9:33:41 | 8.61 mg/l | 21.9 °C |
| 13/04/2016 9:33:51 | 8.61 mg/l | 21.9 °C |
| 13/04/2016 9:34:01 | 8.61 mg/l | 22 °C |
| 13/04/2016 9:34:11 | 8.63 mg/l | 22 °C |
| 13/04/2016 9:34:21 | 8.63 mg/l | 22 °C |
| 13/04/2016 9:34:31 | 8.62 mg/l | 22 °C |
| 13/04/2016 9:34:41 | 8.64 mg/l | 22.1 °C |
| 13/04/2016 9:34:51 | 8.63 mg/l | 22.1 °C |
| 13/04/2016 9:35:01 | 8.63 mg/l | 22.1 °C |
| 13/04/2016 9:35:11 | 8.64 mg/l | 22.2 °C |
| 13/04/2016 9:35:21 | 8.65 mg/l | 22.2 °C |
| 13/04/2016 9:35:31 | 8.66 mg/l | 22.2 °C |
| 13/04/2016 9:35:41 | 8.66 mg/l | 22.2 °C |
| 13/04/2016 9:35:51 | 8.66 mg/l | 22.3 °C |
| 13/04/2016 9:36:01 | 8.67 mg/l | 22.3 °C |
| 13/04/2016 9:36:11 | 8.67 mg/l | 22.3 °C |
| 13/04/2016 9:36:21 | 8.68 mg/l | 22.3 °C |
| 13/04/2016 9:36:31 | 8.69 mg/l | 22.4 °C |
| 13/04/2016 9:36:41 | 8.69 mg/l | 22.4 °C |
| 13/04/2016 9:36:51 | 8.68 mg/l | 22.4 °C |
| 13/04/2016 9:37:01 | 8.67 mg/l | 22.4 °C |
| 13/04/2016 9:37:11 | 8.68 mg/l | 22.4 °C |
| 13/04/2016 9:37:21 | 8.69 mg/l | 22.5 °C |
| 13/04/2016 9:37:31 | 8.69 mg/l | 22.5 °C |
| 13/04/2016 9:37:41 | 8.7 mg/l | 22.5 °C |
| 13/04/2016 9:37:51 | 8.71 mg/l | 22.5 °C |
| 13/04/2016 9:38:01 | 8.71 mg/l | 22.5 °C |
| 13/04/2016 9:38:11 | 8.72 mg/l | 22.6 °C |
| 13/04/2016 9:38:21 | 8.72 mg/l | 22.6 °C |
| 13/04/2016 9:38:31 | 8.73 mg/l | 22.6 °C |
| 13/04/2016 9:38:41 | 8.73 mg/l | 22.6 °C |
| 13/04/2016 9:38:51 | 8.72 mg/l | 22.6 °C |
| 13/04/2016 9:39:01 | 8.73 mg/l | 22.6 °C |
| 13/04/2016 9:39:11 | 8.74 mg/l | 22.7 °C |
| 13/04/2016 9:39:21 | 8.74 mg/l | 22.7 °C |
| 13/04/2016 9:39:31 | 8.75 mg/l | 22.7 °C |
| 13/04/2016 9:39:41 | 8.75 mg/l | 22.7 °C |
| 13/04/2016 9:39:51 | 8.74 mg/l | 22.7 °C |
| 13/04/2016 9:40:01 | 8.74 mg/l | 22.7 °C |
| 13/04/2016 9:40:11 | 8.75 mg/l | 22.7 °C |

| | | |
|--------------------|-----------|---------|
| 13/04/2016 9:40:21 | 8.76 mg/l | 22.7 °C |
| 13/04/2016 9:40:31 | 8.77 mg/l | 22.8 °C |
| 13/04/2016 9:40:41 | 8.76 mg/l | 22.8 °C |
| 13/04/2016 9:40:51 | 8.77 mg/l | 22.8 °C |
| 13/04/2016 9:41:01 | 8.78 mg/l | 22.8 °C |
| 13/04/2016 9:41:11 | 8.78 mg/l | 22.8 °C |
| 13/04/2016 9:41:21 | 8.79 mg/l | 22.8 °C |
| 13/04/2016 9:41:31 | 8.78 mg/l | 22.8 °C |
| 13/04/2016 9:41:41 | 8.78 mg/l | 22.8 °C |
| 13/04/2016 9:41:51 | 8.79 mg/l | 22.8 °C |
| 13/04/2016 9:42:01 | 8.8 mg/l | 22.8 °C |
| 13/04/2016 9:42:11 | 8.79 mg/l | 22.8 °C |
| 13/04/2016 9:42:21 | 8.8 mg/l | 22.8 °C |
| 13/04/2016 9:42:31 | 8.8 mg/l | 22.8 °C |
| 13/04/2016 9:42:41 | 8.8 mg/l | 22.8 °C |
| 13/04/2016 9:42:51 | 8.81 mg/l | 22.8 °C |
| 13/04/2016 9:43:01 | 8.79 mg/l | 22.8 °C |
| 13/04/2016 9:43:11 | 8.8 mg/l | 22.8 °C |
| 13/04/2016 9:43:21 | 8.81 mg/l | 22.7 °C |
| 13/04/2016 9:43:31 | 8.81 mg/l | 22.7 °C |
| 13/04/2016 9:43:41 | 8.81 mg/l | 22.6 °C |
| 13/04/2016 9:43:51 | 8.81 mg/l | 22.6 °C |
| 13/04/2016 9:44:01 | 8.81 mg/l | 22.5 °C |
| 13/04/2016 9:44:11 | 8.81 mg/l | 22.5 °C |
| 13/04/2016 9:44:21 | 8.82 mg/l | 22.4 °C |
| 13/04/2016 9:44:31 | 8.82 mg/l | 22.4 °C |
| 13/04/2016 9:44:41 | 8.83 mg/l | 22.4 °C |
| 13/04/2016 9:44:51 | 8.82 mg/l | 22.3 °C |
| 13/04/2016 9:45:01 | 8.84 mg/l | 22.3 °C |
| 13/04/2016 9:45:11 | 8.83 mg/l | 22.3 °C |
| 13/04/2016 9:45:21 | 8.83 mg/l | 22.3 °C |
| 13/04/2016 9:45:31 | 8.84 mg/l | 22.2 °C |
| 13/04/2016 9:45:41 | 8.84 mg/l | 22.2 °C |
| 13/04/2016 9:45:51 | 8.85 mg/l | 22.2 °C |
| 13/04/2016 9:46:01 | 8.85 mg/l | 22.2 °C |
| 13/04/2016 9:46:11 | 8.85 mg/l | 22.2 °C |
| 13/04/2016 9:46:21 | 8.87 mg/l | 22.2 °C |
| 13/04/2016 9:46:31 | 8.86 mg/l | 22.1 °C |
| 13/04/2016 9:46:41 | 8.87 mg/l | 22.1 °C |
| 13/04/2016 9:46:51 | 8.87 mg/l | 22.1 °C |
| 13/04/2016 9:47:01 | 8.88 mg/l | 22.1 °C |
| 13/04/2016 9:47:11 | 8.87 mg/l | 22.1 °C |
| 13/04/2016 9:47:21 | 8.86 mg/l | 22.1 °C |
| 13/04/2016 9:47:31 | 8.88 mg/l | 22.1 °C |
| 13/04/2016 9:47:41 | 8.88 mg/l | 22.1 °C |
| 13/04/2016 9:47:51 | 8.88 mg/l | 22.1 °C |
| 13/04/2016 9:48:01 | 8.9 mg/l | 22.1 °C |
| 13/04/2016 9:48:11 | 8.88 mg/l | 22.1 °C |
| 13/04/2016 9:48:21 | 8.9 mg/l | 22.1 °C |
| 13/04/2016 9:48:31 | 8.89 mg/l | 22.1 °C |

| | | |
|--------------------|-----------|---------|
| 13/04/2016 9:48:41 | 8.91 mg/l | 22.1 °C |
| 13/04/2016 9:48:51 | 8.91 mg/l | 22.1 °C |
| 13/04/2016 9:49:01 | 8.89 mg/l | 22.1 °C |
| 13/04/2016 9:49:11 | 8.91 mg/l | 22.1 °C |
| 13/04/2016 9:49:21 | 8.92 mg/l | 22.2 °C |
| 13/04/2016 9:49:31 | 8.92 mg/l | 22.1 °C |
| 13/04/2016 9:49:41 | 8.92 mg/l | 22.2 °C |
| 13/04/2016 9:49:51 | 8.93 mg/l | 22.2 °C |
| 13/04/2016 9:50:01 | 8.94 mg/l | 22.2 °C |
| 13/04/2016 9:50:11 | 8.93 mg/l | 22.2 °C |
| 13/04/2016 9:50:21 | 8.95 mg/l | 22.2 °C |
| 13/04/2016 9:50:31 | 8.94 mg/l | 22.2 °C |
| 13/04/2016 9:50:41 | 8.93 mg/l | 22.2 °C |
| 13/04/2016 9:50:51 | 8.94 mg/l | 22.2 °C |
| 13/04/2016 9:51:01 | 8.93 mg/l | 22.2 °C |
| 13/04/2016 9:51:11 | 8.94 mg/l | 22.2 °C |
| 13/04/2016 9:51:21 | 8.95 mg/l | 22.2 °C |
| 13/04/2016 9:51:31 | 8.95 mg/l | 22.2 °C |
| 13/04/2016 9:51:41 | 8.96 mg/l | 22.2 °C |
| 13/04/2016 9:51:51 | 8.97 mg/l | 22.2 °C |
| 13/04/2016 9:52:01 | 8.96 mg/l | 22.1 °C |
| 13/04/2016 9:52:11 | 8.96 mg/l | 22.2 °C |
| 13/04/2016 9:52:21 | 8.97 mg/l | 22.2 °C |
| 13/04/2016 9:52:31 | 8.97 mg/l | 22.2 °C |
| 13/04/2016 9:52:41 | 8.99 mg/l | 22.2 °C |
| 13/04/2016 9:52:51 | 8.98 mg/l | 22.2 °C |
| 13/04/2016 9:53:01 | 8.98 mg/l | 22.2 °C |
| 13/04/2016 9:53:11 | 8.98 mg/l | 22.3 °C |
| 13/04/2016 9:53:21 | 8.99 mg/l | 22.3 °C |
| 13/04/2016 9:53:31 | 8.99 mg/l | 22.3 °C |
| 13/04/2016 9:53:41 | 8.99 mg/l | 22.3 °C |
| 13/04/2016 9:53:51 | 8.99 mg/l | 22.3 °C |
| 13/04/2016 9:54:01 | 9 mg/l | 22.4 °C |
| 13/04/2016 9:54:11 | 9 mg/l | 22.4 °C |
| 13/04/2016 9:54:21 | 9.01 mg/l | 22.4 °C |
| 13/04/2016 9:54:31 | 9 mg/l | 22.4 °C |
| 13/04/2016 9:54:41 | 9 mg/l | 22.4 °C |
| 13/04/2016 9:54:51 | 9.01 mg/l | 22.4 °C |
| 13/04/2016 9:55:01 | 9.03 mg/l | 22.5 °C |
| 13/04/2016 9:55:11 | 9.02 mg/l | 22.5 °C |
| 13/04/2016 9:55:21 | 9.02 mg/l | 22.5 °C |
| 13/04/2016 9:55:31 | 9.04 mg/l | 22.5 °C |
| 13/04/2016 9:55:41 | 9.03 mg/l | 22.5 °C |
| 13/04/2016 9:55:51 | 9.03 mg/l | 22.5 °C |
| 13/04/2016 9:56:01 | 9.02 mg/l | 22.5 °C |
| 13/04/2016 9:56:11 | 9.03 mg/l | 22.5 °C |
| 13/04/2016 9:56:21 | 9.04 mg/l | 22.5 °C |
| 13/04/2016 9:56:31 | 9.04 mg/l | 22.5 °C |
| 13/04/2016 9:56:41 | 9.03 mg/l | 22.5 °C |
| 13/04/2016 9:56:51 | 9.03 mg/l | 22.5 °C |

| | | |
|---------------------|-----------|---------|
| 13/04/2016 9:57:01 | 9.03 mg/l | 22.4 °C |
| 13/04/2016 9:57:11 | 9.05 mg/l | 22.4 °C |
| 13/04/2016 9:57:21 | 9.04 mg/l | 22.3 °C |
| 13/04/2016 9:57:31 | 9.04 mg/l | 22.3 °C |
| 13/04/2016 9:57:41 | 9.05 mg/l | 22.3 °C |
| 13/04/2016 9:57:51 | 9.06 mg/l | 22.2 °C |
| 13/04/2016 9:58:01 | 9.07 mg/l | 22.2 °C |
| 13/04/2016 9:58:11 | 9.07 mg/l | 22.2 °C |
| 13/04/2016 9:58:21 | 9.06 mg/l | 22.2 °C |
| 13/04/2016 9:58:31 | 9.06 mg/l | 22.2 °C |
| 13/04/2016 9:58:41 | 9.07 mg/l | 22.2 °C |
| 13/04/2016 9:58:51 | 9.07 mg/l | 22.2 °C |
| 13/04/2016 9:59:01 | 9.08 mg/l | 22.2 °C |
| 13/04/2016 9:59:11 | 9.08 mg/l | 22.2 °C |
| 13/04/2016 9:59:21 | 9.08 mg/l | 22.2 °C |
| 13/04/2016 9:59:31 | 9.08 mg/l | 22.2 °C |
| 13/04/2016 9:59:41 | 9.09 mg/l | 22.2 °C |
| 13/04/2016 9:59:51 | 9.1 mg/l | 22.2 °C |
| 13/04/2016 10:00:01 | 9.11 mg/l | 22.2 °C |
| 13/04/2016 10:00:11 | 9.1 mg/l | 22.2 °C |
| 13/04/2016 10:00:21 | 9.09 mg/l | 22.2 °C |
| 13/04/2016 10:00:31 | 9.11 mg/l | 22.2 °C |
| 13/04/2016 10:00:41 | 9.1 mg/l | 22.2 °C |
| 13/04/2016 10:00:51 | 9.1 mg/l | 22.2 °C |
| 13/04/2016 10:01:01 | 9.11 mg/l | 22.2 °C |
| 13/04/2016 10:01:11 | 9.11 mg/l | 22.2 °C |
| 13/04/2016 10:01:21 | 9.1 mg/l | 22.2 °C |
| 13/04/2016 10:01:31 | 9.12 mg/l | 22.2 °C |
| 13/04/2016 10:01:41 | 9.11 mg/l | 22.2 °C |
| 13/04/2016 10:01:51 | 9.12 mg/l | 22.2 °C |
| 13/04/2016 10:02:01 | 9.13 mg/l | 22.2 °C |
| 13/04/2016 10:02:11 | 9.13 mg/l | 22.2 °C |
| 13/04/2016 10:02:21 | 9.13 mg/l | 22.3 °C |
| 13/04/2016 10:02:31 | 9.13 mg/l | 22.3 °C |
| 13/04/2016 10:02:41 | 9.15 mg/l | 22.3 °C |
| 13/04/2016 10:02:51 | 9.16 mg/l | 22.3 °C |
| 13/04/2016 10:03:01 | 9.13 mg/l | 22.3 °C |
| 13/04/2016 10:03:11 | 9.14 mg/l | 22.3 °C |
| 13/04/2016 10:03:21 | 9.14 mg/l | 22.4 °C |
| 13/04/2016 10:03:31 | 9.15 mg/l | 22.4 °C |
| 13/04/2016 10:03:41 | 9.15 mg/l | 22.4 °C |
| 13/04/2016 10:03:51 | 9.15 mg/l | 22.4 °C |
| 13/04/2016 10:04:01 | 9.15 mg/l | 22.4 °C |
| 13/04/2016 10:04:11 | 9.16 mg/l | 22.4 °C |
| 13/04/2016 10:04:21 | 9.14 mg/l | 22.5 °C |
| 13/04/2016 10:04:31 | 9.16 mg/l | 22.5 °C |
| 13/04/2016 10:04:41 | 9.17 mg/l | 22.5 °C |
| 13/04/2016 10:04:51 | 9.17 mg/l | 22.5 °C |
| 13/04/2016 10:05:01 | 9.16 mg/l | 22.5 °C |
| 13/04/2016 10:05:11 | 9.17 mg/l | 22.5 °C |

| | | |
|---------------------|-----------|---------|
| 13/04/2016 10:05:21 | 9.18 mg/l | 22.5 °C |
| 13/04/2016 10:05:31 | 9.16 mg/l | 22.5 °C |
| 13/04/2016 10:05:41 | 9.18 mg/l | 22.5 °C |
| 13/04/2016 10:05:51 | 9.17 mg/l | 22.5 °C |
| 13/04/2016 10:06:01 | 9.17 mg/l | 22.5 °C |
| 13/04/2016 10:06:11 | 9.18 mg/l | 22.5 °C |
| 13/04/2016 10:06:21 | 9.18 mg/l | 22.5 °C |
| 13/04/2016 10:06:31 | 9.19 mg/l | 22.5 °C |
| 13/04/2016 10:06:41 | 9.17 mg/l | 22.5 °C |
| 13/04/2016 10:06:51 | 9.18 mg/l | 22.5 °C |
| 13/04/2016 10:07:01 | 9.19 mg/l | 22.5 °C |
| 13/04/2016 10:07:11 | 9.19 mg/l | 22.5 °C |
| 13/04/2016 10:07:21 | 9.2 mg/l | 22.5 °C |
| 13/04/2016 10:07:31 | 9.2 mg/l | 22.5 °C |
| 13/04/2016 10:07:41 | 9.2 mg/l | 22.5 °C |
| 13/04/2016 10:07:51 | 9.19 mg/l | 22.6 °C |
| 13/04/2016 10:08:01 | 9.21 mg/l | 22.6 °C |
| 13/04/2016 10:08:11 | 9.19 mg/l | 22.6 °C |
| 13/04/2016 10:08:21 | 9.2 mg/l | 22.6 °C |
| 13/04/2016 10:08:31 | 9.19 mg/l | 22.6 °C |
| 13/04/2016 10:08:41 | 9.21 mg/l | 22.6 °C |
| 13/04/2016 10:08:51 | 9.2 mg/l | 22.6 °C |
| 13/04/2016 10:09:01 | 9.19 mg/l | 22.6 °C |
| 13/04/2016 10:09:11 | 9.21 mg/l | 22.6 °C |
| 13/04/2016 10:09:21 | 9.21 mg/l | 22.5 °C |
| 13/04/2016 10:09:31 | 9.2 mg/l | 22.5 °C |
| 13/04/2016 10:09:41 | 9.21 mg/l | 22.5 °C |
| 13/04/2016 10:09:51 | 9.2 mg/l | 22.5 °C |
| 13/04/2016 10:10:01 | 9.2 mg/l | 22.5 °C |
| 13/04/2016 10:10:11 | 9.23 mg/l | 22.5 °C |
| 13/04/2016 10:10:21 | 9.2 mg/l | 22.5 °C |
| 13/04/2016 10:10:31 | 9.19 mg/l | 22.5 °C |
| 13/04/2016 10:10:41 | 9.22 mg/l | 22.5 °C |
| 13/04/2016 10:10:51 | 9.21 mg/l | 22.4 °C |
| 13/04/2016 10:11:01 | 9.21 mg/l | 22.4 °C |
| 13/04/2016 10:11:11 | 9.2 mg/l | 22.4 °C |
| 13/04/2016 10:11:21 | 9.21 mg/l | 22.4 °C |
| 13/04/2016 10:11:31 | 9.22 mg/l | 22.4 °C |
| 13/04/2016 10:11:41 | 9.23 mg/l | 22.4 °C |
| 13/04/2016 10:11:51 | 9.22 mg/l | 22.4 °C |
| 13/04/2016 10:12:01 | 9.22 mg/l | 22.4 °C |
| 13/04/2016 10:12:11 | 9.21 mg/l | 22.4 °C |
| 13/04/2016 10:12:21 | 9.22 mg/l | 22.4 °C |
| 13/04/2016 10:12:31 | 9.23 mg/l | 22.4 °C |
| 13/04/2016 10:12:41 | 9.23 mg/l | 22.4 °C |
| 13/04/2016 10:12:51 | 9.23 mg/l | 22.4 °C |
| 13/04/2016 10:13:01 | 9.22 mg/l | 22.4 °C |
| 13/04/2016 10:13:11 | 9.22 mg/l | 22.4 °C |
| 13/04/2016 10:13:21 | 9.23 mg/l | 22.4 °C |
| 13/04/2016 10:13:31 | 9.22 mg/l | 22.4 °C |

| | | |
|---------------------|-----------|---------|
| 13/04/2016 10:13:41 | 9.23 mg/l | 22.4 °C |
| 13/04/2016 10:13:51 | 9.23 mg/l | 22.4 °C |
| 13/04/2016 10:14:01 | 9.23 mg/l | 22.4 °C |
| 13/04/2016 10:14:11 | 9.24 mg/l | 22.4 °C |
| 13/04/2016 10:14:21 | 9.23 mg/l | 22.4 °C |
| 13/04/2016 10:14:31 | 9.23 mg/l | 22.4 °C |
| 13/04/2016 10:14:41 | 9.24 mg/l | 22.4 °C |
| 13/04/2016 10:14:51 | 9.25 mg/l | 22.4 °C |
| 13/04/2016 10:15:01 | 9.24 mg/l | 22.4 °C |
| 13/04/2016 10:15:11 | 9.24 mg/l | 22.4 °C |
| 13/04/2016 10:15:21 | 9.24 mg/l | 22.4 °C |
| 13/04/2016 10:15:31 | 9.25 mg/l | 22.4 °C |
| 13/04/2016 10:15:41 | 9.25 mg/l | 22.4 °C |
| 13/04/2016 10:15:51 | 9.24 mg/l | 22.4 °C |
| 13/04/2016 10:16:01 | 9.25 mg/l | 22.4 °C |
| 13/04/2016 10:16:11 | 9.24 mg/l | 22.4 °C |
| 13/04/2016 10:16:21 | 9.24 mg/l | 22.4 °C |
| 13/04/2016 10:16:31 | 9.24 mg/l | 22.4 °C |
| 13/04/2016 10:16:41 | 9.24 mg/l | 22.4 °C |
| 13/04/2016 10:16:51 | 9.26 mg/l | 22.4 °C |
| 13/04/2016 10:17:01 | 9.26 mg/l | 22.4 °C |
| 13/04/2016 10:17:11 | 9.25 mg/l | 22.4 °C |
| 13/04/2016 10:17:21 | 9.25 mg/l | 22.4 °C |
| 13/04/2016 10:17:31 | 9.25 mg/l | 22.4 °C |
| 13/04/2016 10:17:41 | 9.26 mg/l | 22.4 °C |
| 13/04/2016 10:17:51 | 9.27 mg/l | 22.4 °C |
| 13/04/2016 10:18:01 | 9.24 mg/l | 22.4 °C |
| 13/04/2016 10:18:11 | 9.25 mg/l | 22.4 °C |
| 13/04/2016 10:18:21 | 9.26 mg/l | 22.4 °C |
| 13/04/2016 10:18:31 | 9.26 mg/l | 22.4 °C |
| 13/04/2016 10:18:41 | 9.25 mg/l | 22.4 °C |
| 13/04/2016 10:18:51 | 9.26 mg/l | 22.4 °C |
| 13/04/2016 10:19:01 | 9.27 mg/l | 22.4 °C |
| 13/04/2016 10:19:11 | 9.27 mg/l | 22.4 °C |
| 13/04/2016 10:19:21 | 9.26 mg/l | 22.4 °C |
| 13/04/2016 10:19:31 | 9.26 mg/l | 22.4 °C |
| 13/04/2016 10:19:41 | 9.25 mg/l | 22.4 °C |
| 13/04/2016 10:19:51 | 9.27 mg/l | 22.4 °C |
| 13/04/2016 10:20:01 | 9.27 mg/l | 22.4 °C |
| 13/04/2016 10:20:11 | 9.26 mg/l | 22.4 °C |
| 13/04/2016 10:20:21 | 9.26 mg/l | 22.4 °C |
| 13/04/2016 10:20:31 | 9.27 mg/l | 22.4 °C |
| 13/04/2016 10:20:41 | 9.28 mg/l | 22.4 °C |
| 13/04/2016 10:20:51 | 9.27 mg/l | 22.5 °C |
| 13/04/2016 10:21:01 | 9.27 mg/l | 22.5 °C |
| 13/04/2016 10:21:11 | 9.27 mg/l | 22.5 °C |
| 13/04/2016 10:21:21 | 9.28 mg/l | 22.5 °C |
| 13/04/2016 10:21:31 | 9.29 mg/l | 22.5 °C |
| 13/04/2016 10:21:41 | 9.28 mg/l | 22.5 °C |
| 13/04/2016 10:21:51 | 9.29 mg/l | 22.5 °C |

| | | |
|---------------------|-----------|---------|
| 13/04/2016 10:22:01 | 9.29 mg/l | 22.5 °C |
| 13/04/2016 10:22:11 | 9.28 mg/l | 22.5 °C |
| 13/04/2016 10:22:21 | 9.27 mg/l | 22.5 °C |
| 13/04/2016 10:22:31 | 9.29 mg/l | 22.5 °C |
| 13/04/2016 10:22:41 | 9.28 mg/l | 22.5 °C |
| 13/04/2016 10:22:51 | 9.3 mg/l | 22.5 °C |
| 13/04/2016 10:23:01 | 9.29 mg/l | 22.5 °C |
| 13/04/2016 10:23:11 | 9.29 mg/l | 22.5 °C |
| 13/04/2016 10:23:21 | 9.3 mg/l | 22.5 °C |
| 13/04/2016 10:23:31 | 9.3 mg/l | 22.5 °C |
| 13/04/2016 10:23:41 | 9.28 mg/l | 22.5 °C |
| 13/04/2016 10:23:51 | 9.28 mg/l | 22.5 °C |
| 13/04/2016 10:24:01 | 9.29 mg/l | 22.5 °C |
| 13/04/2016 10:24:11 | 9.29 mg/l | 22.5 °C |
| 13/04/2016 10:24:21 | 9.3 mg/l | 22.5 °C |
| 13/04/2016 10:24:31 | 9.3 mg/l | 22.5 °C |
| 13/04/2016 10:24:41 | 9.3 mg/l | 22.5 °C |
| 13/04/2016 10:24:51 | 9.3 mg/l | 22.5 °C |
| 13/04/2016 10:25:01 | 9.29 mg/l | 22.5 °C |
| 13/04/2016 10:25:11 | 9.3 mg/l | 22.5 °C |
| 13/04/2016 10:25:21 | 9.28 mg/l | 22.5 °C |
| 13/04/2016 10:25:31 | 9.28 mg/l | 22.5 °C |
| 13/04/2016 10:25:41 | 9.29 mg/l | 22.5 °C |
| 13/04/2016 10:25:51 | 9.31 mg/l | 22.5 °C |
| 13/04/2016 10:26:01 | 9.3 mg/l | 22.5 °C |
| 13/04/2016 10:26:11 | 9.3 mg/l | 22.5 °C |
| 13/04/2016 10:26:21 | 9.31 mg/l | 22.5 °C |
| 13/04/2016 10:26:31 | 9.3 mg/l | 22.5 °C |
| 13/04/2016 10:26:41 | 9.3 mg/l | 22.5 °C |
| 13/04/2016 10:26:51 | 9.29 mg/l | 22.5 °C |
| 13/04/2016 10:27:01 | 9.29 mg/l | 22.5 °C |
| 13/04/2016 10:27:11 | 9.3 mg/l | 22.5 °C |
| 13/04/2016 10:27:21 | 9.3 mg/l | 22.5 °C |
| 13/04/2016 10:27:31 | 9.3 mg/l | 22.5 °C |
| 13/04/2016 10:27:41 | 9.31 mg/l | 22.5 °C |
| 13/04/2016 10:27:51 | 9.31 mg/l | 22.5 °C |
| 13/04/2016 10:28:01 | 9.29 mg/l | 22.5 °C |
| 13/04/2016 10:28:11 | 9.3 mg/l | 22.5 °C |
| 13/04/2016 10:28:21 | 9.29 mg/l | 22.5 °C |
| 13/04/2016 10:28:31 | 9.31 mg/l | 22.5 °C |
| 13/04/2016 10:28:41 | 9.31 mg/l | 22.5 °C |
| 13/04/2016 10:28:51 | 9.29 mg/l | 22.6 °C |
| 13/04/2016 10:29:01 | 9.31 mg/l | 22.5 °C |
| 13/04/2016 10:29:11 | 9.32 mg/l | 22.5 °C |
| 13/04/2016 10:29:21 | 9.31 mg/l | 22.5 °C |
| 13/04/2016 10:29:31 | 9.32 mg/l | 22.5 °C |
| 13/04/2016 10:29:41 | 9.31 mg/l | 22.6 °C |
| 13/04/2016 10:29:51 | 9.31 mg/l | 22.6 °C |
| 13/04/2016 10:30:01 | 9.31 mg/l | 22.6 °C |
| 13/04/2016 10:30:11 | 9.31 mg/l | 22.6 °C |

| | | |
|---------------------|-----------|---------|
| 13/04/2016 10:30:21 | 9.31 mg/l | 22.6 °C |
| 13/04/2016 10:30:31 | 9.31 mg/l | 22.6 °C |
| 13/04/2016 10:30:41 | 9.32 mg/l | 22.6 °C |
| 13/04/2016 10:30:51 | 9.32 mg/l | 22.6 °C |
| 13/04/2016 10:31:01 | 9.31 mg/l | 22.5 °C |
| 13/04/2016 10:31:11 | 9.31 mg/l | 22.5 °C |
| 13/04/2016 10:31:21 | 9.33 mg/l | 22.5 °C |
| 13/04/2016 10:31:31 | 9.32 mg/l | 22.5 °C |
| 13/04/2016 10:31:41 | 9.32 mg/l | 22.5 °C |
| 13/04/2016 10:31:51 | 9.33 mg/l | 22.5 °C |
| 13/04/2016 10:32:01 | 9.34 mg/l | 22.5 °C |
| 13/04/2016 10:32:11 | 9.33 mg/l | 22.5 °C |
| 13/04/2016 10:32:21 | 9.32 mg/l | 22.5 °C |
| 13/04/2016 10:32:31 | 9.33 mg/l | 22.5 °C |
| 13/04/2016 10:32:41 | 9.32 mg/l | 22.5 °C |
| 13/04/2016 10:32:51 | 9.32 mg/l | 22.5 °C |
| 13/04/2016 10:33:01 | 9.34 mg/l | 22.5 °C |
| 13/04/2016 10:33:11 | 9.33 mg/l | 22.5 °C |
| 13/04/2016 10:33:21 | 9.33 mg/l | 22.5 °C |
| 13/04/2016 10:33:31 | 9.32 mg/l | 22.5 °C |
| 13/04/2016 10:33:41 | 9.33 mg/l | 22.5 °C |
| 13/04/2016 10:33:51 | 9.34 mg/l | 22.5 °C |
| 13/04/2016 10:34:01 | 9.33 mg/l | 22.5 °C |
| 13/04/2016 10:34:11 | 9.32 mg/l | 22.5 °C |
| 13/04/2016 10:34:21 | 9.34 mg/l | 22.5 °C |
| 13/04/2016 10:34:31 | 9.33 mg/l | 22.5 °C |
| 13/04/2016 10:34:41 | 9.34 mg/l | 22.5 °C |
| 13/04/2016 10:34:51 | 9.34 mg/l | 22.5 °C |
| 13/04/2016 10:35:01 | 9.35 mg/l | 22.5 °C |
| 13/04/2016 10:35:11 | 9.35 mg/l | 22.5 °C |
| 13/04/2016 10:35:21 | 9.33 mg/l | 22.5 °C |
| 13/04/2016 10:35:31 | 9.34 mg/l | 22.5 °C |
| 13/04/2016 10:35:41 | 9.34 mg/l | 22.5 °C |
| 13/04/2016 10:35:51 | 9.32 mg/l | 22.5 °C |
| 13/04/2016 10:36:01 | 9.34 mg/l | 22.5 °C |
| 13/04/2016 10:36:11 | 9.34 mg/l | 22.5 °C |
| 13/04/2016 10:36:21 | 9.33 mg/l | 22.5 °C |
| 13/04/2016 10:36:31 | 9.35 mg/l | 22.5 °C |
| 13/04/2016 10:36:41 | 9.35 mg/l | 22.5 °C |
| 13/04/2016 10:36:51 | 9.35 mg/l | 22.5 °C |
| 13/04/2016 10:37:01 | 9.36 mg/l | 22.5 °C |
| 13/04/2016 10:37:11 | 9.34 mg/l | 22.5 °C |
| 13/04/2016 10:37:21 | 9.35 mg/l | 22.5 °C |
| 13/04/2016 10:37:31 | 9.35 mg/l | 22.5 °C |
| 13/04/2016 10:37:41 | 9.34 mg/l | 22.5 °C |
| 13/04/2016 10:37:51 | 9.35 mg/l | 22.6 °C |
| 13/04/2016 10:38:01 | 9.36 mg/l | 22.6 °C |
| 13/04/2016 10:38:11 | 9.36 mg/l | 22.6 °C |
| 13/04/2016 10:38:21 | 9.36 mg/l | 22.6 °C |
| 13/04/2016 10:38:31 | 9.36 mg/l | 22.6 °C |

| | | |
|---------------------|-----------|---------|
| 13/04/2016 10:38:41 | 9.36 mg/l | 22.6 °C |
| 13/04/2016 10:38:51 | 9.36 mg/l | 22.6 °C |
| 13/04/2016 10:39:01 | 9.36 mg/l | 22.6 °C |
| 13/04/2016 10:39:11 | 9.36 mg/l | 22.6 °C |
| 13/04/2016 10:39:21 | 9.35 mg/l | 22.6 °C |
| 13/04/2016 10:39:31 | 9.35 mg/l | 22.6 °C |
| 13/04/2016 10:39:41 | 9.35 mg/l | 22.6 °C |
| 13/04/2016 10:39:51 | 9.36 mg/l | 22.6 °C |
| 13/04/2016 10:40:01 | 9.34 mg/l | 22.6 °C |
| 13/04/2016 10:40:11 | 9.36 mg/l | 22.5 °C |
| 13/04/2016 10:40:21 | 9.35 mg/l | 22.5 °C |
| 13/04/2016 10:40:31 | 9.35 mg/l | 22.5 °C |
| 13/04/2016 10:40:41 | 9.36 mg/l | 22.5 °C |
| 13/04/2016 10:40:51 | 9.36 mg/l | 22.5 °C |
| 13/04/2016 10:41:01 | 9.37 mg/l | 22.5 °C |
| 13/04/2016 10:41:11 | 9.36 mg/l | 22.5 °C |
| 13/04/2016 10:41:21 | 9.36 mg/l | 22.5 °C |
| 13/04/2016 10:41:31 | 9.36 mg/l | 22.5 °C |
| 13/04/2016 10:41:41 | 9.36 mg/l | 22.5 °C |
| 13/04/2016 10:41:51 | 9.36 mg/l | 22.5 °C |
| 13/04/2016 10:42:01 | 9.37 mg/l | 22.5 °C |
| 13/04/2016 10:42:11 | 9.35 mg/l | 22.5 °C |
| 13/04/2016 10:42:21 | 9.37 mg/l | 22.5 °C |
| 13/04/2016 10:42:31 | 9.37 mg/l | 22.5 °C |
| 13/04/2016 10:42:41 | 9.36 mg/l | 22.5 °C |
| 13/04/2016 10:42:51 | 9.36 mg/l | 22.5 °C |
| 13/04/2016 10:43:01 | 9.38 mg/l | 22.5 °C |
| 13/04/2016 10:43:11 | 9.36 mg/l | 22.5 °C |
| 13/04/2016 10:43:21 | 9.37 mg/l | 22.5 °C |
| 13/04/2016 10:43:31 | 9.38 mg/l | 22.5 °C |
| 13/04/2016 10:43:41 | 9.36 mg/l | 22.5 °C |
| 13/04/2016 10:43:51 | 9.37 mg/l | 22.5 °C |
| 13/04/2016 10:44:01 | 9.38 mg/l | 22.5 °C |
| 13/04/2016 10:44:11 | 9.37 mg/l | 22.5 °C |
| 13/04/2016 10:44:21 | 9.36 mg/l | 22.5 °C |
| 13/04/2016 10:44:31 | 9.36 mg/l | 22.5 °C |
| 13/04/2016 10:44:41 | 9.38 mg/l | 22.5 °C |
| 13/04/2016 10:44:51 | 9.36 mg/l | 22.5 °C |
| 13/04/2016 10:45:01 | 9.37 mg/l | 22.5 °C |
| 13/04/2016 10:45:11 | 9.38 mg/l | 22.5 °C |
| 13/04/2016 10:45:21 | 9.37 mg/l | 22.5 °C |
| 13/04/2016 10:45:31 | 9.38 mg/l | 22.5 °C |
| 13/04/2016 10:45:41 | 9.39 mg/l | 22.5 °C |
| 13/04/2016 10:45:51 | 9.38 mg/l | 22.5 °C |
| 13/04/2016 10:46:01 | 9.37 mg/l | 22.5 °C |
| 13/04/2016 10:46:11 | 9.39 mg/l | 22.5 °C |
| 13/04/2016 10:46:21 | 9.37 mg/l | 22.5 °C |
| 13/04/2016 10:46:31 | 9.37 mg/l | 22.5 °C |
| 13/04/2016 10:46:41 | 9.38 mg/l | 22.5 °C |
| 13/04/2016 10:46:51 | 9.37 mg/l | 22.5 °C |

| | | |
|---------------------|-----------|---------|
| 13/04/2016 10:47:01 | 9.38 mg/l | 22.5 °C |
| 13/04/2016 10:47:11 | 9.39 mg/l | 22.5 °C |
| 13/04/2016 10:47:21 | 9.38 mg/l | 22.5 °C |
| 13/04/2016 10:47:31 | 9.37 mg/l | 22.5 °C |
| 13/04/2016 10:47:41 | 9.38 mg/l | 22.5 °C |
| 13/04/2016 10:47:51 | 9.38 mg/l | 22.5 °C |
| 13/04/2016 10:48:01 | 9.38 mg/l | 22.5 °C |
| 13/04/2016 10:48:11 | 9.38 mg/l | 22.5 °C |
| 13/04/2016 10:48:21 | 9.37 mg/l | 22.5 °C |
| 13/04/2016 10:48:31 | 9.39 mg/l | 22.5 °C |
| 13/04/2016 10:48:41 | 9.38 mg/l | 22.5 °C |
| 13/04/2016 10:48:51 | 9.39 mg/l | 22.5 °C |
| 13/04/2016 10:49:01 | 9.39 mg/l | 22.5 °C |
| 13/04/2016 10:49:11 | 9.38 mg/l | 22.5 °C |
| 13/04/2016 10:49:21 | 9.37 mg/l | 22.5 °C |
| 13/04/2016 10:49:31 | 9.38 mg/l | 22.5 °C |
| 13/04/2016 10:49:41 | 9.38 mg/l | 22.5 °C |
| 13/04/2016 10:49:51 | 9.39 mg/l | 22.5 °C |
| 13/04/2016 10:50:01 | 9.4 mg/l | 22.5 °C |
| 13/04/2016 10:50:11 | 9.39 mg/l | 22.5 °C |
| 13/04/2016 10:50:21 | 9.39 mg/l | 22.5 °C |
| 13/04/2016 10:50:31 | 9.39 mg/l | 22.5 °C |

| Parameter | Value |
|-----------|-------|
| ----- | ----- |
| Fo | 1626 |
| Fm | 3901 |
| Fm_L1 | 4714 |
| Fm_L2 | 4324 |
| Fm_L3 | 3933 |
| Fm_L4 | 3511 |
| Fm_L5 | 2535 |
| Fm_L6 | 1918 |
| Fm_L7 | 1398 |
| Ft_L1 | 2308 |
| Ft_L2 | 2113 |
| Ft_L3 | 2016 |
| Ft_L4 | 2048 |
| Ft_L5 | 1918 |
| Ft_L6 | 1593 |
| Ft_L7 | 1365 |
| QY_max | 0.58 |
| QY_L1 | 0.51 |
| QY_L2 | 0.51 |
| QY_L3 | 0.49 |
| QY_L4 | 0.42 |
| QY_L5 | 0.24 |
| QY_L6 | 0.17 |
| QY_L7 | 0.02 |
| ----- | ----- |

| Parameter | Value | Irradiance [$\mu\text{mol.m}^{-2}.\text{s}^{-1}$] |
|-----------|-------|---|
| QY_max | 0.58 | 0 |
| QY_L1 | 0.51 | 10 |
| QY_L2 | 0.51 | 20 |
| QY_L3 | 0.49 | 50 |
| QY_L4 | 0.42 | 100 |
| QY_L5 | 0.24 | 300 |
| QY_L6 | 0.17 | 500 |
| QY_L7 | 0.02 | 1000 |