

SUNRISE; Serial number: 711005229; Firmware: V 3.31 25/08/05; XREAD PLUS Version: V 4.00

Date: 18/4/17

Time: 12:05

User comment:

Measurement mode: Absorbance

Measurement filter: 590 nm

Rawdata

<>	1	2	3	4	5	6	7	8	9
A	0.3390	0.1560	0.9170	0.0350	0.0330	0.0360	0.0360	0.0370	0.0360
B	0.2800	0.0390	0.3450	0.0390	0.0350	0.0360	0.0370	0.0370	0.0370
C	0.0770	0.0330	0.1600	0.0380	0.0360	0.0350	0.0360	0.0370	0.0370
D	0.5290	0.0450	0.3540	0.0360	0.0360	0.0370	0.0360	0.0370	0.0360
E	0.0960	0.0950	0.0920	0.0380	0.0380	0.0390	0.0360	0.0370	0.0360
F	0.0720	0.0780	0.0820	0.0380	0.0390	0.0370	0.0350	0.0370	0.0370
G	0.0710	0.0670	0.0800	0.0350	0.0410	0.0360	0.0360	0.0380	0.0370
H	0.0790	0.0800	0.0810	0.0360	0.0360	0.0360	0.0360	0.0360	0.0380

10	11	12
0.0360	0.0340	0.0330
0.0370	0.0350	0.0340
0.0400	0.0350	0.0340
0.0360	0.0370	0.0340
0.0350	0.0380	0.0350
0.0370	0.0360	0.0360
0.0350	0.0400	0.0470
0.0350	0.0350	0.0350

SUNRISE; Serial number: 711005229; Firmware: V 3.31 25/08/05; XREAD PLUS Version: V 4.00

Date: 18/4/17

Time: 12:08

User comment:

Measurement mode: Absorbance

Measurement filter: 340 nm

Rawdata

<>	1	2	3	4	5	6	7	8
A	1.0990	0.4910	1.6580	0.1660	0.1610	0.1680	0.1670	0.1670
B	0.8200	0.1650	0.7340	0.1680	0.1680	0.1660	0.1650	0.1630
C	0.2920	0.1640	0.4370	0.1670	0.1650	0.1630	0.1650	0.1640
D	1.2320	0.1810	0.8740	0.1640	0.1650	0.1650	0.1610	0.1590
E	0.3580	0.3610	0.3490	0.1640	0.1620	0.1630	0.1650	0.1560
F	0.2680	0.2840	0.2870	0.1620	0.1680	0.1620	0.1680	0.1590
G	0.2590	0.2400	0.2710	0.1580	0.1700	0.1690	0.1580	0.1640
H	0.2880	0.2960	0.2980	0.1650	0.1590	0.1620	0.1570	0.1560

9	10	11	12
0.1660	0.1650	0.1610	0.1610
0.1620	0.1630	0.1620	0.1620
0.1630	0.1710	0.1580	0.1570
0.1620	0.1600	0.1610	0.1570
0.1590	0.1600	0.1590	0.1570
0.1640	0.1600	0.1580	0.1630
0.1670	0.1640	0.1610	0.1720
0.1580	0.1610	0.1540	0.1570