C8953
NMR strukturní analýza
seminář

Identification of an unknown compound

Jan Novotný, Ondřej Jurček
176003@is.muni.cz, ondrej.jurcek@ceitec.muni.cz

April 18, 2018

Task 0: **Classification of an unknown substance**

Assign the general name to displayed substances:

CARBOHYDRATE

PEPTIDE

STEROID

TERPENE

ALKALOID

COUMARINE

VISNADINE



QUININE



CARVONE



SACHAROSA



DIHYDROCHOLESTEROL



SGGLRLHLGLS



Task 0: **Classification of an unknown substance**



Task 1: $C_{10}H_{13}NO$

δ[ppm]	Multiplicity	Integral
1.05	triplet	3
1.75	singlet	3
3.70	quartet	2
7-7.60	complex multiplet	5

Task 2: $C_{11}H_{15}NO_2$

δ[ppm]	Multiplicity	J(Hz)	Integral
1.30	triplet	7	3
3.00	singlet	-	6
4.25	quartet	7	2
6.65	dublet	8	2
7.80	dublet	8	2

Task 3: $C_{12}H_{17}NO$ - ^1H/COSY

^1H NMR (300 MHz, CDCl3)



SOLUTION

Task 3: $\mathbf{C_{12}H_{17}NO}$ - ^{1}H/COSY

COSY (300 MHz, CDCl3)



Task 3: $\mathbf{C_{12}H_{17}NO}$ - ^{1}H-^{13}C/HSQC,HMBC

HSQC (300 MHz, CDCl3)



Task 3: $\mathbf{C_{12}H_{17}NO}$ - ^{1}H-^{13}C/HSQC,HMBC

HMBC (300 MHz, CDCl3)



General comments

- inspect molecular formula $\mathrm{C_mH_hO_oN_nX_x}$:
  Degree of unsaturation $\mathbf{m + 1 - 0.5(h + x - n)}$
- identify signals of CH_3 and exchangeable protons in 1D ^{1}H sectrum
- arbitrary numbering (e.g., from lower to higher value of chemical shift) of resolved resonances in all spectra
- identification of the individual spin systems using DQF-COSY
- resolve geminal protons using HSQC
- connect molecular fragments/isolated spins using HMBC, NOESY
- specify the stereochemistry (relative configuration) by means of $J-$ and NOE interaction

- in 1D spectrum bottom blue numbers are integrals, labels in violet frames contains the arbitrary label (A-N), multiplet specification (use with caution, automatically determined), and position of a signal in ppm
- UnHa-UnHb in 2D reffers to correlation of protons *a* and *b* of unknown compound Un

1D ^{1}H of $C_{10}H_{20}O$




1H 1D
c=0.8M DMSO 25C TXI
G (ddt)
0.98
F (m)
0.90
E (s)
0.86
D (d)
0.85
C (d)
0.83
B (td)
0.78
A (m)
0.73
1.01
0.17
1.30
0.20
2.65
0.75
3.07
0.57
0.08
1.16
0.17
1.00
3.05
06
1.04
1.02
1.00
0.98
0.96
0.94
0.92
0.90
0.88
0.86
0.84
0.82
0.80
0.78
0.76
0.74
0.72
0.70
0.68
f1 (ppm)

^{1}H-^{13}C HSQC and NOESY





Task 1: *J*-connectivity of $C_{10}H_{20}O$



Task 1: *J*-connectivity of $C_{10}H_{20}O$



Task 1: *J*-connectivity of $C_{10}H_{20}O$



Task 1: *J*-connectivity of $C_{10}H_{20}O$



Task 1: *J*-connectivity of $C_{10}H_{20}O$