

Macedonian steppe

Information from Dr. Renata Ćušterevska, Ss. Cyril and Methodius University, Skopje

I suggest you go to the Ovce Pole railway station (41.805194° 22.009666°), where you can see very rare Halophytic communities, and you can see steppe vegetation in the direction of the village Bogoslovec (41.774540° 22.020794°).

halophytic vegetation

Thero-Salicornietea Tx. in Tx. et Oberd. 1958

Thero-Salicornietalia Pignatti 1952

Thero-Salicornion(Br.-Bl. 1933) Pignatti 1953

- ass. *Suaedetum maritimae* Micevski 1965

Crypsietea aculeatae Vicherek 1973

Crypsietalia aculeatae Vicherek 1973

Cypero-Spergularion Slavn. 1948

- ass. *Crypsidetum aculeatae* Micevski 1965

Festuco-Puccinellietea Soó ex Vicherek 1973

Puccinellietalia Soó 1947

Puccinellion convolutae Micevski 1965

- ass. *Camphorosmetum annuae* Micevski 1965

- ass. *Puccinelietum convolutae* Micevski 1965

- ass. *Hordeo-Trifolietum parviflori* Micevski 1965

- ass. *Camphorosmetum monspeliacae* Micevski 1965

- ass. *Pholiureto-Plantaginetum* Micevski 1965

steppe vegetation

Bogoslovec 41.774540° 22.020794°

Festuco-Brometea Br.-Bl. et Tx. ex Soó 1947

Astragalo onobrychidis-Potentilletalia Micevski 1971

Saturejo-Thymion Micevski 1971

- ass. *Brachypodio-Onobrychetum pindicolae* Micevski 1971

- ass. *Astragalo-Morinetum* Micevski 1971